



Document details

[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Save to list](#) [More... >](#)[Metrics](#) [View all metrics >](#)[View at Publisher](#)

International Journal on Advanced Science, Engineering and Information Technology [Open Access](#)

Volume 10, Issue 3, 2020, Pages 952-958

[Field-Weighted](#)[Citation Impact](#)

A staggered method for simulating shallow water flows along channels with irregular geometry and friction

(Article) [\(Open Access\)](#)

Sulistyono, B.A.^{a,b}✉, Wiryanto, L.H.^a, Mungkasi, S.^c✉

[View additional authors](#) [Save all to author list](#)

^aDepartment of Mathematics, Faculty of Mathematics and Natural Sciences, Institut Teknologi Bandung, Bandung, Indonesia

^bDepartment of Mathematics Education, Universitas Nusantara PGRI Kediri, Kediri, Indonesia

^cDepartment of Mathematics, Faculty of Science and Technology, Universitas Sanata Dharma, Yogyakarta, Indonesia

[View additional affiliations](#)

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)[Set citation feed >](#)

Abstract

We consider the shallow water equations along channels with non-uniform rectangular cross sections with source terms due to bottom topography, channel width, and friction factor. The system of equations consist of the mass and momentum conservation equations. We have two main goals in this paper. The first is to develop a numerical method for solving the model of shallow water equations involving those source terms. The second is to investigate effects of friction in water flows governed by the model. We limit our research to the flows of one-dimensional problems. The friction uses the Manning's formula. The mathematical model is solved numerically using a finite volume numerical method on staggered grids. We propose the use of this method, because the computation is cheap due to that no Riemann solver is needed in the flux calculation. Along with a detailed description of the scheme, in this paper, we show a strategy to include the discretization of the friction term in the staggered-grid finite volume method. Simulation results indicate that our strategy is successful in solving the problems. Furthermore, an obvious effect of friction is that it slows down water flows. We obtain that great friction values lead to slow motion of water, and at the same time, large water depth. Small friction values result in fast motion of water and small water depth. © 2020, Insight Society.

Author keywords

[Friction term](#) [Irregular channel width](#) [Irregular geometry](#) [Irregular topography](#) [Shallow water equations](#)

ISSN: 20885334

Source Type: Journal

Original language: English

DOI: 10.18517/ijaseit.10.3.7413

Document Type: Article

Publisher: Insight Society



Source details

International Journal on Advanced Science, Engineering and Information Technology

CiteScore 2019

2.0

①

Add CiteScore to your site

Open Access ①

Scopus coverage years: from 2015 to Present

Publisher: INSIGHT - Indonesian Society for Knowledge and Human Development

SJR 2019

0.274

①

ISSN: 2088-5334 E-ISSN: 2460-6952

Subject area: Agricultural and Biological Sciences: General Agricultural and Biological Sciences
Engineering: General Engineering
Computer Science: General Computer Science

SNIP 2019

1.072

①

[View all documents >](#)[Set document alert](#)[Save to source list](#)[Journal Homepage](#)[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

i Improved CiteScore methodology

CiteScore 2019 counts the citations received in 2016-2019 to articles, reviews, conference papers, book chapters and data papers published in 2016-2019, and divides this by the number of publications published in 2016-2019. [Learn more >](#)

x

CiteScore 2019

2.0 = $\frac{2,332 \text{ Citations 2016 - 2019}}{1,183 \text{ Documents 2016 - 2019}}$

Calculated on 06 May, 2020

CiteScoreTracker 2020 ①

1.7 = $\frac{1,854 \text{ Citations to date}}{1,113 \text{ Documents to date}}$

Last updated on 07 July, 2020 • Updated monthly

CiteScore rank 2019 ①

Category	Rank	Percentile
----------	------	------------

Agricultural and Biological Sciences #67/203 67th
General Agricultural and Biological Sciences

Engineering #105/299 65th
General Engineering

[View CiteScore methodology >](#) [CiteScore FAQ >](#)

About Scopus

What is Scopus
Content coverage
Scopus blog
Scopus API
Privacy matters

Language

日本語に切り替える
切换到简体中文
切换到繁體中文
Русский язык

Customer Service

Help
Contact us

**SJR**

Scimago Journal & Country Rank

Enter Journal Title, ISSN or Publisher Name

Home

Journal Rankings

Country Rankings


Viz Tools








Help

About Us

International Journal on Advanced Science, Engineering and Information Technology

Country	Indonesia - SIR Ranking of Indonesia	17
Subject Area and Category	Agricultural and Biological Sciences Agricultural and Biological Sciences (miscellaneous)	
	Computer Science Computer Science (miscellaneous)	
	Engineering Engineering (miscellaneous)	
Publisher		
Publication type	Journals	
ISSN	20885334, 24606952	
Coverage	2015-2020	
Scope	International Journal on Advanced Science, Engineering and Information Technology (IJASEIT) is an international peer-reviewed journal dedicated to interchange for the results of high quality research in all aspect of science, engineering and information technology. The journal publishes state-of-art papers in fundamental theory, experiments and simulation, as well as applications, with a systematic proposed method, sufficient review on previous works, expanded discussion and concise conclusion. As our commitment to the advancement of science and technology, the IJASEIT follows the open access policy that allows the published articles freely available online without any subscription. The journal scopes include (but not limited to) the followings: -Science: Bioscience & Biotechnology, Chemistry & Food Technology, Environmental, Health Science, Mathematics & Statistics, Applied Physics -Engineering: Architecture, Chemical & Process, Civil & structural, Electrical, Electronic & Systems, Geological & Mining Engineering, Mechanical & Materials -Information Science & Technology: Artificial Intelligence, Computer Science, E-Learning & Multimedia, Information System, Internet & Mobile Computing	
	Homepage	
	How to publish in this journal	
	Contact	
	Join the conversation about this journal	





Sunday, 02 August 2020

ISSN 2088-5334

International Journal on Advanced Science Engineering Information Technology

HOME ARCHIVES

International Journal on Advanced Science, Engineering and Information Technology



International Journal on Advanced Science, Engineering and Information Technology (IJASEIT) is an international peer-reviewed journal dedicated to interchange for the results of high quality research in all aspect of science, engineering and information technology. The journal publishes state-of-art papers in fundamental theory, experiments and simulation, as well as applications, with a systematic proposed method, sufficient review on previous works, expanded discussion and concise conclusion. As our commitment to the advancement of science and technology, the IJASEIT follows the open access policy that allows the published articles freely available online without any subscription.

Scope

The journal scopes include (but not limited to) the followings:

Science: Bioscience & Biotechnology, Chemistry & Food Technology, Environmental, Health Science, Mathematics & Statistics, Applied Physics

Engineering: Architecture, Chemical & Process, Civil & structural, Electrical, Electronic & Systems, Geological & Mining Engineering, Mechanical & Materials

Information Science & Technology: Artificial Intelligence, Computer Science, E-Learning & Multimedia, Information System, Internet & Mobile Computing

Frequency: 6 issues per year

DOI: 10.18517/ijaseit

ISSN: 2088-5334

IJASEIT

About

Scimago

International Journal on
Advanced Science....

Q2

Agricultural and
Biological Sciences
(miscellaneous)
best quartile

SJR 2019

0.27

powered by scimagojr.com

Scopus

International Journal on Advanced Science Engineering Information Technology

[HOME](#) [ARCHIVES](#)

Editorial Team

Editor in Chief :

Rahmat Hidayat, (Scopus ID: 57191265401) Politeknik Negeri Padang, INDONESIA

Associate Editors :

Taufik, (Scopus ID: 23670809800), California Polytechnic State University, USA
 Haitham Alali, (Scopus ID: 49963007000), Amman Arab University, JORDAN
 Wan Mohtar Wan Yusoff, (Scopus ID: 15019967700), Univ. Kebangsaan Malaysia, MALAYSIA
 Halimah Badioze Zaman, (Scopus ID: 25825801600), Univ. Kebangsaan Malaysia, MALAYSIA
 Son Radu, (Scopus ID: 7005251005), Universiti Putra Malaysia, Malaysia, MALAYSIA
 Mohd Razi Ismail, (Scopus ID: 25957691400), Universiti Putra Malaysia, MALAYSIA
 Takashi Oku, (Scopus ID: 56275094900), Prefectural University of Hiroshima, JAPAN
 Kohei Nakano, (Scopus ID: 7402011766), Gifu University, JAPAN
 Nurul Huda, (Scopus ID: 6701695514), Universiti Malaysia Sabah, MALAYSIA
 Yandra Arkeman, (Scopus ID: 55946558300), Bogor Agriculture University, INDONESIA
 Sate Sampattagul, (Scopus ID: 7801640861), Chiangmai University, THAILAND
 Peeyush Soni, (Scopus ID: 9248907800), Asian Institute of Technology, THAILAND
 Yolanda Lechon Perez, (Scopus ID: 6602826000), Ciemat, Madrid, SPAIN
 Gabriele Arcidiacono (Scopus ID: 56656284600), G. Marconi University, ITALY
 Alessandra Pieroni (Scopus ID: 25929524500), Marconi International University, Florida - USA
 Nguyen Hay , (Scopus ID: 15834645900) Nong Lam University. VIETNAM
 Rita Muhamad Awang, (Scopus ID: 55957782400), Universiti Putra Malaysia, MALAYSIA
 Anton S Prabuwono, (Scopus ID: 18134309800), King Abdulaziz Univ, SAUDI ARABIA
 P Mangala C S De Silva, (Scopus ID: 7006461145), University of Ruhuna, SRI LANKA
 Bich Huy Nguyen, (Scopus ID: 36191086100), Nong Lam University, VIETNAM
 Paul Kristiansen, (Scopus ID: 23097563600), University of New England, AUSTRALIA
 Amitava Basu, (Scopus ID: 21833738300), Bidhan Chandra Krishi Vidyalaya, INDIA
 Shahrul Azman Mohd Noah, (Scopus ID: 35087633200), Universiti Kebangsaan Malaysia, MALAYSIA
 Luca Di Nunzio (Scopus ID: 57195199010), University of Rome Tor Vergata, ITALY
 Rocco Fazzolari (Scopus ID: 36469997900), University of Rome Tor Vergata, ITALY
 Ruben Paul Borg (Scopus ID: 55246483600), L-Universita ta' Malta, Msida, Malta

Editors :

Nurhamidah, (Scopus ID: 57191636504), Andalas University, INDONESIA
 Ario Betah Juansilfero, (Scopus ID: 57189369470), Kobe University, JAPAN
 Zairi Ismael Rizman, (Scopus ID: 36959761800), Universiti Teknologi MARA (UiTM) (Terengganu) MALAYSIA
 Shahreen Kasim, (Scopus ID: 36155431900), Universiti Tun Hussein Onn - MALAYSIA
 Chi-Hua Chen, (Scopus ID: 35799698800), National Chiao Tung University, TAIWAN
 Abrar Ismardi, (Scopus ID: 26633102900), Telkom University - INDONESIA

IJASEIT
[About](#)
Scimago

Scopus

Vol. 10 (2020) No. 3

Articles

Study on Error Correction Capability of Simple Concatenated Polar Codes

Robin Sinurat, Muhamad Rizki Maulana, Khoirul Anwar, Nanang Ismail
 pages: 899-904 [Full text](#) DOI:10.18517/ijaseit.10.3.10677

Catch the Thief: An Approach to an Accessible Video Game with Unity

Edwin Patricio Flores-Garzón, Luis José Intriago-Echeverría, Angel Jaramillo-Alcázar, Santiago Criollo-C,
 Sergio Luján-Mora
 pages: 905-913 [Full text](#) DOI:10.18517/ijaseit.10.3.10938

Adopting ISO/IEC 27005:2011-based Risk Treatment Plan to Prevent Patients Data Theft

Laura Cassandra Hamit, Haslina Md. Sarkan, Nurulhuda Firdaus Mohd Azmi, Mohd Naz'ri Mahrin, Suriayati Chuprat, Yazriwati Yahya
 pages: 914-919 [Full text](#) DOI:10.18517/ijaseit.10.3.10172

Analysis of Dual Phase Dual Stage Boost Converter for Photovoltaic Applications

Suraj S, Jijesh J J, Sarun Soman
 pages: 920-928 [Full text](#) DOI:10.18517/ijaseit.10.3.5346

Fault Detection of an Internal Combustion Engine through Vibration Analysis by Wavelets Transform

Gina P. Novillo, Nestor Diego Rivera Campoverde, Hector Adrian Auquilla Veintimilla, Cesar Daniel Beltrán Orellana
 pages: 929-936 [Full text](#) DOI:10.18517/ijaseit.10.3.10810

Thermal-Hydraulics Operation Parameters Modeling and Analysis of KLT-40S Reactor at Steady-State and Transient Condition using RELAP5-3D

Abednego Kristanto, Alexander Agung, Kutut Suryopratomo
 pages: 937-944 [Full text](#) DOI:10.18517/ijaseit.10.3.7622

Design of a Hand Orthosis for People with Deficiency of the Medial, Radial, and Ulnar Nerves

John A. Morales, William A. Rodriguez, Leonardo A. Bermeo Varon, Diana M. Quiguanas, Edgar F. Arcos, John J. Villarejo Mayor
 pages: 945-951 [Full text](#) DOI:10.18517/ijaseit.10.3.10808

A Staggered Method for Simulating Shallow Water Flows along Channels with Irregular Geometry and Friction

Bambang Agus Sulistyono, Leo Hari Wiryanto, Sudi Mungkasi
 pages: 952-958 [Full text](#) DOI:10.18517/ijaseit.10.3.7413

Face Recognition System Based on Gabor Wavelets Transform, Principal Component Analysis and Support Vector Machine

Salar J Rashid, Abdulqadir I Abdullah, Mustafa A Shihab
 pages: 959-963 [Full text](#) DOI:10.18517/ijaseit.10.3.8247

A New Feature Extraction Method for Classifying Heart Wall from Left Ventricle Cavity

Riyanto Sigit, Achmad Basuki, - Anwar
 pages: 964-973 [Full text](#) DOI:10.18517/ijaseit.10.3.12152

Color Feature Segmentation Image for Identification of Cotton Wool Spots on Diabetic Retinopathy Fundus

Feriantano Sundang Pranata, Jufriadi Na'am, Rahmat Hidayat
 pages: 974-979 [Full text](#) DOI:10.18517/ijaseit.10.3.11877

IJASEIT

About

Scimago

International Journal on
Advanced Science....

Q2

Agricultural and
Biological Sciences
(miscellaneous)

best quartile

SJR 2019

0.27



powered by scimagojr.com

Scopus

Scopus

Mobile Application for Identification of Coffee Fruit Maturity using Digital Image Processing

Oka Sudana, Deden Witarsyah, Adhiyta Putra, Sunia Raharja
 pages: 980-986 [Full text](#) DOI:10.18517/ijaseit.10.3.11135

Supervised Image Classification of Chaos Phenomenon in Cumulonimbus Cloud Using Spectral Angle Mapper

- Wanayumini, Opim Salim Sitompul, Saib Suwilo, Muhammad Zarlis
 pages: 987-992 [Full text](#) DOI:10.18517/ijaseit.10.3.11493

Functional Size Measurement Tool-based Approach for Mobile Game

Nur Ida Aniza Rusli, Nur Atiqah Sia Abdullah
 pages: 993-998 [Full text](#) DOI:10.18517/ijaseit.10.3.10185

A Domain-Specific Modelling Language for Adventure Educational Games and Flow Theory

Ana Syafiqah Zahari, Lukman Ab Rahim, Nur Aisyah Nurhadi, Mubeen Aslam
 pages: 999-1007 [Full text](#) DOI:10.18517/ijaseit.10.3.10173

A Novel Android Memory Forensics for Discovering Remnant Data

Gandeva Bayu Satrya, Febrian Kurniawan
 pages: 1008-1015 [Full text](#) DOI:10.18517/ijaseit.10.3.9363

The Development and Evaluation of Experience-Based Factory Model for Software Development Process

Mastura Hanafiah, Rusli Abdullah, Masrah Azrifah Azmi Murad, Jamilah Din
 pages: 1016-1024 [Full text](#) DOI:10.18517/ijaseit.10.3.10181

A Framework for Factors Influencing the Implementation of Information Assurance for e-Government in Indonesia

Rio Guntur Utomo, Gary Wills, Robert Walters
 pages: 1025-1034 [Full text](#) DOI:10.18517/ijaseit.10.3.9186

Zsmell – Code Smell Detection for Open Source Software

Aziz Nanthaamornphong, Tanawat Saeang, Panyaprach Tularak
 pages: 1035-1041 [Full text](#) DOI:10.18517/ijaseit.10.3.10182

A Guidance to Legacy Systems Modernization

Humairath KM Abu Bakar, Rozilawati Razali, Dian Indrayani Jambari
 pages: 1042-1050 [Full text](#) DOI:10.18517/ijaseit.10.3.10265

Two-stage Heuristic for Primary School Timetabling Problem with Combined Classes Consideration

San Nah Sze, See Yan Tan, Kang Leng Chiew, Wei King Tiong
 pages: 1051-1057 [Full text](#) DOI:10.18517/ijaseit.10.3.10233

Mapping E-Auction Sharia Compliant Requirements to User Interface Design

Norleyza Jailani, Mohammed Al-Aaidroos, Muriati Mukhtar, Marini Abu Bakar, Amirah Ismail
 pages: 1058-1065 [Full text](#) DOI:10.18517/ijaseit.10.3.10266

Analyzing the Impact of Big Data and Artificial Intelligence on the Communications Profession: A Case Study on Public Relations (PR) Practitioners in Indonesia

N. Nurlaela Arief, Aurik Gustomo
 pages: 1066-1071 [Full text](#) DOI:10.18517/ijaseit.10.3.11821

E-learning Content Design using ADDIE and SECI: Case of Shelving Activity in Research Organization

Dyah Kusumastuti, Rayinda Pramuditya Soesanto, Amelia Kurniawati, Mochamad Teguh Kurniawan
 pages: 1072-1077 [Full text](#) DOI:10.18517/ijaseit.10.3.10841

Forecasting the Consumer Price Index (CPI) of Ecuador: A Comparative Study of Predictive Models

Juan Riofrio, Oscar Chang, E. J. Revelo-Fuelagán, Diego H. Peluffo-Ordóñez
 pages: 1078-1084 [Full text](#) DOI:10.18517/ijaseit.10.3.10813

Design and Simulation of a Model Predictive Controller (MPC) for a Seismic Uniaxial Shake Table

Royce Val C. Malalis, Chyn Ira C. Crisostomo, Romel S. Saysay, Alexander C. Abad, Lessandro Estelito O. Garciano, Renann G. Baldovino
 pages: 1085-1090 [Full text](#) DOI:10.18517/ijaseit.10.3.9953

Modeling and Simulation of a DC Micro-Grid with a Model Predictive Controller**Template of Journal IJASEIT****Support Contact**

WAG : +62-82171-822448
 E-mail : ijaseit@insightsociety.org

The**Keywords**

fuzzy protein detection security rice
 data cocoa power corn regression
network palm interaction sweet
soil energy recognition flour
 bacteria cassava swarm
 environment design sensor total
 x-ray coffee content functional chemical west
 community colour mining radio flow
 natural local technology oil
 technology development fatty quality starch
 mode antioxidant field time coconut
 leaf powder cell policy feature tea
 factors based web control optical arabic
 ratio social system robot function
 computer application surface rate game seed
 value particle use index user drying project
 prediction fertilizer biodiesel test carbon
 physical land modelling water model
 online simulation structure neural element analysis
 classification image characteristics
 performance food method fruit
 fiber decision wireless identification growth learning
 strength cancer management processing human waste



Vladimir Prada, Oscar I. Caldas, Edilberto Mejía-Ruda, Mauricio Mauledoux, Oscar F Avilés
 pages: 1091-1098 [Full text](#) DOI:10.18517/ijaseit.10.3.11343

Performance Evaluation of Portable Hot Water Jet for Frozen Meat Industry Application

Nurul Izzah Khalid, Norashikin Ab. Aziz, Farah Saleena Taip
 pages: 1099-1106 [Full text](#) DOI:10.18517/ijaseit.10.3.10998

Analysis of Electric Power Consumption and Proposals for Energy Sustainability for the University of Unicomfacauca (Colombia)

Jhonn Guerrero Narvaez, Diego Campo Ceballos, Julio Mejia Manzano, Saul Ruiz Sarsoza
 pages: 1107-1116 [Full text](#) DOI:10.18517/ijaseit.10.3.10812

Detecting the Usage of Vulgar Words in Cyberbully Activities from Twitter

Nursyahirah Tarmizi, Suhaila Saeed, Dayang Hanani Abang Ibrahim
 pages: 1117-1122 [Full text](#) DOI:10.18517/ijaseit.10.3.10645

An Evaluation Methodology of Named Entities Recognition in Spanish Language: ECU 911 Case Study

Marcos Orellana, Andrea Trujillo, Juan-Fernando Lima, María-Ínés Acosta, Mario Peña
 pages: 1123-1129 [Full text](#) DOI:10.18517/ijaseit.10.3.10939

Using Ontology-Based Approach to Improved Information Retrieval Semantically for Historical Domain

Fatihah Ramli, Shahrul Azman Mohd Noah, Tri Basuki Kurniawan
 pages: 1130-1136 [Full text](#) DOI:10.18517/ijaseit.10.3.10180

An Ontology Framework for Generating Requirements Specification

Amarilis Putri Yanuarifiani, Fang-Fang Chua, Gaik-Yee Chan
 pages: 1137-1142 [Full text](#) DOI:10.18517/ijaseit.10.3.10164

Improving Faceted Search Results for Web-based Information Exploration

Mohammed Najah Mahdi, Abdul Rahim Ahmad, Roslan Ismail
 pages: 1143-1152 [Full text](#) DOI:10.18517/ijaseit.10.3.9959

Technical Specification for Effective Next Generation Network Interconnection in Indonesia

Maman Abdurohman, Bambang Setia Nugroho
 pages: 1153-1162 [Full text](#) DOI:10.18517/ijaseit.10.3.5753

Assessment of Multimodal Rainfall Classification Systems Based on an Audio/Video Dataset

Roberta Avanzato, Francesco Beritelli, Antonio Raspanti, Michele Russo
 pages: 1163-1168 [Full text](#) DOI:10.18517/ijaseit.10.3.12130

A New Method of Data Encryption based on One to One Functions

Osama R Shahin, Anis Ben Aissa, Yasser Fouad, Hassan Al-Mahdi, Mansi Alsmarah
 pages: 1169-1175 [Full text](#) DOI:10.18517/ijaseit.10.3.10765

Use of the "Via-In-Pad" Method to Ensure the High-Density Layout of the Conductive Pattern when Designing Multilayer Switching Structures

Ivan E. Chernov, Nikita A. Kondakov, Konstantin D. Perederin, Andrey I. Vlasov, Vladimir P. Zhalnin, Vadim A. Shakhnov
 pages: 1176-1183 [Full text](#) DOI:10.18517/ijaseit.10.3.10831

Design and Development of a Drive System Integrated a Continuously Variable Transmission (CVT) for an Electric Motorcycle

Tuan-Anh Bui, Huy-Bich Nguyen, Van-Hung Pham, Manh-Toan Nguyen
 pages: 1184-1190 [Full text](#) DOI:10.18517/ijaseit.10.3.11885

Novel of Cogging Torque Reduction Technique for Permanent Magnet Generator by Compounding of Magnet Edge Shaping and Dummy Slotting in Stator Core

Tajuddin Nur, Liza Evelyn Joe, Marsul Siregar
 pages: 1191-1199 [Full text](#) DOI:10.18517/ijaseit.10.3.10372

Analysis of Architecture Combining Convolutional Neural Network (CNN) and Kernel K-Means Clustering for Lung Cancer Diagnosis

Zuherman Rustam, Sri Hartini, Rivan Y. Pratama, Reyhan E. Yunus, Rahmat Hidayat
 pages: 1200-1206 [Full text](#) DOI:10.18517/ijaseit.10.3.12113

Screening for Optimal Parameters of Nattokinase Synthesis by *Bacillus subtilis natto* in Solid-State Fermentation



Cuong Viet Bui, Minh Nguyet Thi Nguyen, Minh Hanh Thi Truong, Xuan Dong Bui
 pages: 1207-1213 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.5492

The Correlation between Environmental Sanitation and Stunting Case in Pidie District

Herman Fithra, Deassy Siska
 pages: 1214-1220 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.11445

Particle Size Effect on Mechanical and Physical Properties of Rice Straw Epoxy Resin Particleboard

I Ismail, Quratal Aini, - Zulfalina, Zulkarnain Jailil, Siti Hajar Sheikh Md Fadzullah
 pages: 1221-1227 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.8687

The Effects of Ginger Volatile Oil (GVO) on The Metabolic Profile of Glycolytic Pathway, Free Radical and Antioxidant Activities of Heat-Stressed Cihateup Duck

Kurnia Asumatrani Kamil, Diding Latipudin, Andi Mushawir, Dedi Rahmat, Roostita Lobo Balia
 pages: 1228-1233 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.11117

Improving the Benefit of Natural Resources Endowment to Economic Welfare in Indonesia: A Mixed-Method Analysis

Palupi Anggraeni, Peter Daniels, Peter Davey
 pages: 1234-1244 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.12067

Development Barriers of Stingless Bee Honey Industry in Bicol, Philippines

Hanilyn A. Hidalgo, Amelia R. Nicolas, Romnick Cedon
 pages: 1245-1251 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.4747

Performances and Genetic Parameters Estimation of Yield and Yield Related Traits in Sweet Corn Inbred Lines Selected for Better Adaptation to Organic Cropping System

Mohammad Chozin, Sigit Sudjatmiko, Zainal Muktamar, Nanik Setyowati, Fahrurrozi Fahrurrozi
 pages: 1252-1257 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.2558

The Effect of Urea Levels on In-vitro Digestibility and Rumen Fermentation Characteristic of Ammoniated Oil Palm Trunk

Azhary Noersidiq, Yetti Marlida, Mardiaty Zain, Anwar Kasim, Fauzia Agustin, Nurul Huda
 pages: 1258-1262 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.11574

Seed Coating Formulations for Improving Rhizobia Survival, Growth, and Grain Yield of Common Bean

- Marwanto, Merakati Handajaningsih, Bambang Gonggo Murcitro
 pages: 1263-1271 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.5121

In vitro Shoot Multiplication of Curcuma xanthorrhiza with Coconut Water and Banana Extract Nutrient

Nur Andini, - Samanhudi, Ahmad Yunus
 pages: 1272-1277 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.5540

Extraction, Optimization, and Dyeing Standardization using Fresh Orange Citrus Peel on Cotton Fabrics

Nita Kusumawati, Agus Budi Santoso, Asri Wijastuti, Supari Muslim
 pages: 1278-1283 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.3430

Morphological and Molecular Identification of Ramie Plants (*Boehmeria nivea* L. Gaud) in Indonesia

Reni Mayerni, Sari Rukmana Okta Sagita Chan, - Gustian
 pages: 1284-1288 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.5258

Organoleptic, Chemical, and Physical Characteristics of Sago (*Metroxylon* spp.) Analog Rice Supplemented with Red Bean (*Phaseolus vulgaris*) Flour as a Functional Food

Sri Budi Wahjuningsih, Y Marsono, Danar Praseptiangga, Bambang Haryanto, Mita Nurul Azkia
 pages: 1289-1296 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.11098

Land Flooding Effect Before and After Planting on Rice Yield in the System of Rice Intensification

Indra Dwipa, Musliar Kasim, Nalwida Rozen, Nurhamidah Nurhamidah
 pages: 1297-1303 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.10973

Descriptive, Correlation Analysis and Analytical Hierarchy Process of Coastal Community Empowerment of Bengkulu City, Indonesia

Indra Cahyadinata, - Nusril, - Gushevinalti
 pages: 1304-1310 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.2659

Stimulating Activity on Human Lymphocytes in vitro of Nori like Product (Geluring) Made from *Gelidium* sp. and *Ulva lactuca* Seaweeds

- *Emiati, Fransiska Zakaria Rungkat, Endang Prangdimurti, Dede Robiatul Adawiyah, Bambang Pontjo Priosoeryanto, Nurul Huda*
pages: 1311-1316 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.9440

The Effect of Topographic Correction on Canopy Density Mapping Using Satellite Imagery in Mountainous Area

Deha Agus Umarhadi, Projo Danoedoro
pages: 1317-1325 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.7739

Morphotectonic Identification Utilizing Satellite Imagery Processing on the Southern Part of Merapi Mount in Yogyakarta

Herry Riswandi, Emi Sukiyah, Boy Yoseph C.S.S. Syah Alam, Muhamad Sapari Dwi Hadian
pages: 1326-1333 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.8335

Hazard Risk Management and Mitigation System of Earthquake and Tsunami on Disaster-Prone Area

Taufika Ophiyandri, Ahmad Junaidi, Akiyoshi Takagi, Diva Syandriaji
pages: 1334-1339 [\[Full text\]](#) DOI:10.18517/ijaseit.10.3.11467

Published by INSIGHT - Indonesian Society for Knowledge and Human Development



A Staggered Method for Simulating Shallow Water Flows along Channels with Irregular Geometry and Friction

Bambang Agus Sulistyono^{a,b,1}, Leo Hari Wiryanto^{a,2}, Sudi Mungkasi^c

^aDepartment of Mathematics, Faculty of Mathematics and Natural Sciences, Institut Teknologi Bandung, Bandung, Indonesia

E-mail: ¹bb7agus1@gmail.com, ²leo@math.itb.ac.id

^bDepartment of Mathematics Education, Universitas Nusantara PGRI Kediri, Kediri, Indonesia

^cDepartment of Mathematics, Faculty of Science and Technology, Universitas Sanata Dharma, Yogyakarta, Indonesia

E-mail: sudi@usd.ac.id

Abstract— We consider the shallow water equations along channels with non-uniform rectangular cross sections with source terms due to bottom topography, channel width, and friction factor. The system of equations consist of the mass and momentum conservation equations. We have two main goals in this paper. The first is to develop a numerical method for solving the model of shallow water equations involving those source terms. The second is to investigate effects of friction in water flows governed by the model. We limit our research to the flows of one-dimensional problems. The friction uses the Manning's formula. The mathematical model is solved numerically using a finite volume numerical method on staggered grids. We propose the use of this method, because the computation is cheap due to that no Riemann solver is needed in the flux calculation. Along with a detailed description of the scheme, in this paper, we show a strategy to include the discretization of the friction term in the staggered-grid finite volume method. Simulation results indicate that our strategy is successful in solving the problems. Furthermore, an obvious effect of friction is that it slows down water flows. We obtain that great friction values lead to slow motion of water, and at the same time, large water depth. Small friction values result in fast motion of water and small water depth.

Keywords— friction term; irregular channel width; irregular geometry; irregular topography; shallow water equations.

I. INTRODUCTION

Water flow appears in everyday life. Flows can be in either a closed channel or free surface channel. An example of closed-channel flow is pipe flow. Examples of free surface flows are those in rivers, lakes, seas, and reservoirs. They can be in the forms of floods, tsunamis, and others. This paper focuses on free surface water flows.

A large number of studies have been done by researchers relating to water flows. One of the most famous results is the Saint-Venant model [1]. This model can be applied to simulate shallow water waves or flows. The original Saint-Venant model has been developed by a number of researchers. The model has currently a number of improvements and variations. Some improvements and variations involve topography, some other involve irregular channel width, and the rest involve friction factor [2], [3], [4], [5], [6]. Based on its form, the Saint-Venant model is a partial differential equation system. Based on physics, the

form of the equation can be either conservative or non-conservative [7], [8], [9].

One of the Saint-Venant model variations is the system of one-dimensional shallow water equations. This system or model can be used for various types of free surface flows with irregular topography and irregular channel width. Mungkasi *et al.* [8] solved this model using a staggered-grid finite volume method. This method has a very simple flux calculation, which leads to cheap computation, as developed by Stelling and Duinmeijer [10]. However, Mungkasi *et al.* [8] did not involve any friction in their shallow water model. The work of Mungkasi *et al.* [8] is extended in the present paper by including the friction factor in our water flow problems.

In this paper, we have two goals. First, we develop a numerical scheme of the finite volume method on staggered grids to approximate solutions to the shallow water equations with source terms due to bottom topography, channel width, and Manning friction. Second, we investigate the influences or effects of the friction to water flows.

A finite volume method is chosen, as our problems admit continuous and discontinuous solutions. Some research of finite volume methods has been reported in the literature, such as [11], [12]. Based on the positions of grids for evaluation of the unknown variables, finite volume methods are categorized into two types, namely, the collocated and staggered methods. Some works on collocated-grid finite volume methods are [13], [14], [15], [16]. Some works on staggered-grid finite volume methods are [8], [10]. An application of these works is, for example, in simulation of the flood routing problem [17], [18], [19], [20].


The rest of this paper follows. Section II recalls the mathematical model and writes our proposed numerical method. Simulation results are presented and discussed in section III. Conclusion is given in section IV.

II. MATERIAL AND METHOD


A. Mathematical Model

We consider one-dimensional shallow water flows with irregular bottom topography, irregular channel width, and friction. Schematic illustrations of this flow problem are shown in Fig.1 including the geometries of the transversal cross section, the longitudinal flow, and the flow space viewed from the top.

(a). Illustration of the transversal cross section



(b). Illustration of the longitudinal flow



(c). Illustration of the flow space viewed from the top




Fig.1. Schematics for shallow water flows along a channel with irregular topography and irregular width in three different points of view.

Water flows in open channels such as rivers and canals can be modeled by a partial differential equation system. This system can be expressed in the forms of mass conservation equation and momentum balance equation, respectively, as follows [3]:

$$A_t + Q_x = 0, \quad (1)$$

$$Q_t + \left(Q^2 / A \right)_x + gAh_x + gA(S_f - S_0) = 0. \quad (2)$$

Here, h is the surface level of water in the channel, Q represents the discharge, A denotes the wet cross-sectional area of the flow, S_0 is the slope of bottom of the channel, S_f is the friction slope, g is the gravitational acceleration, x represents the longitudinal distance along the channel, and t is the time variable.

The friction slope S_f can be obtained from the Manning friction formula as:

$$S_f = \frac{n^2 Q |Q|}{A^2 R^{4/3}} \quad (3)$$

where n represents the Manning's friction coefficient and R is the hydraulic radius.

By substituting the following expressions, that is, $A = bh$, $Q = bhu$, and $S_0 = -z_x$, to (1) and (2), then we obtain:

$$(bh)_t + (bhu)_x = 0 \quad (4)$$

and

$$(bhu)_t + \left(bhu^2 + \frac{1}{2} gh^2 b \right)_x = -ghbz_x + \frac{1}{2} gh^2 b_x - gbhS_f \quad (5)$$

where $z = z(x)$ is the irregular bottom topography, $b = b(x)$ represents the irregular channel width, $u(x,t)$ denotes the velocity, and

$$S_f = \frac{(2h+b)}{bh} n^2 u |u|$$

is again the Manning friction formula. Further, (4) and (5) are rewritten as:

$$h_t + (hu)_x = -\frac{hub_x}{b} \quad (6)$$

and

$$(hu)_t + \left(hu^2 + \frac{1}{2} gh^2 \right)_x = -\frac{hu^2 b_x}{b} - ghz_x - ghS_f. \quad (7)$$

In this paper, (6) and (7) are the mathematical model which shall be solved numerically using the method with staggered grids. The system of (6) and (7) is the shallow water equations in one dimension that model flows along channels with irregular rectangular cross section of channel width and irregular bottom topography involving friction.

B. Numerical Method

In this subsection, we continue the work of Mungkasi *et al.* [8] as well as Stelling and Duinmeijer [10] in developing the staggered-grid finite volume method, or the staggered method, in short. There was no variation of channel width in the work of Stelling and Duinmeijer [10] for one-dimensional problems. There was no friction in the model solved by Mungkasi *et al.* [8]. The problems in the present paper involve irregular topography, irregular channel width, and friction.

To discretize the governing equations, without loss of generality, in this subsection we consider (6) and (7) with the spatial domain $0 \leq x \leq L$ using the partition:

$$x_{1/2} = 0, \dots, x_{i-1/2}, x_i, x_{i+1/2}, \dots, x_{N+1/2} = L.$$

As we work on the numerical method with staggered-grids, values of depth h are approximated at full grid points x_i for $i = 1, \dots, N$ and the values of velocity u are approximated at half grid points $x_{i+1/2}$ for $i = 0, 1, \dots, N$. We consider (6) and (7) on different control volumes, as shown in Fig. 2. We calculate the depth h using the mass conservation (6) at the control volume $[x_{i-1/2}, x_{i+1/2}]$ and the velocity u using the momentum balance (7) at the control volume $[x_i, x_{i+1}]$.




Fig. 2 A configuration of one-dimensional staggered grids, in which the full points are assigned for the mass conservation and the half points are assigned for the momentum balance.

We denote $h_i^k \approx h(x_i, t^k)$ and $u_{i+1/2}^k \approx u(x_{i+1/2}, t^k)$, where $x_i = x_{i-1} + \Delta x$ and $t^k = t^{k-1} + \Delta t$ for all involved integers i and k .

The spatial discretization of (6) and (7) are:

$$\frac{dh_i}{dt} = -\frac{q_{i+1/2}^k - q_{i-1/2}^k}{\Delta x} - \frac{h_i^k * u_i^k (b_{i+1/2} - b_{i-1/2})}{b_i \Delta x} \quad (8)$$

and

$$\begin{aligned} \frac{\bar{h}_{i+1/2} u_{i+1/2}}{dt} &= -\frac{1}{2} g (h_{i+1}^{k+1})^2 - (h_i^{k+1})^2 \\ &- \frac{q_{i+1}^k * u_{i+1}^k - q_i^k * u_i^k}{\Delta x} - \frac{q_{i+1/2}^k u_{i+1/2}^k (b_{i+1} - b_i)}{b_{i+1/2} \Delta x} \\ &- g \bar{h}_{i+1/2}^k \frac{z_{i+1} - z_i}{\Delta x} - g \bar{h}_{i+1/2}^k S_{f,i+1/2}^k \end{aligned} \quad (9)$$

where

$$\begin{aligned} q_{i+1/2} &= {}^* h_{i+1/2} u_{i+1/2}, & \bar{h}_{i+1/2} &= \frac{h_{i+1/2} + h_i}{2}, \\ \bar{q}_i &= \frac{q_{i+1/2} + q_{i-1/2}}{2}, & S_f &= \frac{(2h_i^k + b_i)}{b_i h_i^k} n^2 |u_i^k|. \end{aligned} \quad (10)$$

The values of h and u with asterisks must be approximated, because their values are not known on the corresponding grid points. We calculate the values ${}^* h_{i+1/2}$ and ${}^* u_i$ using the upwind approximation of the first-order, as follows:

$${}^* h_{i+1/2} = \begin{cases} h_i & \text{if } u_{i+1/2} \geq 0, \\ h_{i+1} & \text{if } u_{i+1/2} < 0, \end{cases} \quad (11)$$

and

$${}^* u_i = \begin{cases} u_{i-1/2} & \text{if } \bar{q}_i \geq 0, \\ u_{i+1/2} & \text{if } \bar{q}_i < 0. \end{cases} \quad (12)$$

The next step is converting (9) into a semidiscrete scheme to obtain the rate of change of u with respect to t . Based on (8), we have the formulation:

$$\frac{d \bar{h}_{i+1/2}}{dt} = -\frac{\bar{q}_{i+1}^k - \bar{q}_i^k}{\Delta x} - \frac{q_{i+1/2}^k (b_{i+1} - b_i)}{b_{i+1/2} \Delta x}. \quad (13)$$

Substituting (13) into (9), we obtain:

$$\begin{aligned} \frac{du_{i+1/2}}{dt} &= \frac{1}{\bar{h}_{i+1/2}^{k+1}} \left(\frac{q_{i+1}^k * u_{i+1}^k - q_i^k * u_i^k}{\Delta x} \right) \\ &- \frac{1}{\bar{h}_{i+1/2}^{k+1}} \left(u_{i+1/2}^k \frac{q_{i+1}^k - q_i^k}{\Delta x} \right) - g \frac{h_{i+1}^{k+1} - h_i^{k+1}}{\Delta x} \\ &- g \frac{z_{i+1} - z_i}{\Delta x} - g S_{f,i+1/2}^k. \end{aligned} \quad (14)$$

Hence, our mass conservative and momentum balance equations (6) and (7) become semidiscrete schemes (8) and (14).

To discretize (8) and (14) we can apply a discrete time integration using a standard solver of ordinary differential equations, such as, the first-order explicit Euler method. Therefore, the fully discrete schemes of our staggered-grid finite volume method are:

$$\begin{aligned} h_i^{k+1} &= h_i^k - \frac{\Delta t}{\Delta x} \left({}^* h_{i+1/2}^k u_{i+1/2}^k - {}^* h_{i-1/2}^k u_{i-1/2}^k \right) \\ &- \frac{\Delta t}{\Delta x} h_i^k * u_i^k \frac{b_{i+1/2} - b_{i-1/2}}{b_i} \end{aligned} \quad (15)$$

and

$$\begin{aligned} u_{i+1/2}^{k+1} &= u_{i+1/2}^k - \frac{\Delta t}{\bar{h}_{i+1/2}^{k+1}} \left(q_{i+1}^k * u_{i+1}^k - q_i^k * u_i^k \right) \\ &+ \frac{\Delta t}{\bar{h}_{i+1/2}^{k+1}} u_{i+1/2}^k \left(\bar{q}_{i+1}^k - \bar{q}_i^k \right) \\ &- g \frac{\Delta t}{\Delta x} [(h_{i+1}^{k+1} - h_i^{k+1}) + (z_{i+1} - z_i)] + \Delta t S_{f,i+1/2}^k. \end{aligned} \quad (16)$$

With these formulations, we have extended the work of Mungkasi *et al.* [8] as well as Stelling and Duinmeijer [10]. The strategy of involving the friction term due to Manning has been shown in the above derivations.

Up to here, we have achieved the first goal of this paper. Note that our first goal is to develop a numerical scheme (a finite volume method on staggered grids) to approximate the solutions to the shallow water equations involving source terms due to bottom topography, channel width, and Manning friction. The numerical schemes (15) and (16) are our proposed staggered method for solving the system of (6) and (7).

III. RESULTS AND DISCUSSION

In this section, we conduct five numerical tests to achieve our second goal of this paper. That is, we want to analyze the influences of the friction factor with respect to water flows in the considered Saint-Venant model. The problems for the tests in this paper are taken from the paper of Mungkasi *et al.* [8].

For the discussion in this section, we define two additional variables. The first is the stage $w(x,t) = h(x,t) + z(x,t)$, that is, the vertical position of water surface measured from the horizontal x -axis reference. The second is the discharge $q(x,t) = h(x,t)u(x,t)$ which is actually the momentum in our one-dimensional problems when the channel has a constant width. Here,

$$Q(x,t) = b(x)q(x,t)$$

All measured quantities are assumed to have MKS units in the SI system. With this assumption, we omit the writing of units in all values of variables. In addition, the gravitational acceleration is $g = 9.81$.

A. Case for constant topography and constant width

In this case, we take a dam break having width $b(x) = 1$ and topography $z(x) = 0$, as studied by Stoker [20]. The numerical schemes (15) and (16) are executed on the spatial domain $-100 \leq x \leq 100$, and the simulation time is $0 \leq t \leq 5$. We make partition to the spatial domain into 6400 cells in which 3200 of them are used to calculate the velocity $u(x,t)$ of water and the remaining are used to calculate the depth $h(x,t)$ of water. Here, $\Delta x = 0.25$ is the defined cell width and $\Delta t = 0.01\Delta x$ is the fixed time step. The depth has the initial condition:

$$h(x,0) = \begin{cases} 10 & \text{if } x \leq 0, \\ 1 & \text{if } x > 0, \end{cases} \quad (17)$$

and $u(x,0) = 0$ is the velocity initially. The left and the right boundary are:

$$u(-100,t) = u(100,t) = 0,$$

and

$$h(-100,t) = 10, \quad h(100,t) = 1.$$

Results of this numerical simulation are shown in Fig. 3 for time $t = 5$. We investigate the friction effects to the flow when the Manning coefficients are $n = 0.00, 0.02, 0.04, 0.06$, respectively. We observe that the motion of water becomes slower when friction factor is greater. Slow motion of water has consequences in the increase of depth. This means that the greater the friction factor leads to the slower the water flow and the greater the depth.




Fig. 3. Results of simulation for the dam break at $t = 5$ using 6400 cells.

B. Case for constant topography and irregular width

In this second test, the numerical method is applied to simulate flow generated by the a radial dam which collapses instantaneously on a horizontal bottom topography. In this case, the channel width is $b(x) = 2\pi x$ and the bottom topography is $z(x) = 0$. The numerical schemes (15) and (16) are implemented on the spatial domain $[0, 100]$ and a numerical solution is computed for time $t = 3$. We discretize the spatial domain into 400 cells (200 cells for the flow velocity and 200 cells for depth) with $\Delta x = 0.25$ is the cell width. The time step is taken as $\Delta t = 0.25\Delta x$. Before the vertical dam is removed, the depth has the initial condition:

$$h(x,0) = \begin{cases} 10 & \text{if } x \leq 50, \\ 1 & \text{if } x > 50, \end{cases} \quad (18)$$

and $u(x,0) = 0$ is the initial velocity. At the boundary, we have:

$$u(0,t) = u(100,t) = 0,$$

and

$$h(0,t) = 10, \quad h(100,t) = 1.$$

Results of this numerical simulations are shown in Fig. 4 for time $t = 3$. We vary the Manning friction coefficients to be $n = 0.00, 0.08, 0.12, 0.16$. Similar results to the those of the first test are obtained. Water motion becomes slower when the friction factor is larger. Slow motion of water has increased the depth. This means that the greater the friction factor results in the slower the water flow and the greater the depth.




Fig. 4. Results of simulation for the radial dam break problem at $t = 3$ using 400 cells.

C. Case for irregular topography and constant width

In this third test, we have a parabolic obstacle on the topography. Let us take the steady state case of water flows with constant width $b(x) = 1$. Due to the obstacle, we have irregular bottom topography. The bottom topography is assumed to be defined by:

$$z(x) = \begin{cases} 0.2 - 0.05(x-10)^2 & \text{if } 8 \leq x \leq 12, \\ 0 & \text{otherwise.} \end{cases} \quad (19)$$

The numerical schemes (15) and (16) are applied on the spatial domain $[0, 25]$. The number of the spatial cells is 800 in which a half of them are used to calculate the velocity $u(x,t)$ and the others are used to calculate the depth $h(x,t)$.

The width of each cell is $\Delta x = 0.03125$ and the end time of numerical simulation is $t = 100$. The velocity is assumed to be $u(x,0) = 2.21$; and $w(x,0) = 2$ is the stage initially. The depth in downstream is $h(25,t) = 2$ and for the discharge in upstream is $q(0,t) = 4.42$. We take

$$\Delta t = 0.25\Delta x / (4.42/2 + \sqrt{gh_{\max}})$$

as the time step, where $h_{\max} = 2$.

Results of this numerical simulation are shown in Fig. 5 respectively for the values of Manning coefficients $n = 0.00, 0.02, 0.04$. We observe that the velocity increases when water approaches the peak of the obstacle and decreases when water has passed the peak of the obstacle. Our inference is the same as in the two previous tests. That is, the water motion becomes slower when friction factor is involved in modeling. Slow motion of water has consequences to the increase of depth. The greater the friction factor leads to the slower the water flow and the greater the depth.




Fig. 5. Results of simulation for the steady flow over a parabolic obstacle at $t = 100$.

D. Case for irregular topography and irregular width

In this fourth test, we take the steady state of “a lake at rest” with irregular channel width and irregular bottom topography. The numerical schemes (15) and (16) are implemented on the spatial domain $0 \leq x \leq 1500$. The number of cells is 800 in which 400 cells are used to calculate the depth and the remaining are used to calculate the flow velocity. We take the velocity $u(x,0) = 0$ and the stage $w(x,0) = 12$ as the initial conditions. At the boundary we have:

$$u(0,t) = u(1500,t) = 0$$

and

$$w(0,t) = w(1500,t) = 12.$$

Here,

$$b(x) = 2 \left\{ 1 + \exp \left[- \left(\frac{x-1000}{250} \right)^2 \right] \right\} \quad (20)$$

is the channel width. The channel profile viewed from the top is shown in Fig. 6, which is given in between the curves of $b(x)/2$ and $-b(x)/2$. Table 1 provides the bottom

topography function, and together with the initial stage, it is plotted in Fig. 7.

Results of this simulation is shown in Fig. 8 for the Manning coefficients $n = 0.00, 0.02, 0.04$. We observe that our proposed numerical method is able to simulate the steady state problem of “a lake at rest” involving irregular bottom topography, irregular channel width, and friction. For time $t > 0$, where in Fig. 8 for $t = 10$, the water surface is always at $w(x,t) = 12$ and the velocity is at the order of 10^{-14} , which means that water is essentially at rest. Even though we use different values of Manning coefficients, our proposed numerical method is still able to solve this test problem.




Fig. 6. The view from the top in the steady state of “a lake at rest.”

TABLE I
TOPOGRAPHY FUNCTIONS OF THE CHANNEL BASED ON THE DATA AS IN THE WORK OF MUNGKASI ET AL. [8] TAKEN FROM GOUTAL AND MAUREL [21].

Interval	Topography function
$0 \leq x < 50$	0
$50 \leq x < 150$	$.05x - 2.5$
$150 \leq x < 250$	5
$250 \leq x < 300$	$-.04x + 15$
$300 \leq x < 350$	$-.04x - 9$
$350 \leq x < 400$	5
$400 \leq x < 425$	$.1x - 35$
$425 \leq x < 435$	$.05x - 13.75$
$435 \leq x < 450$	$.0667x - 21$
$450 \leq x < 475$	9
$475 \leq x < 500$	$.004x + 7.1$
$500 \leq x < 505$	$-.02x + 19.1$
$505 \leq x < 530$	9
$530 \leq x < 550$	$-.15x + 88.5$
$550 \leq x < 565$	$-.0333x + 24.33$
$565 \leq x < 575$	5.5
$575 \leq x < 600$	$-.02x + 17$
$600 \leq x < 700$	$.02 + 17$
$700 \leq x < 750$	3
$750 \leq x < 800$	$-.014x + 13.5$
$800 \leq x < 820$	$-.015x + 14.3$
$820 \leq x < 900$	$-.01x + 10.2$
$900 \leq x < 950$	$-.016x + 15.6$
$950 \leq x < 1000$	$-.008x + 8$
$1000 \leq x \leq 1500$	0




Fig. 7. Initial stage (water surface) and topography of “a lake at rest.”




Fig. 8. Results for the steady state of “a lake at rest” at $t = 10$.

E. Simulation of irregular topography and irregular width

Here, we simulate an unsteady state case due to the collapse of a dam involving irregular channel width and irregular bottom topography. The numerical schemes in (15) and (16) are implemented on spatial domain $[0, 2000]$. We make a partition of this spatial domain to 1600 cells, so $\Delta x = 1.25$ is our cell width. In addition,

$$\Delta t = 0.25\Delta x / \left(4.42 / 2 + \sqrt{gh_{\max}} \right)$$

is our time step, where $h_{\max} = 2$. We simulate this problem until time $t = 90$. The bottom topography in this case is:

$$z(x) = \max \left\{ 0, \exp \left(- \left(\frac{x - 1500}{100} \right)^2 \right) \right\}. \quad (21)$$

Here, the channel width is the same as in the previous test, that is, (20); and the channel width is shown in Fig. 6. The stage is initially given by:

$$w(x,0) = \begin{cases} 10 & \text{if } x \leq 1000, \\ 5 & \text{if } x > 1000, \end{cases} \quad (22)$$

and $u(x,0) = 0$ is given as the initial velocity. The conditions at the right boundary are $w(2000,t) = 5$ and $u(2000,t) = 0$. The conditions at the left boundary are $w(0,t) = 10$ and $u(0,t) = 0$.




Fig. 9. Results of simulation for the unsteady state case of irregular topography and irregular width at $t = 90$.

Fig. 9 shows our numerical results for the variations of the Manning coefficients $n = 0.00, 0.02, 0.04$. We observe once again that water motion becomes slower when friction is involved in the problem.

IV. CONCLUSIONS

We have achieved our two goals in this paper. First, we have provided a numerical method for solving the shallow water equations in one dimension involving irregular bottom topography, irregular channel width, and friction. Second, using our proposed numerical method we have investigated some effects of friction to water flows along channels having irregular bottom topography, irregular channel width, and friction.

Our remarks are as follows. Our numerical method is able to solve problems of steady state and unsteady one, with horizontal topography and irregular one, with constant channel width and irregular one, without friction and with friction, as well as of combination of these all. In addition, larger friction factor leads to slower water motion, and consequently due to the momentum balance, larger friction factor also leads to greater depth when water is in motion.

This research is limited to one-dimensional problems with the friction due to Manning. Future research could be directed to work on higher dimensional problems and/or other friction formulations.

REFERENCES

- [1] A. J. C. B. de Saint-Venant, “Théorie du mouvement non permanent des eaux, avec application aux crues des rivières et à l’introduction des marées dans leur lit,” *Comptes Rendus des Séances l’Académie des Sci.*, vol. 73, pp. 147–154, 237–240, 1871.
- [2] J. A. Cunge, F. M. Holly Jr, and A. Verwey, *Practical Aspects of Computational River Hydraulics*. Boston: Pitman Advanced Publishing Program, 1980.
- [3] K. Ostad-Ali-Askari, M. Shayannejad, S. Eslamian, and B. Navabpour, “Comparison of solutions of Saint-Venant equations by characteristics and finite difference methods for unsteady flow analysis in open channel,” *Int. J. Hydrol. Sci. Technol.*, vol. 8, no. 3, pp. 229–243, 2018.
- [4] G. Natasha, Suharjito, and V. Noviantri, “Saint-Venant model analysis of trapezoidal open channel water flow using finite difference method,” *Procedia Comput. Sci.*, vol. 157, pp. 6–15, 2019.

- [5] J. Balbás and S. Karni, “A central scheme for shallow water flows along channels with irregular geometry,” *ESAIM Math. Model. Numer. Anal.*, vol. 38, pp. 821–852, 2004.
- [6] W. Lai and A. A. Khan, “Numerical solution of the Saint-Venant equations by an efficient hybrid finite-volume/finite-difference method,” *J. Hydron.*, vol. 30, no. 2, pp. 189–202, 2018.
- [7] V. Michel-Dansac, C. Berthon, S. Clain, and F. Foucher, “A well-balanced scheme for the shallow-water equations with topography or Manning friction,” *J. Comput. Phys.*, vol. 335, pp. 115–154, 2017.
- [8] S. Mungkasi, I. Magdalena, S. R. Pudjaprasetya, L. H. Wiryanto, and S. G. Roberts, “A staggered method for the shallow water equations involving varying channel width and topography,” *Int. J. Multiscale Comput. Eng.*, vol. 16, no. 3, pp. 231–244, 2018.
- [9] X. Xia and Q. Liang, “A new efficient implicit scheme for discretising the stiff friction terms in the shallow water equations,” *Adv. Water Resour.*, vol. 117, pp. 87–97, 2018.
- [10] G. S. Stelling and S. P. A. Duinmeijer, “A staggered conservative scheme for every Froude number in rapidly varied shallow water flows,” *Int. J. Numer. Methods Fluids*, vol. 43, no. 12, pp. 1329–1354, 2003.
- [11] R. J. LeVeque, *Numerical Methods for Conservation Laws*. Basel: Birkhäuser, 1992.
- [12] C. Lu, L. Xie, and H. Yang, “The simple finite volume Lax-Wendroff weighted essentially nonoscillatory schemes for shallow water equations with bottom topography,” *Math. Probl. Eng.*, vol. 2018, art. 2652367, 2018.
- [13] A. Kurganov, “Finite-volume schemes for shallow-water equations,” *Acta Numer.*, vol. 27, pp. 289–351, 2018.
- [14] A. Kurganov, S. Noelle, and G. Petrova, “Semidiscrete central-upwind schemes for hyperbolic conservation laws and Hamilton-Jacobi equations,” *SIAM J. Sci. Comput.*, vol. 23, no. 3, pp. 703–740, 2001.
- [15] S. Mungkasi, “A study of well-balanced finite volume methods and refinement indicators for the shallow water equations,” *Bull. Aust. Math. Soc.*, vol. 88, no. 2, pp. 351–352, 2013.
- [16] S. Mungkasi, “Adaptive finite volume method for the shallow water equations on triangular grids,” *Adv. Math. Phys.*, vol. 2016, art. 7528625, 2016.
- [17] H. Ai, L. Yao, H. Zhao, and Y. Zhou, “Shallow-Water-Equation model for simulation of earthquake-induced water waves,” *Math. Probl. Eng.*, vol. 2017, art. 3252498, 2017.
- [18] B. A. Sulistyono and L. H. Wiryanto, “Investigation of flood routing by a dynamic wave model in trapezoidal channels,” *AIP Conf. Proc.*, vol. 1867, art. 020020, 2017.
- [19] B. A. Sulistyono and L. H. Wiryanto, “An analysis of the influence of variability rainfall on flow rate based on the watershed characteristics,” *IOP Conf. Ser.: Earth Environ. Sci.*, vol. 124, art. 012001, 2018.
- [20] J. Stoker, *Water Waves: The Mathematical Theory with Applications*. New York: Interscience Publishers, 1957.
- [21] N. Goutal and F. Maurel, “Proceedings of the 2nd workshop on dam-break wave simulation,” in *Technical Report HE-43/97/016/B, Electricité de France, Direction des études et recherches, Paris*, 1997.

Sunday, 02 August 2020

ISSN 2088-5334

International Journal on Advanced Science Engineering Information Technology

HOME ARCHIVES

Guide for Authors

[Update on July 25, 2019] The IJASEIT is an online, multi-media, academic journal that adheres to the highest standards of peer review and engages established and emerging scholars from anywhere in the world. We invite qualified research articles in all aspects of science, engineering and information technology.

1. Authors should prepare the manuscript using the IJASEIT template and submit through the online submission system ([link](#)). Only manuscript following the IJASEIT format will be sent to reviewers.
2. The manuscript should be original and has not been previously published or under review by other journals.
3. All submitted paper will be reviewed by experts in the field by considering the originality, clarity of presentation and significance to science.
4. As the commitment to fast publication, editors try their best to complete a review process up to eight weeks. If authors did not receive any notification after that period, please do send an email to editors.
5. International Journal on Advanced Science, Engineering and Information Technology (IJASEIT) is loyal to open access for academic work. All the original articles and review papers published in this journal are free to access immediately from the date of publication. We don't charge any fees for any reader to download articles and reviews for their own scholarly use.
6. International Journal on Advanced Science, Engineering and Information Technology (IJASEIT) publishes fully open access journals, which means that all articles are available on the internet to all users immediately upon publication. Non-commercial use and distribution in any medium is permitted, provided the author and the journal are properly credited.
7. Benefits of open access for authors, include: Free access for all users worldwide, Authors retain copyright to their work increased visibility and readership, Rapid publication, No spatial constraints.
8. Before submitting articles to reviewers, those are first checked for similarity/plagiarism tool, by a member of the editorial team. The papers submitted to International Journal on Advanced Science, Engineering and Information Technology (IJASEIT) must have similarity level less than 15%.
9. International Journal on Advanced Science, Engineering and Information Technology (IJASEIT) is an open access journal. However, it is very pleased to inform you (All Authors) is requested to pay a publication fee for each article accepted.

The manuscript should be prepared according to the following author guidelines in the MS Word article template: **IJASEIT TEMPLATE**

This journal charges the following author fees :

1. Article Submission: 0.00 (USD)
Authors are NOT required to pay an Article Submission Fee.
2. Article processing charges (APCs) / Article Publication Fee: 255.00 (USD)
3. This fee includes: DOI registration for each paper; Checking the article similarity by turnitin; Final Editing Paper.
4. If the manuscript is accepted for publication, you will be asked to pay an Article Publication Fee to cover publications costs. This charge is for the first 10 pages, and if any published manuscript over 10 pages will incur extra charges 50 USD per page.
5. Start from July 2018, for service improvement, this journal charge the article publication fee for supporting the cost of wide open access dissemination of research results, managing the various costs associated with handling and editing of the submitted manuscripts, and the Journal management and publication in general, the authors or the author's institution is requested to pay a publication fee for each article accepted.
6. Manuscripts submitted by **high impact authors (first author or corresponding author with minimum Scopus/WoS h-index: 15)** and at least two authors from different countries are eligible for the 100% discount on the APC or APC is free of charge.
7. An author or group of authors who cannot afford the publication fee may be eligible for a partial waiver of publication fees. We do not want fees to prevent the publication of worthy work. The partial waiver is intended primarily for authors from **low-income countries** who are without funding.
8. A waiver or partial waiver of author fees may be decided by the editor in case of lack of funding, excessive length of a submitted manuscript or other reasonable reasons provided by the author during the submission. The author should clearly declare that he asks for a waiver in the comments to the Editor box during their submission. A waiver is most likely to be denied if it is not asked in this stage. The waiver will have no effect on the review result.

IJASEIT

About

Scimago

International Journal on
Advanced Science....

Q2

Agricultural and
Biological Sciences
(miscellaneous)
best quartile

SJR 2019

0.27



powered by scimagojr.com

Scopus



Sunday, 02 August 2020

ISSN 2088-5334

International Journal on Advanced Science Engineering Information Technology

[HOME](#) [ARCHIVES](#)

Journal Contact

Mailing Address

Rahmat Hidayat
Editorial Address of IJASEIT -
International Journal on Advance Science, Engineering and Information Technology
Data Centre, Polytechnic State of Padang, Indonesia, 25166

Mobile/WA: +62821 71 822448
Email: [ijaseit\[at\]insightsociety.org](mailto:ijaseit[at]insightsociety.org)
Facebook: <https://www.facebook.com/ijaseit/>

IJASEIT

About

Scimago



Scopus

Scopus