

International Journal of Applied Sciences and Smart Technologies

Volume 02, Issue 02, December 2020

RAID Level 6 and Level 6+ Reliability

Thomas Schwarz

Hardware Architecture and Implementation of an AI Pet Robot

Elton Lemos, Abhishek Ghoshal, Aditya Aspat

Binary Logistic Regression Modeling on Net Income of Pagar Alam Coffee Farmers

Ngudiantoro, Irmeilyana, Mukhlizar Nirwan Samsuri

Feasibility of Smartphone Camera Utilization and PowerPoint-based Video Analyzer on Kinematic Motion Experiment: An Inexpensive Method

E.D. Atmajati, R.A. Salam

The Lagrangian and Hamiltonian for RLC Circuit: Simple Case

Albertus Hariwangsa Panuluh

Backpropagation Neural Network for Book Classification Using the Image Cover

I Putu Budhi Darma Purwanta, Cyprianus Kuntoro Adi, Ni Putu Novita Puspa Dewi

Information Technology and Learning Methodology amid the COVID-19 Pandemic

Hari Suparwito

Tourism Site Recommender System Using Item-Based Collaborative Filtering Approach

R.A. Nugroho, A.M. Polina, Y. D. Mahendra

p-ISSN 2655-8564 & e-ISSN 2685-9432

CONTENTS

CONTENTS	i
EDITORIAL BOARD	ii
PREFACE	iii
RAID Level 6 and Level 6+ Reliability <i>Thomas Schwarz</i>	91–110
Hardware Architecture and Implementation of an AI Pet Robot <i>Elton Lemos, Abhishek Ghoshal, Aditya Aspat</i>	111–136
Binary Logistic Regression Modeling on Net Income of Pagar Alam Coffee Farmers <i>Ngudiantoro, Irmeilyana, Mukhlizar Nirwan Samsuri</i>	137–156
Feasibility of Smartphone Camera Utilization and PowerPoint-based Video Analyzer on Kinematic Motion Experiment: An Inexpensive Method <i>E.D. Atmajati, R.A. Salam</i>	157–168
The Lagrangian and Hamiltonian for RLC Circuit: Simple Case <i>Albertus Hariwangsa Panuluh</i>	169–178
Backpropagation Neural Network for Book Classification Using the Image Cover <i>I Putu Budhi Darma Purwanta, Cyprianus Kuntoro Adi, Ni Putu Novita Puspa Dewi</i>	179–196
Information Technology and Learning Methodology amid the COVID-19 Pandemic <i>Hari Suparwito</i>	197–208
Tourism Site Recommender System Using Item-Based Collaborative Filtering Approach <i>R.A. Nugroho, A.M. Polina, Y. D. Mahendra</i>	209–216
AUTHOR GUIDELINES	217

EDITORIAL BOARD

Editor in Chief

Dr. I Made Wicaksana Ekaputra (*Sanata Dharma University, Yogyakarta, Indonesia*)
Email: made@usd.ac.id

Associate Editor

Dr. Pham Nhu Viet Ha (*Vietnam Atomic Energy Institute, Hanoi, Vietnam*)
Dr. Hendra Gunawan Harno (*Gyeongsang National University, Jinju, The Republic of Korea*)
Dr. Iswanjono (*Sanata Dharma University, Yogyakarta, Indonesia*)
Dr. Mukesh Jewariya (*National Physical Laboratory, New Delhi, India*)
Dr. Mongkolsery Lin (*Institute of Technology of Cambodia, Phnom Penh, Cambodia*)
Dr. Yohanes Baptista Lukiyanto (*Sanata Dharma University, Yogyakarta, Indonesia*)
Dr. Apichate Maneewong (*Thailand Institute of Nuclear Technology, Bangkok, Thailand*)
Dr. Sudi Mungkasi (*Sanata Dharma University, Yogyakarta, Indonesia*)
Dr. Pranowo (*Universitas Atma Jaya Yogyakarta, Yogyakarta, Indonesia*)
Dr. Mahardhika Pratama (*Nanyang Technological University, Singapore*)
Dr. Augustinus Bayu Primawan (*Sanata Dharma University, Yogyakarta, Indonesia*)
Prof. Dr. Leo Hari Wiryanto (*Bandung Institute of Technology, Bandung, Indonesia*)

Editorial Proofreader

Ir. Ignatius Aris Dwiatmoko, M.Sc. (*Sanata Dharma University, Yogyakarta, Indonesia*)
P. H. Prima Rosa, S.Si., M.Sc. (*Sanata Dharma University, Yogyakarta, Indonesia*)

Editorial Assistant

Eduardus Hardika Sandy Atmaja, M.Cs. (*Sanata Dharma University, Yogyakarta, Indonesia*)
Vitalis Ayu, M.Cs. (*Sanata Dharma University, Yogyakarta, Indonesia*)

Administration

Catharina Maria Sri Wijayanti, S.Pd. (*Sanata Dharma University, Yogyakarta, Indonesia*)

Contact us

International Journal of Applied Sciences and Smart Technologies
Faculty of Science and Technology
Sanata Dharma University
Kampus III Paingan, Maguwoharjo, Depok, Sleman
Yogyakarta, 55282
Phone : +62 274883037 ext. 523110, 52320
Fax : +62 272886529
Email : editorial.ijasst@usd.ac.id
Website : <http://e-journal.usd.ac.id/index.php/IJASST>

IJASST is an open-access peer-reviewed journal that mediates the dissemination of research and studies conducted by academicians, researchers, and practitioners in science, engineering, and technology.

PREFACE

Dear readers, we are pleased to serve you this Volume 2, Issue 2 of *International Journal of Applied Sciences and Smart Technologies* (IJASST), which is managed and published by the Faculty of Science and Technology, Sanata Dharma University. IJASST is an open-access peer-reviewed journal that mediates the dissemination of research and studies conducted by academicians, researchers, and practitioners in science, engineering, and technology. Its scope also includes basic sciences which relate to technology, such as applied mathematics, physics, and chemistry. IJASST accepts submissions from all countries, which of course, including Indonesia.

As a result of recent trends in research and development in the field of science and technology, it has become important to provide the most recent information and technology, not only on leading-edge research in specialist areas, but also on research and development to solve cross-cutting issues. In this edition, we have eight papers authored by researchers from Indonesia, India, and the United States of America. Submitted papers are reviewed fairly using the open journal system (OJS) of IJASST. After the review process, accepted papers of the journal are publicly available for free at the website of IJASST.

We are sure that IJASST will provide the opportunity to gain and present authentic as well as insightful scientific and technological information on the latest advances in science and technology. For future issues, we are looking forward to your submissions to IJASST.

Dr. I Made Wicaksana Ekaputra
Editor in Chief
IJASST

The Lagrangian and Hamiltonian for RLC Circuit: Simple Case

Albertus Hariwangsa Panuluh

Department of Physics Education, Faculty of Teacher Training and Education, Sanata Dharma University, Yogyakarta, Indonesia

Corresponding Author: panuluh@usd.ac.id

(Received 11-04-2020; Revised 06-06-2020; Accepted 12-06-2020)

Abstract

The Lagrangian and Hamiltonian for series RLC circuit has been formulated. We use the analogical concept of classical mechanics with electrical quantity. The analogy is as follow mass, position, spring constant, velocity, and damping constant corresponding with inductance, charge, the reciprocal of capacitance, electric current, and resistance respectively. We find the Lagrangian for the LC, RL, RC, and RLC circuit by using the analogy and find the kinetic and potential energy. First, we formulate the Lagrangian of the system. Second, we construct the Hamiltonian of the system by using the Legendre transformation of the Lagrangian. The results indicate that the Hamiltonian is the total energy of the system which means the equation of constraints is time independent. In addition, the Hamiltonian of overdamping and critical damping oscillation is distinguished by a certain factor.

Keywords: RLC circuit, Lagrangian, Hamiltonian, Legendre transformation

1 Introduction

Lagrangian and Hamiltonian are topics part of analytical mechanics or classical mechanics course that is studied in the second or third year of the undergraduate physics program. Some advantages are obtained when using Lagrangian and Hamiltonian formalism to solve the mechanical problems. The Lagrangian and Hamiltonian formalism solve mechanical problems using the energy of the system, which is a scalar quantity. Different from Newtonian mechanics which solve the mechanical problem using force, which is a vector quantity [1].

The RLC circuit is studied as part of the electricity and magnetism course by physics students as well as physics education students. The problem discussed in physics textbooks about the properties of electric currents and the potential difference or voltage that are in the electronic devices on the circuit [2]. Moreover, the RLC circuit becomes an example in the differential equations subtopics in the mathematical physics course [3]. However, the RLC circuit is not only limited to the topic of electricity or solving differential equations. Current RLC research is now heading toward the quantum level. This is due to the rapid development of nanotechnology so that nano-sized electronic devices are being developed. Theoretical research about nanoelectronic science has been conducted and has resulted in quantum transport, computational nanoelectronics, new device concepts, and novel transport physical phenomena found in small structures [4]. The quantum mechanics of the RLC circuit which obtained the approximation of energy eigenvalues in terms of a dimensionless parameter has also been studied [5].

One of the methods to quantize the RLC circuit is using the Hamiltonian formalism. For example, using Cardirolo-Kanai Hamiltonian and quantum invariant method to solve the Schrödinger equation for the RLC circuit [6]. For advance, there is also a research quantum mechanical effect of the underdamped, critically damped, and overdamped electric circuits with a power source using a time dependent Hamiltonian operator [7].

This research aims to formulate the Hamiltonian extension for the series RLC circuit without emf source, which is the simple case. We formulate the Hamiltonian by using

the Legendre transformation of the Lagrangian from [8]. In addition, for educational purpose, this research enriches classical mechanics learning materials based on the lecturer's research.

2 Research Methodology

We formulate the Hamiltonian theoretically based on the Lagrangian from [8]. First, we formulate the Lagrangian of series RLC circuits by using the analogy between classical mechanics with electrical quantity [9]. These analogies are shown in Table 1.

Table 1: Analogy between mechanical quantity and electrical quantity

Mechanical Quantity	Electrical Quantity
mass (m)	inductance (L)
position (x)	charge (Q)
spring constant (k)	reciprocal of capacitance ($1/C$)
velocity (v)	electric current (I)
damping constant (β)	resistance (R)

Second, we construct the Hamiltonian of the system by using the Legendre transformation of the Lagrangian. After that, we check the Hamiltonian whether it is the total energy of the system or not. The limitation of this research is the series electric circuit without emf (electric source). That is why this research is a simple case.

3 Regularization

In this section, we describe about regularization.

3.1 Lagrangian

In this subsection we will formulate the Lagrangian of the series electric circuit, such as: LC, RL, RC, and RLC circuit.

LC Circuit

To formulate the Lagrangian, first, we have to solve the differential equation of Kirchhoffs rule for series LC circuit without emf source as follow

$$\frac{d^2q}{dt^2} + \frac{q}{LC} = 0, \quad (1)$$

which has a solution for discharging capacitor

$$q = Q_0 e^{-i\omega t}, \quad (2)$$

with Q_0 is initial capacitance and ω

$$\omega = \sqrt{\frac{1}{LC}}. \quad (3)$$

To find the Lagrangian of the system, we first look for kinetic and potential energy. We use the analogy in Table 1, so the kinetic energy for LC circuit (TLC) is

$$T_{LC} = \frac{1}{2} L \dot{q}^2 = -\frac{1}{2} L \omega^2 Q_0^2 e^{-2i\omega t}, \quad (4)$$

and the potential energy for LC circuit (VLC) is

$$V_{LC} = \frac{1}{2C} q^2 = \frac{1}{2C} Q_0^2 e^{-2i\omega t}. \quad (5)$$

Therefore, the Lagrangian (we use L for Lagrangian notation to prevent confusion with inductance symbol) is

$$L_{LC} = -\frac{1}{2} Q_0^2 e^{-2i\omega t} \left(L \omega^2 + \frac{1}{C} \right). \quad (6)$$

RL Circuit

We assume that the initial current that flows in the RL circuit is I_0 . Then, the differential equation for the series RL circuit is

$$L \frac{dI}{dt} + RI = 0, \quad (7)$$

which has a solution

$$I = I_0 e^{-Rt/L}. \quad (8)$$

We know that current is the derivative of charge to time which in mechanical quantity analog to velocity (v). So, the kinetic energy for RL circuit is

$$T_{RL} = \frac{1}{2} L I_0^2 e^{-2Rt/L}, \quad (9)$$

and we assume that RL circuit does not have potential energy because there is no capacitance. Therefore, the Lagrangian for the RL circuit is

$$L_{RL} = \frac{1}{2} L I_0^2 e^{-2Rt/L}. \quad (10)$$

RC Circuit

The differential equation for the series RC circuit with Q_0 as the initial charge of the capacitor is

$$R \frac{dq}{dt} + \frac{q}{C} = 0, \quad (11)$$

which has a solution

$$q = Q_0 e^{-t/RC}. \quad (12)$$

We know that the kinetic energy is $1/2mv^2$ and from Table 1 mass has analogy as inductance (L). However, because there is no inductance in the RC circuit, the RC circuit does not have kinetic energy. The potential energy for RC circuit is

$$V_{RC} = \frac{1}{2C} Q_0^2 e^{-2t/RC}. \quad (13)$$

Therefore, the Lagrangian for the RC circuit is

$$L_{RC} = \frac{1}{2C} Q_0^2 e^{-2t/RC}. \quad (14)$$

RLC Circuit

The differential equation for series RLC circuit is

$$\frac{d^2q}{dt^2} + \frac{R}{L} \frac{dq}{dt} + \frac{q}{LC} = 0. \quad (15)$$

This equation is analog with damped harmonic oscillation. Then we define

$$\gamma = \frac{R}{2L}, \quad (16)$$

and

$$\omega_0 = \sqrt{\frac{1}{LC}}, \quad (17)$$

where γ and ω_0 as damping factor and natural frequency respectively. So equation (15) can be written as

$$\frac{d^2q}{dt^2} + 2\gamma \frac{dq}{dt} + \omega_0^2 q = 0, \quad (18)$$

which has a general solution

$$q = K_1 e^{-(\gamma-\lambda)t} + K_2 e^{-(\gamma+\lambda)t}, \quad (19)$$

where

$$\lambda = \sqrt{\gamma^2 - \omega_0^2}. \quad (20)$$

There are three possibilities: overdamping, critical damping, and underdamping.

a) Overdamping

The overdamping will occur if $\lambda > 0$. Equation (19) for the overdamping case is

$$q = Q_0 e^{-(\gamma+\lambda)t}, \quad (21)$$

where Q_0 is the initial charge in the capacitor. The kinetic energy is

$$T_{\text{over}} = \frac{1}{2} L (\gamma + \lambda)^2 Q_0^2 e^{-2(\gamma+\lambda)t}, \quad (22)$$

and the potential energy is

$$V_{\text{over}} = \frac{1}{2C} Q_0^2 e^{-2(\gamma+\lambda)t}. \quad (23)$$

Therefore, the Lagrangian for the overdamping case is

$$\bar{L}_{\text{over}} = \frac{1}{2C} Q_0^2 e^{-2(\gamma+\lambda)t} \left[L (\gamma + \lambda)^2 - \frac{1}{C} \right]. \quad (24)$$

b) Critical damping

The condition for critical damping oscillation is $\lambda = 0$. Then equation (19) for critical damping case is

$$q = Q_0 e^{-\gamma t}. \quad (25)$$

The kinetic energy is

$$T_{\text{crit}} = \frac{1}{2} L \gamma^2 Q_0^2 e^{-2\gamma t}, \quad (26)$$

and the potential energy is

$$V_{\text{crit}} = \frac{1}{2C} Q_0^2 e^{-2\gamma t}. \quad (27)$$

So, the Lagrangian for the critical damping case is

$$\bar{L}_{\text{crit}} = \frac{1}{2} Q_0^2 e^{-2\gamma t} \left(L\gamma^2 - \frac{1}{C} \right). \quad (28)$$

c) Under damping

The under damping will occur if $\lambda < 0$. Then equation (19) for under damping case is

$$q = e^{-\gamma t} (A \cos(\alpha t - \theta_0)), \quad (29)$$

where

$$\alpha = \sqrt{\omega_0^2 - \gamma^2} = \sqrt{\frac{1}{LC} - \frac{R^2}{4L^2}}. \quad (30)$$

We choose $\theta_0 = 0^\circ$ and $A = Q_0$ then equation (29) becomes

$$q = e^{-\gamma t} Q_0 \cos(\alpha t). \quad (31)$$

The kinetic energy is

$$T_{\text{under}} = \frac{1}{2} L Q_0^2 e^{-2\gamma t} [\gamma \cos(\alpha t) + \alpha \sin(\alpha t)]^2, \quad (32)$$

and the potential energy is

$$V_{\text{under}} = \frac{1}{2C} e^{-2\gamma t} Q_0^2 \cos^2(\alpha t). \quad (33)$$

Therefore, the Lagrangian for under damping case is

$$\bar{L}_{\text{under}} = \frac{1}{2} Q_0^2 e^{-2\gamma t} \left[L[\gamma \cos(\alpha t) + \alpha \sin(\alpha t)]^2 - \frac{1}{C} \cos^2(\alpha t) \right]. \quad (34)$$

3.2 Hamiltonian

In this subsection, we will derive the Hamiltonian of each electric circuit. Hamiltonian can be formulated by using Legendre transformation from Lagrangian as follow [10]

$$H = \sum_{\alpha=1}^n p_{\alpha} \dot{q}_{\alpha} - L(q_1, \dots, q_{\alpha}, \dot{q}_1, \dots, \dot{q}_{\alpha}, t), \quad (35)$$

where p_α and q_α are the generalized momenta and generalized coordinates respectively.

After some calculations, we find the Hamiltonian for all electric circuit are as follows:

$$H_{LC} = \frac{1}{2} Q_0^2 e^{-2i\omega t} (L\omega^2), \quad (36)$$

$$H_{RL} = \frac{1}{2} LI_0^2 e^{-2Rt/L}, \quad (37)$$

$$H_{RC} = \frac{1}{2C} Q_0^2 e^{-2t/RC}, \quad (38)$$

$$H_{\text{over}} = \frac{1}{2} Q_0^2 e^{-2(\gamma+\lambda)t} \left[L(\gamma + \lambda)^2 + \frac{1}{C} \right], \quad (39)$$

$$H_{\text{crit}} = \frac{1}{2} Q_0^2 e^{-2\gamma t} \left[L\gamma^2 + \frac{1}{C} \right], \quad (40)$$

$$H_{\text{under}} = \frac{1}{2} Q_0^2 e^{-2\gamma t} \left[L[\gamma \cos(\alpha t) + \alpha \sin(\alpha t)]^2 - \frac{1}{C} \cos^2(\alpha t) \right]. \quad (41)$$

3.3 Discussions

This research aims to formulate the Hamiltonian extension for the series RLC circuit without emf source. So this research is the simple case because without emf source. If we include the emf source, the equation become the driven case with the emf source become the driven factor [11]. From the results above, we find that the Hamiltonian for LC, RL, RC, and RLC circuits (equations (36)-(41)) are the total energy of the systems. That is kinetic energy plus potential energy. We also find that the Hamiltonian of the RL circuit is the same as the Lagrangian. The Hamiltonian of overdamping and critical damping is distinguished by a certain factor. For further research, we can quantize the RLC circuit by using the Poisson bracket and using these Hamiltonians.

In addition, this simple case research can be easily followed by students that learn analytical mechanics. In Lagrange and Hamilton mechanics learning material, the students usually deal with complex mechanics problem. With this research, students

know that Lagrange and Hamilton mechanics are not only used to solve mechanical problems. This also can be used to solve in the case of electricity problems. So this research can be an additional material in analytic mechanics course.

4 Conclusion

This research aims to formulate the Hamiltonian extension for the series RLC circuit without emf source. So this research is the simple case because without emf source. If we include the emf source, the equation become the driven case with the emf source become the driven factor [11]. From the results above, we find that the Hamiltonian for LC, RL, RC, and RLC circuits (equations (36)-(41)) are the total energy of the systems. That is kinetic energy plus potential energy. We also find that the Hamiltonian of the RL circuit is the same as the Lagrangian. The Hamiltonian of overdamping and critical damping is distinguished by a certain factor. For further research, we can quantize the RLC circuit by using the Poisson bracket and using these Hamiltonians.

In addition, this simple case research can be easily followed by students that learn analytical mechanics. In Lagrange and Hamilton mechanics learning material, the students usually deal with complex mechanics problem. With this research, students know that Lagrange and Hamilton mechanics are not only used to solve mechanical problems. This also can be used to solve in the case of electricity problems. So this research can be an additional material in analytic mechanics course.

Acknowledgement

The author thanks LPPM USD for the research funds.

References

- [1] G. R. Fowles and G. L. Cassiday, *Analytical Mechanics*, Thomson Learning, Belmont, 7th Edition, 2005.
- [2] R. A. Serway and J. W. Jewett, *PHYSICS for Scientists and Engineers with Modern Physics*, Thomson Learning, Belmont, 7th Edition, 2008.

- [3] M. L. Boas, *Mathematical Methods in the Physical Sciences*, John Wiley & Sons, New Jersey, 3rd Edition, 2006.
- [4] F. A. Buot, “Mesoscopic physics and nanoelectronics: nanoscience and nanotechnology.” *Physics Report*, **234** (2-3), 73–174, 1993.
- [5] C. A. U. Daz, “Discrete-charge quantum circuits and electrical resistance.” *Physics Letters A*, **372** (30), 5059–5063, 2008.
- [6] I. A. Pedrosa and A. P. Pinheiro, “Quantum description of a mesoscopic RLC circuit.” *Progress of Theoretical Physics*, **125** (6), 1133–1141, 2011.
- [7] J. R. Choi, “Quantization of underdamped, critically damped, and overdamped electric circuits with a power source.” *International Journal of Theoretical Physics*, **41** (10), 1931–1939, 2002.
- [8] A. H. Panuluh and A. Damanik, “Lagrangian for RLC circuits using analogy with the classical mechanics concepts.” *Journal of Physics: Conference Series*, **909**, 012005, 2017.
- [9] H. Essen, “From least action in electrodynamics to magnetomechanical energy – a review.” *European Journal of Physics*, **30** (3), 515–539, 2009.
- [10] A. P. Arya, *Introduction to Classical Mechanics*, Prentice–Hall, New Jersey, 2nd Edition, 1998.
- [11] K. Ozdas and M. Kilickaya, “Novel method for the analysis of RLC circuits.” *International Journal of Electronics Theoretical and Experimental*, **70** (2), 407–412, 1991.