


# Barekeng

Journal of Mathematics and Its Applications

e-ISSN 2502-3021 p-ISSN 2502-3039

Barekeng: Journal of Mathematics and Its Applications



[Register](#) [Login](#)[HOME](#) [REGISTER](#) [LOGIN](#) [ISSUES](#) [PEOPLE](#) [ABOUT](#) [JOURNAL POLICIES](#)[PUBLICATION ETHICS](#) [CITED IN SCOPUS](#) [CONTACT](#)[Search](#)[HOME](#) / [Editorial Team](#)

## EDITOR IN CHIEF



**Yopi Andry Lesnussa, M.Si.**

Universitas Pattimura, Indonesia

[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)

## ASSOCIATE EDITOR



**Muhammad Yahya Matdoan, M.Si.**

Universitas Pattimura, Indonesia

[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Meilin Imelda Tilukay, M.Si**

Universitas Pattimura, Indonesia

[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Berny Pebo Tomasouw, M.Si**

Universitas Pattimura, Indonesia

[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)

## EDITORIAL BOARD



**Prof. Dr. Basuki Widodo, M.Sc.**  
ITS Surabaya, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Prof. Dr. Budi Nurani Ruchjana, M.Si.**  
Universitas Padjadjaran, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Prof. Drs. Marjono, M.Phil., Ph.D.**  
Universitas Brawijaya, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Prof. Dr. Atje Setiawan Abdullah, MS., M.Kom.**  
Universitas Padjadjaran, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Prof. Dr. Guisheng Zhai**  
Shibaura Institute of Technology, Japan  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#)



**Prof. Dr. Tanwey Gerson Ratumanan, M.Pd**  
Univeritas Pattimura, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Subchan, M.Sc., Ph.D.**  
ITS Surabaya, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Dr. Fajar Adi Kusumo, M.Si.**  
Universitas Gadjah Mada, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Dr. Ir. Bib Paruhum Silalahi, M.Kom.**  
Institut Pertanian Bogor, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Dr. Sobri Abusini, MT.**  
Universitas Brawijaya, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Dr. Sumardi, M.Si.**  
Universitas Gadjah Mada, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Dr. Ikha Magdalena, M.Si.**  
Institut Teknologi Bandung, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Dr. Rr. Kurnia Novita Sari, M.Si.**  
Institut Teknologi Bandung, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Dr. Yuwadee Klomwises**  
King Mongkut's Institute of Technology, Thailand  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#)



**Prof. Dr. Theresia Lourens, M.Pd.**  
Universitas Pattimura, Indonesia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#) [\[SINTA ID\]](#)



**Hengameh R. Dehkodi, Ph.D.**  
Universidade Federal do ABC, Brazil  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#)



**Dr. Antonio Comi**  
Universita degli Studi di Roma "Tor Vergata", Roma  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#)




**Dr. Ahmad Fadillah bin Embong**  
Universiti Teknologi Malaysia  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#)



**Prof. Dr. Shakir Ali**  
Aligarh Muslim University, India  
[\[Scopus ID\]](#) [\[Google Scholar ID\]](#)

## ASSISTANT EDITORS



Norisca Lewaherilla, M.Si.  
Universitas Pattimura, Indonesia  
[Scopus ID] [Google Scholar ID] [SINTA ID]



Jefri Esna Thomas Radjabaycolle, M.Cs.  
Universitas Pattimura, Indonesia  
[Scopus ID] [Google Scholar ID] [SINTA ID]



Venn Yan Ishak Iwaru, M.Si  
Universitas Pattimura, Indonesia  
[Scopus ID] [Google Scholar ID] [SINTA ID]



Dyana Patty, M.Sc.  
Universitas Pattimura, Indonesia  
[Scopus ID] [Google Scholar ID] [SINTA ID]

### Editorial Address:



**BAREKENG: Jurnal ilmu matematika dan terapan** (*Original name*)  
**BAREKENG: Journal of Mathematics and Its Applications** (*English name*)  
Ex. UT Building, 2<sup>nd</sup> Floor, Pattimura University



Ir. M. Putuhena Street, Kampus Unpatti, Poka - Ambon City, 97233, Maluku Province, Indonesia



<https://ojs3.unpatti.ac.id/index.php/barekeng/>



+62 852 4335 8669 (Yopi)



+62 823 9798 0021 (Dyana)



[barekeng.math@yahoo.com](mailto:barekeng.math@yahoo.com)



[barekeng.jurmath@gmail.com](mailto:barekeng.jurmath@gmail.com)



[barekeng.journal@mail.unpatti.ac.id](mailto:barekeng.journal@mail.unpatti.ac.id)



Jurnal Barekeng



[jurnal\\_barekeng](#)

**Accredited By:**

Ministry of Education Culture, Research, and Technology, Republic of Indonesia, based on the Decree No.: 158/E/KPT/2021, about Accreditation Rank of Scientific Journal 2021, announce that BAREKENG: Jurnal Ilmu Matematika dan Terapan has been accredited in SINTA 2 ([see detail](#))

**In Collaboration with:**

BAREKENG: Jurnal ilmu matematika dan terapan, published by Pattimura University, in Collaboration with Indonesian Mathematical Society (IndoMS). ([see detail](#))

**Indexed By:****Editorial Team**



### About Journal

BAREKENG: Jurnal ilmu Matematika dan Terapan (p-ISSN: [1978-7227](#) and e-ISSN: [2615-3017](#)) is a scientific publication media, which published by Mathematics Department, Faculty of Mathematics and Natural Sciences, University of Pattimura. This journal publish article related to Pure Mathematics, Applied Mathematics, Statistics, Actuarial Science, Mathematic Computation and Mathematics Education.

The meaning word of **Barekeng** is a local term of Moluccas language which means **Counting** or **Calculating**. Counting is a main and fundamental activities in the field of Mathematics. Therefore we tried to promote "**Barekeng**" as the name of our scientific journal.

[Read more...](#)

### Journal Statistics



[View My Stats](#)

### Updates Information

Good News!!!

Since 2020, BAREKENG: Jurnal Ilmu Matematika dan Terapan, published four times a year, in March, June, September, and December.

The articles for Volume 16 issue 2, June 2022 had been published, while for Volume 16 issue 3 September 2022 are in process. Now, BAREKENG: Jurnal Ilmu Matematika dan Terapan, call for papers to Volume 16 issue 4, December 2022.

### Google Scholar Citation



Analysis Citation		
	All	Since 2
Citations	965	
h-index	15	
i10-index	26	

Google Scholar [Chart1](#) [Cite](#) >  
<

### Find us on



### Map of Location




### Editorial Office

Pattimura University  
Ex. UT Building 2nd Floor, Ir. M. Putuhena  
Street,  
Poka-Ambon City, 97233, Maluku  
Province, Indonesia

### Contact Info

+62 852 4335 8669 (Yopi Andry  
Lesnussa)  
+62 823 9798 0021 (Dyana Patty)  
[barekeng.journal@mail.unpatti.ac.id](mailto:barekeng.journal@mail.unpatti.ac.id)  
[barekeng.math@yahoo.com](mailto:barekeng.math@yahoo.com)

[Register](#)[Login](#)[HOME](#)[REGISTER](#)[LOGIN](#)[ISSUES](#)[PEOPLE](#)[ABOUT](#)[JOURNAL POLICIES](#)[PUBLICATION ETHICS](#)[CITED IN SCOPUS](#)[CONTACT](#)[Search](#)[HOME](#) / [ARCHIVES](#) / Vol 16 No 2 (2022): BAREKENG: Jurnal Ilmu Matematika dan Terapan

BAREKENG : Jurnal Ilmu Matematika dan Terapan Volume 16 Issue 2 (June 2022) was officially published in English. BAREKENG: Jurnal Ilmu Matematika dan Terapan, has been published four (4) times a year in March, June, September, and December (4 issues). This issue contain 40 articles available online and consists of authors from 2 countries (Indonesia and USA).

DOI: <https://doi.org/10.30598/barekengvoll6iss2year2022>

PUBLISHED: 2022-07-25


## Articles



---

[SOME BASIC PROPERTIES OF THE NOISE REINFORCED BROWNIAN MOTION](#)

Herry Pribawanto Suryawan

363-370


 pdf download



 Abstract views 76 |  PDF Download downloads 108 | DOI <https://doi.org/10.30598/barekengvol16iss2pp363-370>

IMPACT OF FEAR BEHAVIOR ON PREY POPULATION GROWTH PREY-PREDATOR INTERACTION

Rian Ade Pratama

371-378


 pdf download



 Abstract views 88 |  PDF Download downloads 70 | DOI <https://doi.org/10.30598/barekengvol16iss2pp371-378>

THE NON-DEGENERACY OF THE SKEW-SYMMETRIC BILINEAR FORM OF THE FINITE DIMENSIONAL REAL FROBENIUS LIE ALGEBRA

Edi Kurniadi

379-384


 pdf download



 Abstract views 52 |  PDF Download downloads 49 | DOI <https://doi.org/10.30598/barekengvol16iss2pp379-384>

STATISTICAL CONTROL ANALYSIS OF THE STUDENT'S FINAL ASSIGNMENT COMPLETION PERIOD AT THE MATHEMATICS AND NATURAL SCIENCES FACULTY

Arika Febriani, Dewi Sri Susanti, Na'imah Hijriati

385-392


 pdf download



 Abstract views 61 |  PDF Download downloads 45 | DOI <https://doi.org/10.30598/barekengvol16iss2pp385-392>

TRACE OF THE ADJACENCY MATRIX  $n \times n$  OF THE CYCLE GRAPH TO THE POWER OF TWO TO FIVE

Fitri Aryani, Dian Ayu Puspita, Corry Corazon Marzuki, Yuslenita Muda

393-408


 pdf download



 Abstract views 68 |  PDF Download downloads 46 | DOI <https://doi.org/10.30598/barekengvol16iss2pp393-408>

REGRESSION MODEL ON PAGARALAM COFFEE FARMERS' INCOME WITH THE INFLUENCE OF THE USE OF HERBICIDE REDUCTANT VARIABLE

Irmeilyana Irmeilyana, Ngudiantoro Ngudiantoro, Sri Indra Maiyanti

409-420


 pdf download



 Abstract views 60 |  PDF Download downloads 91 | DOI <https://doi.org/10.30598/barekengvol16iss2pp409-420>

DETERMINATION OF THE RESTRAINED DOMINATION NUMBER ON VERTEX AMALGAMATION AND EDGE AMALGAMATION OF THE PATH GRAPH WITH THE SAME ORDER

Landerius Maro, Amelia Sanga, Mia E Tuaty

421-426


 pdf download



 Abstract views 60 |  PDF Download downloads 46 | DOI <https://doi.org/10.30598/barekengvol16iss2pp421-426>

ON THE BEHAVIOR ANALYSIS OF SUSCEPTIBLE, INFECTION, RECOVERY (SIR) MEASLES SPREAD MODEL WITH AGE STRUCTURE

Juhari Juhari

427-442


 pdf download



 Abstract views 63 |  PDF Download downloads 40 | DOI <https://doi.org/10.30598/barekengvol16iss2pp427-442>

COMPARISON OF FORECASTING VIOLENCE CASES NUMBER AGAINST WOMEN AND CHILDREN USING DOUBLE EXPONENTIAL SMOOTHING (DES) AND AUTO REGRESSIVE INTEGRATED MOVING AVERAGE (ARIMA) METHODS

Siti Nur Fadilah, Putroue Keumala Intan, Wika Dianita Utami

443-450


 pdf download



 Abstract views 58 |  PDF Download downloads 47 | DOI <https://doi.org/10.30598/barekengvol16iss2pp443-450>

LONG-SHORT TERM MEMORY (LSTM) FOR PREDICTING VELOCITY AND DIRECTION SEA SURFACE CURRENT ON BALI STRAIT

Diah Devi Pramesti, Dian C Rini Novitasari, Fajar Setiawan, Hani Khaulasari


451-462



 pdf download

 Abstract views 57 |  PDF Download downloads 45 | DOI <https://doi.org/10.30598/barekengvol16iss2pp451-462>

OPTIMAL CONTROL ON CHOLERA DISEASE SPREADING MODEL WITH THREE VARIABLES CONTROL VARIATION


Irma Fitria, Talitha B Atlanta, Nadia Azahra, Choiriyah Agustina, Subchan Subchan, S Cahyaningtias  
463-470



 pdf download

 Abstract views 68 |  PDF Download downloads 59 | DOI <https://doi.org/10.30598/barekengvol16iss2pp463-470>

NEGATIVE BINOMIAL REGRESSION AND GENERALIZED POISSON REGRESSION MODELS ON THE NUMBER OF TRAFFIC ACCIDENTS IN CENTRAL JAVA


M Al Haris, Prizka Rismawati Arum  
471-482



 pdf download

 Abstract views 72 |  PDF Download downloads 61 | DOI <https://doi.org/10.30598/barekengvol16iss2pp471-482>

INFLATION FORECASTS IN AMBON USING NEURAL NETWORK APPLICATIONS BACKPROPAGATION


Mozart W Talakua, Venn Yan Ishak Ilwaru, Berny P Tomasouw, Syella Z Limba  
483-496



 pdf download

 Abstract views 46 |  PDF Download downloads 38 | DOI <https://doi.org/10.30598/barekengvol16iss2pp483-496>

ON ANTIADJACENCY MATRIX OF A DIGRAPH WITH DIRECTED DIGON(S)

Muhammad Irfan Arsyad Prayitno, Kiki Ariyanti Sugeng  
497-506


 pdf download



 Abstract views 44 |  PDF Download downloads 41 | DOI <https://doi.org/10.30598/barekengvol16iss2pp497-506>

SIMPLIFIED FORMULAS FOR SOME BESSEL FUNCTIONS AND THEIR APPLICATIONS IN EXTENDED SURFACE HEAT TRANSFER

Irvan Irvan, Zahedi Zahedi, Anjar Agus, Sarmin Suparni, Harahap Amin

507-514


 pdf download



 Abstract views 55 |  PDF Download downloads 66 | DOI <https://doi.org/10.30598/barekengvol16iss2pp507-514>

DEVELOPMENT OF ANDROID-BASED "MBARENGI" STATISTICS E-MODULE AS AN INNOVATION FOR STATISTICS LEARNING MEDIA WITH HYBRID LEARNING

Cindy Cahyaning Astuti, Akbar Wiguna, Fitri Nur Latifa, Amaydhi Olvyva

515-524


 pdf download



 Abstract views 56 |  PDF Download downloads 43 | DOI <https://doi.org/10.30598/barekengvol16iss2pp515-524>

APPLICATION OF SYSTEM MAX-PLUS LINEAR EQUATIONS ON SERIAL MANUFACTURING MACHINE WITH STORAGE UNIT

Andika Ellena Saufika Hakim Maharani, Ari Suparwanto

525-530


 pdf download



 Abstract views 56 |  PDF Download downloads 37 | DOI <https://doi.org/10.30598/barekengvol16iss2pp525-530>

SOME MODIFICATIONS OF CHEBYSHEV-HALLEY'S METHODS FREE FROM SECOND DERIVATIVE WITH EIGHTH-ORDER OF CONVERGENCE

Yuslenita Muda, Neng Santi, Wartono Wartono, Muhafzan Muhafzan

531-538


 pdf download



 Abstract views 47 |  PDF Download downloads 34 | DOI <https://doi.org/10.30598/barekengvol16iss2pp531-538>

APPLICATION OF PERFORMANCE ASSESSMENT WITH METHOD DIFFICULTY LEVEL, DISTINGUISHING POWER, DISTRACTOR EFFECTIVENESS, AND ANOVA (Case Study: Paper Based Test (PBT) Period 2 Questions 2020–2021 Islamic University of Indonesia)

Safira Khoirunnisa, Edi Widodo

539-550

 pdf download


 Abstract views 49 |  PDF Download downloads 40 | DOI <https://doi.org/10.30598/barekengvol16iss2pp539-550>



[/barekengvol16iss2pp539-550](#)

MATHEMATICAL MODEL OF THREE SPECIES FOOD CHAIN WITH INTRASPECIFIC COMPETITION AND HARVESTING ON PREDATOR

Muhammad Manaqib, Suma'inna Suma'inna, Amalia Zahra

551-562

 pdf download


 Abstract views 59 |  PDF Download downloads 53 | DOI <https://doi.org/10.30598>



[/barekengvol16iss2pp551-562](#)

THE OPTIMAL COMPOSITIONS OF DAILY MENU FOOD FOR BREASTFEEDING MOTHERS USING THE SIMPLEX METHOD

Adin Lazuardy Firdiansyah

563-568

 pdf download


 Abstract views 50 |  PDF Download downloads 41 | DOI <https://doi.org/10.30598>



[/barekengvol16iss2pp563-568](#)

DEVELOPING DESIGN OF AUTOMATIC EGG QUALITY DETECTOR USING ROI AND RGB TEMPLATE METHODS

Teguh Herlambang, Andy Suryowinoto, Moch Zakaria, Berny Pebo Tomasouw

569-582

 pdf download


 Abstract views 55 |  PDF Download downloads 40 | DOI <https://doi.org/10.30598>



[/barekengvol16iss2pp569-582](#)

DETERMINISTIC AND STOCHASTIC DENGUE EPIDEMIC MODEL: EXPLORING THE PROBABILITY OF EXTINCTION

Meksianis Z. Ndi, Yudi Ari Adi, Bertha S Djahi

583-596

 pdf download


 Abstract views 73 |  PDF Download downloads 53 | DOI <https://doi.org/10.30598>



[/barekengvol16iss2pp583-596](#)

CALCULATION OF CENTRAL JAVA PROVINCE REGION AREA USING SHOELACE FORMULA BASED ON THE GADM DATABASE

Adi Setiawan, Eko Sedyono, Tundjung Mahatma

597-606


 pdf download



 Abstract views 57 |  PDF Download downloads 39 | DOI <https://doi.org/10.30598/barekengvol16iss2pp597-606>

RESTRICTED MAXIMUM LIKELIHOOD ESTIMATION FOR MULTIVARIATE LINEAR MIXED MODEL IN ANALYZING PISA DATA FOR INDONESIAN STUDENTS

Vera Maya Santi, Khairil Anwar Notodiputro, Indahwati Indahwati, Bagus Sartono

607-614


 pdf download



 Abstract views 58 |  PDF Download downloads 96 | DOI <https://doi.org/10.30598/barekengvol16iss2pp607-614>

PREDICTING DIABETES MELLITUS USING CATBOOST CLASSIFIER AND SHAPLEY ADDITIVE EXPLANATION (SHAP) APPROACH

Novia Permatasari, Shafiyah Asy Syahidah, Aldo Leofiro Irfiansyah, M. Ghazy Al-Haqqoni

615-624


 pdf download



 Abstract views 69 |  PDF Download downloads 43 | DOI <https://doi.org/10.30598/barekengvol16iss2pp615-624>

DYNAMICS OF THE RUMOR SPREADING MODEL OF INDONESIA TWITTER CASE

Arrival Rince Putri, Muthiah As Saidah, Mahdhivan Syafwan

625-634


 pdf download



 Abstract views 53 |  PDF Download downloads 45 | DOI <https://doi.org/10.30598/barekengvol16iss2pp625-634>

FORECASTING OF CURRENCY CIRCULATION IN INDONESIA USING HYBRID EXTREME LEARNING MACHINE

Mujiati Dwi Kartikasari

635-642

 pdf download


 Abstract views 51 |  PDF Download downloads 38 | DOI <https://doi.org/10.30598/barekengvol16iss2pp635-642>



MATHEMATICS PRE-SERVICE TEACHERS' DIGITAL LITERACY AND THEIR READINESS TOWARDS 21ST CENTURY LEARNING: A MIXED METHOD STUDY



Pranata Lulus Soeparno, Christina Ismanati

643-650


 pdf download



 Abstract views 46 |  PDF Download downloads 37 | DOI <https://doi.org/10.30598/barekengvol16iss2pp643-650>

OPTIMIZING THE PROCESS OF PICK-UP AND DELIVERY WITH TIME WINDOWS USING ANT COLONY AND TABU SEARCH ALGORITHMS

Imas Saumi Amalia, Toni Bakhtiar, Jaharuddin Jaharuddin

651-662


 pdf download



 Abstract views 59 |  PDF Download downloads 51 | DOI <https://doi.org/10.30598/barekengvol16iss2pp651-662>

CUSTOMER SATISFACTION ANALYSIS ON SALES ENGINEERING SERVICE USING SERVQUAL AND FACTOR ANALYSIS IN PACKAGING INDUSTRY

Rheza Vahlepy, Winarno Winarno, Fahriza Nurul Azizah, Dimas Nurwinata Rinaldi

663-674


 pdf download



 Abstract views 48 |  PDF Download downloads 44 | DOI <https://doi.org/10.30598/barekengvol16iss2pp663-674>

THE IMPACT OF BANK-SPECIFIC FACTORS ON NON-PERFORMING LOAN IN INDONESIA: EVIDENCE FROM ARDL MODEL APPROACH

Lexy Janzen Sinay, Sanlly J Latupeirissa, Shelma M Pelu, Meilin I Tilukay

675-686


 pdf download



 Abstract views 37 |  PDF Download downloads 29 | DOI <https://doi.org/10.30598/barekengvol16iss2pp675-686>

ROBUST CLUSTERING OF COVID-19 PANDEMIC WORLDWIDE

Rizki Agung Wibowo, Khoirin Nisa, Hilda Venelia, Warsono Warsono

687-694


 pdf download



 Abstract views 85 |  PDF Download downloads 41 | DOI <https://doi.org/10.30598/barekengvol16iss2pp687-694>

## THE APPLICATION OF MUSICAL INTELLIGENCE-BASED MATHEMATICS LEARNING ON PLANE SHAPE DISCUSSION

Ismah Ismah, Bayu Aji Eko Prasetyo

695-702


 pdf download



 Abstract views 67 |  PDF Download downloads 30 | DOI <https://doi.org/10.30598/barekengvol16iss2pp695-702>

## ANALYSIS OF THE FACTORS THAT INFLUENCE CUSTOMER INTEREST IN USING MOBILE BANKING AT PT. BANK NTB SYARIAH ALAS SUB-BRANCH

Agusta Hari Sandy, Koko Hermanto

703-712


 pdf download



 Abstract views 62 |  PDF Download downloads 41 | DOI <https://doi.org/10.30598/barekengvol16iss2pp703-712>

## GAME THEORY APPLICATION ON ONLINE TRANSPORTATION COMPANY AND DRIVER INCOME LEVELS DURING THE PANDEMIC

Marlina Setia Sinaga, Arnita Arnita, Yulita Molliq Rangkuti, Didi Febrian

713-720


 pdf download



 Abstract views 46 |  PDF Download downloads 52 | DOI <https://doi.org/10.30598/barekengvol16iss2pp713-720>

## FUNCTION GROUP SELECTION OF SEMBUNG LEAVES (BLUMEA BALSAMIFERA) SIGNIFICANT TO ANTIOXIDANTS USING OVERLAPPING GROUP LASSO

kusnaeni kusnaeni, Agus M Soleh, Farit M Afendi, Bagus Sartono

721-728


 pdf download



 Abstract views 54 |  PDF Download downloads 54 | DOI <https://doi.org/10.30598/barekengvol16iss2pp721-728>

## THE SIMULATION OF ONE-DIMENSIONAL SHALLOW WATER WAVE EQUATION WITH MACCORMACK SCHEMES

Iffah Nurlathifah Fikri, Sumardi Sumardi

729-742


 pdf download



 Abstract views 44 |  PDF Download downloads 42 | DOI <https://doi.org/10.30598/barekengvol16iss2pp729-742>

APPLICATION OF CLUSTERING ANALYSIS TO DATA DISTRIBUTION OF COVID-19 IN BENGKULU PROVINCE

Nurul Hidayati

743-750


 pdf download



 Abstract views 52 |  PDF Download downloads 43 | DOI <https://doi.org/10.30598/barekengvol16iss2pp743-750>

COMPARISON OF AUTOREGRESSIVE MODEL WITH MISSING DATA TREATED USING ORDINARY LEAST SQUARES AND INTERPOLATION WITH WEIGHTING METHOD

Syifani Akmaliah, Dianne Amor Kusuma, Budi Nurani Ruchjana

751-760

 pdf download

 Abstract views 48 |  PDF Download downloads 50 | DOI <https://doi.org/10.30598/barekengvol16iss2pp751-760>

**Accredited By:**

Ministry of Education Culture, Research, and Technology, Republic of Indonesia, based on the Decree No.: 158/E/KPT/2021, about Accreditation Rank of Scientific Journal 2021, announce that BAREKENG: Jurnal Ilmu Matematika dan Terapan has been accredited in SINTA 2 ([see detail](#))



**In Collaboration with:**



BAREKENG: Jurnal ilmu matematika dan terapan, published by Pattimura University, in Collaboration with Indonesian Mathematical Society (IndoMS). ([see detail](#))

#### Indexed By:



#### Editorial Team



#### About Journal

BAREKENG: Jurnal ilmu Matematika dan Terapan (p-ISSN: [1978-7227](#) and

e-ISSN: 2615-3017) is a scientific publication media, which published by Mathematics Department, Faculty of Mathematics and Natural Sciences, University of Pattimura. This journal publish article related to Pure Mathematics, Applied Mathematics, Statistics, Actuarial Science, Mathematic Computation and Mathematics Education.

The meaning word of **Barekeng** is a local term of Moluccas language which means **Counting** or **Calculating**. Counting is a main and fundamental activities in the field of Mathematics. Therefore we tried to promote "**Barekeng**" as the name of our scientific journal.

[Read more...](#)

### Journal Statistics



[View My Stats](#)

### Updates Information

Good News!!!

Since 2020, BAREKENG: Jurnal Ilmu Matematika dan Terapan, published four times a year, in March, June, September, and December.

The articles for Volume 16 issue 2, June 2022 had been published, while for Volume 16 issue 3 September 2022 are in

process. Now, BAREKENG: Jurnal Ilmu Matematika dan Terapan, call for papers to Volume 16 issue 4, December 2022.

### Google Scholar Citation

Analysis Citation		
	All	Since 20
Citations	965	
h-index	15	
i10-index	26	

Google Scholar [Chart1](#) [Cite](#) >  
<

### Find us on



### Map of Location



---

**Editorial Office**

Pattimura University  
Ex. UT Building 2nd Floor, Ir. M.  
Putuhena Street,  
Poka-Ambon City, 97233, Maluku  
Province, Indonesia

**Contact Info**

+62 852 4335 8669 (Yopi Andry  
Lesnussa)  
+62 823 9798 0021 (Dyana Patty)  
[barekeng.journal@mail.unpatti.ac.id](mailto:barekeng.journal@mail.unpatti.ac.id)  
[barekeng.math@yahoo.com](mailto:barekeng.math@yahoo.com)

---



## SOME BASIC PROPERTIES OF THE NOISE REINFORCED BROWNIAN MOTION

Herry Pribawanto Suryawan\*

*Department of Mathematics, Faculty of Science and Technology, Sanata Dharma University  
Kampus III USD Paingan, Maguwoharjo, Depok, Sleman, 55281, Indonesia*

*Corresponding author's e-mail: \* [herrypribs@usd.ac.id](mailto:herrypribs@usd.ac.id)*

---

**Abstract.** *Noise reinforced Brownian motion appears as the universal limit of the step reinforced random walk. This article aims to study some basic properties of the noise reinforced Brownian motion. As main results, we prove integral representation, series expansion, Markov property, and martingale property of the noise reinforced Brownian motion.*

**Keywords:** *integral representation, Markov property, martingale property, noise reinforced Brownian motion.*

---

### Article info:

Submitted: 2<sup>nd</sup> September 2021

Accepted: 3<sup>rd</sup> March 2022

### How to cite this article:

H. P. Suryawan, "SOME BASIC PROPERTIES OF THE NOISE REINFORCED BROWNIAN MOTION", *BAREKENG: J. Il. Mat. & Ter.*, vol. 16, iss. 2, pp. 363-370, June, 2022.



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](https://creativecommons.org/licenses/by-sa/4.0/).  
Copyright © 2022 Herry Pribawanto Suryawan

## 1. INTRODUCTION

Stochastic processes with reinforcement has been an active research area in the last two decades. A survey on various stochastic processes with reinforcement as well as their applications has been given by Pemantle in [1]. The paper [2] contains some recent results in this area. In [3] Bertoin proved a version of the Donsker invariance principle: every step reinforced random walk with reinforcement parameter  $p$ , whose every step has finite second order moment, converges to a stochastic process called noise reinforced Brownian motion. Previously invariance principle for step reinforced random walk has been studied in the case of elephant random walk, that is one with steps follow Rademacher distribution, see [4] and [5]. Elephant random walk is a simple random walk which was introduced by Schütz dan Trimper in [6] and has attracted many researchers to study, see e.g. [5], [7], [8], [9], dan [10]. Some results on random walk with memory were given in [11] dan [12].

The noise reinforced Brownian motion  $B^p = (B_t^p)_{t \geq 0}$  is a real valued centered Gaussian process with covariance function

$$\mathbb{E}(B_t^p B_s^p) = \frac{1}{1-2p} (t \vee s)^p (t \wedge s)^{1-p}, \quad s, t \geq 0 \quad (1)$$

with  $t \vee s = \max\{t, s\}$ ,  $t \wedge s = \min\{t, s\}$ , and  $p \in (0, \frac{1}{2})$  is a reinforcement parameter. By letting  $p \rightarrow 0$  in equation (1), one gets

$$\mathbb{E}(B_t^p B_s^p) = t \wedge s.$$

In other words, if one drops the reinforcement parameter, then  $B^p$  is nothing else the standard Brownian motion. In this paper we will prove some basic properties of the noise reinforced Brownian motion including the Wiener integral representation, series expansion, Markov property, and martingale property. Having the basic properties will provide foundations for further research on the noise reinforced Brownian motion such as the study of the sample paths (continuity, differentiability), stochastic calculus with respect to noise reinforced Brownian motion, local time and self-intersection local time, asset modeling etc.

## 2. RESEARCH METHODS

The research method used here is a literature study. We study articles related to the noise reinforced Brownian motion and books related to probability theory and stochastic processes. The research begins by determining the topic, objectives to be achieved, the title of the research and is followed by collecting library resources. In particular, basic properties of the noise reinforced Brownian motion were investigated and analyzed in detail together with their proofs. The study ended with drawing conclusions based on literature review and research results.

## 3. RESULTS AND DISCUSSION

### 3.1. Noise Reinforced Brownian Motion

A standard Brownian motion can be constructed as a limit of simple random walks, see e.g. [13]. A similar construction of the noise reinforced Brownian motion has been proved in [3]. We summarize it as follows. We fix a reinforcement parameter  $p \in (0, \frac{1}{2})$ . For every discrete time step reinforced random walk repeats one of its previous steps randomly and uniformly with probability  $p$ , otherwise it has independent increments with the same distributions with probability  $1 - p$ . More precisely, consider a sequence of random variables  $Y_1, Y_2, \dots$  which consists of independent copies of the real valued random variables  $Y$  with identical distribution. Next, we define a sequence of random variables  $X_1, X_2, \dots$  recursively as follows. Let  $(\varepsilon_i)_{i \geq 2}$  be an independent sequence of Bernoulli random variables with parameter  $p$ . We define  $X_1 = Y_1$  and for  $i \geq 2$   $X_i = Y_i$  if  $\varepsilon_i = 0$  while  $X_i$  is a uniform random sampling of  $X_1, \dots, X_{i-1}$  if  $\varepsilon_i = 1$ . The sequence of partial sums  $(S_n)_{n \in \mathbb{N}}$  with

$$S_n = \sum_{i=1}^n X_i$$

is called step reinforced random walk. In general,  $(S_n)_{n \in \mathbb{N}}$  does not satisfy the Markov property.

**Theorem 1.** ([3], Theorem 3.3) Let  $p \in (0, \frac{1}{2})$  and  $Y \in L^2(\mathbb{P})$ . For  $n \rightarrow \infty$  the sequence of random variables

$$\frac{S_{[tn]} - tn\mathbb{E}(Y)}{\sqrt{n \operatorname{var}(Y)}}, \quad t \geq 0$$

converges in distribution with respect to the Skorokhod topology to the noise reinforced Brownian motion  $(B_t^p)_{t \geq 0}$  with reinforcement parameter  $p$ .

In [3] the following basic properties of the noise reinforced Brownian motion are also mentioned. The notation  $\stackrel{d}{=}$  means equality in the distribution.

1. Scaling property: for every  $c > 0$

$$(B_t^p)_{t \geq 0} \stackrel{d}{=} (c^{-1} B_{c^2 t}^p)_{t \geq 0}$$

2. Time inversion property:

$$(B_t^p)_{t \geq 0} \stackrel{d}{=} \left( t B_{\frac{1}{t}}^p \right)_{t > 0}$$

3. The law of iterated logarithm: with probability one

$$\limsup_{t \rightarrow \infty} \frac{B_t^p}{\sqrt{2t \ln \ln t}} = \limsup_{t \rightarrow 0^+} \frac{B_t^p}{\sqrt{2t \ln \ln \frac{1}{t}}} = \frac{1}{\sqrt{1-2p}}.$$

4. For different reinforcement parameter  $p$ , the distribution of the noise reinforced Brownian motion, say in the interval  $[0,1]$ , yields probability distributions on the space of continuous function  $C[0,1]$  which are mutually singular and are also singular to the Wiener measure.

For  $n \in \mathbb{N}$  the  $n$ -th moment of the noise reinforced Brownian motion is given by

$$\mathbb{E}((B_t^p)^n) = \begin{cases} \left(\frac{2}{1-2p}\right)^k \frac{1}{\sqrt{\pi}} \Gamma\left(k + \frac{1}{2}\right) t^k, & n = 2k \\ 0, & n = 2k - 1 \end{cases}$$

where  $\Gamma$  is the Euler gamma function. To prove this, we start with observing that

$$\mathbb{E}((B_t^p)^n) = \frac{\sqrt{1-2p}}{\sqrt{2\pi t}} \int_{\mathbb{R}} x^n e^{-\frac{1-2p}{2t}x^2} dx.$$

If  $n = 2k - 1$  for some  $k \in \mathbb{N}$ , then the integrand in the above integral is an odd function and hence the value of integral is zero. If  $n = 2k$  for some  $k \in \mathbb{N}$ , then

$$\mathbb{E}((B_t^p)^{2k}) = \frac{2\sqrt{1-2p}}{\sqrt{2\pi t}} \int_0^{\infty} x^{2k} e^{-\frac{1-2p}{2t}x^2} dx.$$

By using substitution  $x = \sqrt{\frac{2t}{1-2p}} y$ , we get

$$\mathbb{E}\left((B_t^p)^{2k}\right) = \frac{2}{\sqrt{\pi}} \left(\frac{2}{1-2p}\right)^k t^k \int_0^\infty y^{2k} e^{-y^2} dy = \left(\frac{2}{1-2p}\right)^k \frac{1}{\sqrt{\pi}} \Gamma\left(k + \frac{1}{2}\right) t^k.$$

Some properties of the standard Brownian motion which do not hold for the noise reinforced Brownian motion include stationarity of increments, independence of increments, dan time reversion property.

- a. A stochastic process  $(X_t)_{t \geq 0}$  has the stationary increment property if for every  $0 \leq s < t$   $X_t - X_s \stackrel{d}{=} X_{t-s}$ . Since  $(B_t^p)_{t \geq 0}$  is a Gaussian process, we only need to check its first two moments.

It is clear that  $\mathbb{E}(B_t^p - B_s^p) = \mathbb{E}(B_{t-s}^p) = 0$ . For the variance we have

$$\begin{aligned} \text{var}(B_t^p - B_s^p) &= \mathbb{E}\left((B_t^p)^2\right) - 2\mathbb{E}(B_t^p B_s^p) + \mathbb{E}\left((B_s^p)^2\right) \\ &= \frac{1}{1-2p} t - 2 \frac{1}{1-2p} t^p s^{1-p} + \frac{1}{1-2p} s \\ &= \frac{1}{1-2p} \left(t - s - 2s \left(\frac{1}{2}\right)^p\right) \\ &\neq \frac{1}{1-2p} (t - s) \\ &= \text{var}(B_{t-s}^p). \end{aligned}$$

This shows that the increments of the noise reinforced Brownian motion is not stationary.

- b. Recall that Gaussian random vectors  $(Z_1, \dots, Z_n)$  are independent if and only if  $\text{cov}(Z_i, Z_j) = 0$  for every  $i \neq j$ . Let  $n \in \mathbb{N}$  be arbitrary and consider the collection of random variables  $B_{t_1}^p, B_{t_2}^p - B_{t_1}^p, \dots, B_{t_n}^p - B_{t_{n-1}}^p$ . Next, if  $j, k \in \{1, 2, \dots, n\}$  with  $0 \leq t_{j-1} < t_j < t_{k-1} < t_k$ , then it holds

$$\begin{aligned} &\mathbb{E}\left(\left(B_{t_j}^p - B_{t_{j-1}}^p\right)\left(B_{t_k}^p - B_{t_{k-1}}^p\right)\right) \\ &= \mathbb{E}\left(B_{t_j}^p B_{t_k}^p\right) - \mathbb{E}\left(B_{t_j}^p B_{t_{k-1}}^p\right) - \mathbb{E}\left(B_{t_{j-1}}^p B_{t_k}^p\right) + \mathbb{E}\left(B_{t_{j-1}}^p B_{t_{k-1}}^p\right) \\ &= \frac{1}{1-2p} t_k^p t_j^{1-p} - \frac{1}{1-2p} t_{k-1}^p t_j^{1-p} - \frac{1}{1-2p} t_k^p t_{j-1}^{1-p} + \frac{1}{1-2p} t_{k-1}^p t_{j-1}^{1-p} \\ &= \frac{1}{1-2p} (t_k^p - t_{k-1}^p) (t_j^{1-p} - t_{j-1}^{1-p}) \\ &\neq 0. \end{aligned}$$

It is proved that the increments of the noise reinforced Brownian motion is not independent.

- c. To show that the time reversion property does not hold, we show that the distribution of  $B_1^p - B_{1-t}^p$  is not same with the distribution of  $B_t^p$ ,  $0 \leq t \leq 1$ . Here it is sufficient to show that the variances are different. It can be checked easily that

$$\text{var}(B_1^p - B_{1-t}^p) = \frac{1}{1-2p} (1 - 2(1-t)^{1-p} + (1-t)).$$

On the other hand,  $\text{var}(B_1^p - B_{1-t}^p) = \text{var}(B_t^p)$  if and only if  $t \in \{0, 1\}$ . We see that noise reinforced Brownian motion does not satisfy the time reversion property.

### 3.2. Integral Representation and Series Expansion

A representation of the noise reinforced Brownian motion as a Wiener integral was mentioned briefly in [3]. Here we will look into it in more details.

**Lemma 2.** *The noise reinforced Brownian motion  $(B_t^p)_{t \geq 0}$  can be written as a Wiener integral*

$$B_t^p = t^p \int_0^t s^{-p} dB_s, \quad t \geq 0$$

with  $(B_t)_{t \geq 0}$  is a standard Brownian motion.

**Proof.** The above stochastic integral is well defined as a Wiener integral since the integrand is a Lebesgue square integrable, that is

$$\int_0^t t^{2p} s^{-2p} ds < \infty,$$

since  $0 < p < \frac{1}{2}$ . According to Theorem 2.3.4 in [14],  $(B_t^p)_{t \geq 0}$  is a Gaussian process with mean 0 and variance

$$\int_0^t t^{2p} s^{-2p} ds = \frac{1}{1-2p} t.$$

It is left to show that the covariance function is identical with the expression in the right hand side of (1). From Corollary 2.3.5 in [14]

$$\text{cov}(B_t^p, B_s^p) = \int_0^{t \vee s} t^p u^{-p} s^p u^{-p} du = \frac{1}{1-2p} (t \vee s)^p (t \wedge s)^{1-p}. \quad \square$$

From the integral representation in Lemma 2 we see that  $B^p$  is an integral with respect to time of the noise reinforced white noise. This justifies the name *noise reinforced* Brownian motion. In this context, *reinforcement* means that the noise tends to repeat itself infinitesimally as time passes. In other words, the parameter  $p$  represents the probability that an infinitesimal part of the noise is a repetition. The above integral representation allows us to derive the series expansion of the noise reinforced Brownian motion.

**Theorem 3.** With probability one the noise reinforced Brownian motion  $(B_t^p)_{t \geq 0}$  can be represented as

$$B_t^p = \sum_{n=1}^{\infty} \langle f, \phi_n \rangle \int_{\mathbb{R}} \phi_n(s) dB_s,$$

where  $\langle \cdot, \cdot \rangle$  is the standard inner product on  $L^2(\mathbb{R})$ ,  $f(s) = \left(\frac{t}{s}\right)^p 1_{[0,t]}(s)$ ,  $\phi_n$  is the  $n$ -th Hermite function which is defined via the Rodrigues formula

$$\phi_n(x) = (-1)^n \frac{1}{\sqrt{n!}} (2\pi)^{-\frac{1}{4}} e^{\frac{x^2}{4}} \frac{d^n}{dx^n} e^{-\frac{x^2}{2}}, \quad n \geq 0$$

and the convergence of the random series is almost surely.

**Proof.** From Lemma 2 we have

$$B_t^p = \int_{\mathbb{R}} t^p s^{-p} 1_{[0,t]} dB_s,$$

where  $1_A$  is the indicator function of the set  $A \subset \mathbb{R}$ . If we define  $f(s) = \left(\frac{t}{s}\right)^p 1_{[0,t]}(s)$ , then  $f(s) \in L^2(\mathbb{R})$ . Recall the fact that the family of Hermite functions  $\{\phi_n: n = 0, 1, 2, \dots\}$  forms an orthonormal basis for  $L^2(\mathbb{R})$ . Finally, Theorem 2.6.2. in [14] delivers the desired result.  $\square$   
 Let  $(\Omega, \mathcal{F}, \mathbb{P})$  be a probability space on which the noise reinforced Brownian motion is defined. From Theorem 3 for every  $\omega \in \Omega$  it holds

$$B_t^p(\omega) = \sum_{n=1}^{\infty} \int_0^t t^p s^{-p} \phi_n(s) ds \int_{\mathbb{R}} \phi_n(s) dB_s(\omega).$$

From the last formula we obtain the representation of the noise reinforced Brownian motion as the series

$$B_t^p(\omega) = \sum_{n=1}^{\infty} \xi_n(\omega) \int_0^t t^p s^{-p} \phi_n(s) ds,$$

where  $(\xi_n)_{n \in \mathbb{N}}$  is an independent and identically distributed sequence of Gaussian random variables with mean 0 and variance 1.

### 3.3. Markov Property and Martingale Property

In order to show the Markov property we will use the following characterization result.

**Proposition 4.** ([15], Proposition 14.7) *Real valued Gaussian process  $X = (X_t)_{t \geq 0}$  is a Markov process if and only if its covariance function is triangular:*

$$\text{cov}(X_s, X_t) = \frac{\text{cov}(X_s, X_r) \text{cov}(X_r, X_t)}{\text{cov}(X_r, X_r)}, \quad 0 < s \leq r \leq t.$$

**Proposition 5.** *The noise reinforced Brownian motion  $(B_t^p)_{t \geq 0}$  is a Markov process.*

**Proof.** Since  $(B_t^p)_{t \geq 0}$  is a Gaussian process we employ Proposition 4 to prove the Markov property. For any  $s, r, t > 0$  with  $0 < s \leq r \leq t$  it holds

$$\frac{\text{cov}(B_s^p, B_r^p) \text{cov}(B_r^p, B_t^p)}{\text{cov}(B_r^p, B_r^p)} = \frac{\frac{1}{1-2p} r^p s^{1-p} \frac{1}{1-2p} t^p r^{1-p}}{\frac{1}{1-2p} r^p r^{1-p}} = \frac{1}{1-2p} t^p s^{1-p} = \text{cov}(B_s^p, B_t^p). \quad \square$$

Specifically, Proposition 5 shows that a non-Markovian stochastic process may converge in distribution to a Markov process.

**Proposition 6.** *The noise reinforced Brownian motion  $B^p = (B_t^p)_{t \geq 0}$  is a martingale with respect to the natural filtration induced by the standard Brownian motion.*

**Proof.** The statement in the theorem is a corollary of the Wiener integral representation of  $B^p$  (Lemma 2) and Theorem 2.5.4 in [14] by observing that  $s^{-p} \in L^2[0, t]$  for  $p \in (0, \frac{1}{2})$ . To be more precise, since  $B_t^p = t^p \int_0^t s^{-p} dB_s$ ,  $t \geq 0$ , then according Theorem 2.5.4. in [14], the stochastic process  $(B_t^p)_{t \geq 0}$  is a martingale with respect to the natural filtration of the standard Brownian motion  $\mathcal{F}_t = \sigma(B_s: 0 \leq s \leq t)$ .  $\square$

The importance of Proposition 6 is that the noise reinforced Brownian motion can be used to model a fair game. From stochastic calculus point of view, Proposition 6 also gives the existence of the stochastic integral with respect to the noise reinforced Brownian motion as an Itô integral. Another possible application in this direction is an asset modeling using the noise reinforced Brownian motion.

#### 4. CONCLUSIONS

The noise reinforced Brownian motion  $B^p = (B_t^p)_{t \geq 0}$  is a stochastic process which appears as the universal limit of the step reinforced random walk. Some of its basic properties are as follow:

1. By letting the reinforcement parameter  $p \rightarrow 0$  in the definition of  $B^p$  one reveals the standard Brownian motion.
2. There are some properties of the standard Brownian motion that are not satisfied by noise reinforced Brownian motion including stationary increments property and independent increments property.
3.  $B^p$  has a Wiener integral representation since the integral kernel is a Lebesgue square integrable function.
4.  $B^p$  can be expanded in the form of random series involving the Hermite functions.
5.  $B^p$  is a Markov process although it is a limit of a non-Markov process.
6.  $B^p$  is a martingale with respect to the natural filtration generated by the standard Brownian motion.

#### REFERENCES

- [1] R. Pemantle, "A survey of random processes with reinforcement," *Probab. Surveys*, vol. 4, pp. 1-9, 2007.
- [2] D. Kious and V. Sidoravicius, "Phase transition for the once-reinforced random walk on  $Z^d$ -like trees," *Ann. Probab.*, vol. 46, no. 4, pp. 2121-2133, 2018.
- [3] J. Bertoin, "Universality of noise reinforced Brownian motions," in *In and Out of Equilibrium 3: Celebrating Vladas Sidoravicius*, Cham, Birkhäuser, 2021, pp. 147-161.
- [4] E. Baur and J. Bertoin, "Elephant random walks and their connection to Polya-type urns," *Phys. Rev. E.*, vol. 94, 2016.
- [5] C. Coletti, R. Gava and G. Schütz, "A strong invariance principle for the elephant random walk," *J. Stat. Mech. Theory Exp.*, vol. 12, 2017.
- [6] G. Schütz and S. Trimper, "Elephants can always remember: exact long-range memory effects in a non-markovian random walk," *Phys. Rev. E.*, vol. 70, 2004.
- [7] B. Bercu, "A martingale approach for the elephant random walk," *J. Phys. A.*, vol. 51, no. 1, 2018.
- [8] B. Bercu and L. Laulin, "On the multi-dimensional elephant random walk," *J. Stat. Phys.*, vol. 175, no. 6, pp. 1146-1163, 2019.
- [9] C. Coletti, R. Gava and G. Schütz, "Central limit theorem and related results for the elephant random walk," *J. Math. Phys.*, vol. 58, no. 5, 2017.
- [10] R. Kürsten, "Random recursive trees and the elephant random walk," *Phys. Rev. E.*, vol. 93, 2016.
- [11] E. Baur, "On a class of random walks with reinforced memory," *J. Stat. Phys.*, vol. 181, 2020.
- [12] S. Janson, "Functional limit theorem for multitype branching process and generalized Polya urns," *Stoch. Process. Their Appl.*, vol. 110, no. 2, pp. 177-245, 2004.
- [13] R. Schilling, *Brownian Motion: A Guide to Random Processes and Stochastic Calculus*, 3rd edition, Berlin: De Gruyter, 2021.
- [14] H. Kuo, *Introduction to Stochastic Integration*, New York: Springer, 2006.
- [15] O. Kallenberg, *Foundation of Modern Probability*, 3rd edition, Cham: Springer, 2021.

