InCASST
International Conference on
Applied Sciences and
Smart Technologies

UNIVERSITAS SANATA DHARMA
YOGYAKARTA

3C tahun
FAKULTAS SAINS DAN TEKNOLOGI
UNIVERSITAS SANATA DHARMA

PROGRAM BOOK
&
ABSTRACTS

INTERNATIONAL CONFERENCE ON APPLIED SCIENCES AND SMART TECHNOLOGIES

SCIENCE AND TECHNOLOGY DISRUPTION
IN THE POST PANDEMIC ERA
FOR BETTER LIFE QUALITY

ORGANIZED BY
FACULTY OF SCIENCE AND TECHNOLOGY
SANATA DHARMA UNIVERSITY

October 18, 2023
Yogyakarta, Indonesia

CO-HOST

UNIVERSITAS PRASETIYA MULYA 1982

THE COMMITTEES

Advisory board

- Prof. Dr. Willy Susilo (Wollongong University, Australia)
- Apichate Maneewong, Ph.D. (Institute of Nuclear Technology, Thailand)
- Pham Nhu Viet Ha (Vietnam Atomic Energy Institute, Vietnam)
- Dr. rer. nat. Wolfgang Bock (Department of Mathematics, Rheinland-Pfalz Technical University, Germany)
- Dr. Bambang Dwi Wijanarko, S. Si, M.Kom. (Universitas Bina Nusantara, Semarang, Indonesia)
- Dr. Ir. Feri Yusivar, M.Eng (Universitas Indonesia, Indonesia)
- Dr. Irma Saraswati, M.Sc. (Universitas Sultan Ageng Tirtayasa, Indonesia)
- Dr. Imamul Muttakin (Universitas Sultan Ageng Tirtayasa, Indonesia)
- Dyonisius Dony Ariananda, S.T., M.Sc., Ph.D. (Universitas Gadjah Mada, Indonesia)
- Dr. Ir. Ford Lumban Gaol, S.Si., M.Kom. (Universitas Bina Nusantara, Indonesia)

Steering Committee

- Conference Chairperson: Ir. Drs. Haris Sriwindono, M.Kom, Ph.D. (Sanata Dharma University - Indonesia)
- Conference Co-chair   : Ir. Damar Widjaja, Ph.D (Sanata Dharma University - Indonesia)
- Member   :
  - Dr. Ir. I Gusti Ketut Puja (Sanata Dharma University - Indonesia)
  - Prof. Frans Susilo, SJ, (Sanata Dharma University - Indonesia)
  - Prof. Ir. Sudi Mungkasi, Ph.D (Sanata Dharma University - Indonesia)

Organizing Committee

- Conference chair   : Dr. Ir. Bernadeta Wuri Harini (Sanata Dharma University - Indonesia)
- Conference co-chair   : Dr. Eng. I Made Wicaksana Ekaputra (Sanata Dharma University - Indonesia)
- Member   :
  - Ir. Theresia Prima Ari Setiyani, M.T. (Sanata Dharma University - Indonesia)
  - Ir. Augustinus Bayu Primawan, D.Tech.Sc. (Sanata Dharma University - Indonesia)
  - Regina Chelinia Erianda Putri, M.T. (Sanata Dharma University - Indonesia)
  - Stefan Mardikus, M.T. (Sanata Dharma University – Indonesia)
  - Rosalia Arum Kumalasanti, M.T. (Sanata Dharma University – Indonesia)
  - Dr. Ir. Ridowati Gunawan, S.Kom., M.T. (Sanata Dharma University-Indonesia)

KEYNOTE SPEAKERS

Prof. Ir. Sudi Mungkasi, Ph.D.
(Sanata Dharma University-Indonesia)

Prof. Ir. Sudi Mungkasi is a full professor at the Department of Mathematics, Faculty of Science and Technology, Sanata Dharma University, Yogyakarta, Indonesia. He obtained the degree of Sarjana Sains (S.Si.) in Mathematics from Gadjah Mada University, Yogyakarta, Indonesia in 2004. He received the degrees of Master of Mathematical Sciences (M.Math.Sc.) and Doctor of Philosophy (Ph.D.) in Mathematical Sciences from The Australian National University, Canberra, Australia in 2008 and 2013, respectively. He was a postdoctoral fellow at the Mathematical Sciences Institute of The Australian National University in 2013. The professional degree of Insinyur (Ir.) in Engineering Sciences was obtained from Sanata Dharma University in 2021. His research interests include applied and computational mathematics as well as modelling and simulation for physical, biological, chemical, and engineering problems. Currently, he serves as Vice Rector for Academic Affairs of Sanata Dharma University.

Prof. Tokuro Matsuo
(Advanced Institute of Industrial Technology - Japan)

Prof. Tokuro Matsuo is currently a Full Professor (tenured) at the Advanced Institute of Industrial Technology (AIIT) in Public University Corporation Tokyo Metropolitan University since 2012. Also, he is currently a Director of the Research Center for Artificial Intelligence and Service Science at AIIT and CEO of the International Institute of Applied Informatics (IIAI). His current research interests include agent-based electronic commerce, qualitative reasoning and simulation, material informatics, IT and business management, and IoT. He delivered 150 keynotes and invited talks at international conferences, symposia, and seminars in this decade. He also received over 10 awards on research and over 30 research grants from the government, research foundations, and companies.

Assoc. Prof. Dr. Peerapong Uthansakul (Suranaree University of Technology-Thailand)

Peerapong Uthansakul has been working as the Associate Professor at the School of Telecommunication Engineering and the Director of the Institute of Research and Development, Suranaree University of Technology, Thailand. He has got more than one hundred research publications and is the author/co-author of various books related to MIMO technologies. Furthermore, he is the editor of "Suranaree Journal of Science and Technology" and other leading Thai journals related to Science and Technology. He has won various national awards from the government of Thailand due to his contributions and motivation in the field of Science and Technology. His research interests include green communications, wave propagation modeling, MIMO, Massive MIMO, Brain Wave Engineering, OFDM and advanced wireless communications, wireless sensor network, embedded systems, the internet of things, and network security. His current research interest is in Artificial Intelligence and Bio-Signal studies.

Assist. Prof. Dr. Eng. Rando Tungga Dewa (The Republic of Indonesia Defense University-Indonesia)

Dr. Eng. Rando Tungga Dewa focuses on the fracture mechanics field in advanced technology. He is an Assistant Professor in the Mechanical Engineering Department, RIDU (The Republic of Indonesia Defense University). He has done some research topics including Nuclear Reactor Gen-IV design, vibration fatigue on structures, and advanced additive manufacturing technologies on energetic materials. He, at least published more than 20 peer-reviewed articles and attended 50 symposiums with H-index 8

SCHEDULE PROGRAM

1. InCaSST – October 18, 2023 07.30 AM, Eastparc Hotel.
2. Gala Dinner – October 18, 2023 06.00 PM, Eastparc Hotel.

Detailed Conference Program
Wednesday, 18th October, 2023
(Time based: Jakarta, Indonesia GMT+7)

Time	Event	Room
07.30 – 08.00	Registration and Welcome Drink	Garden Room
08.00 – 08.15	Opening Ceremony	
08.15 – 08.30	Greeting Speech	
08.30 – 08.45	Traditional Dance Performance	
08.45 – 10.35	Keynote Speakers Session: 　　1. Prof. Tokuro Matsuo 　　2. Asst. Prof. Dr. Eng. Rando Tungga Dewa 　　3. Prof. Ir. Sudi Mungkasi, Ph.D. 　　4. Assoc. Prof. Dr. Peerapong Uthansakul	
10-35 – 10.50	Parallel Session Preparation	
10.50 – 12.00	Parallel Session 1	Room 1: Orchid Room Room 2: Magnolia Room (3rd floor)
12.00 – 13.00	Lunch	Restaurant
13.00 – 14.40	Parallel Session 2	Room 1: Orchid Room Room 2: Magnolia Room (3rd floor)
14.40 – 15.00	Coffee Break	
15.00 – 16.10	Parallel Session 3	Room 1: Orchid Room Room 2: Magnolia Room (3rd floor)

E3S Web of Conferences

All issues   Series   Forthcoming   About

Q Search   ≡ Menu

Table of Contents

Free Access to the whole issue

E3S Web of Conferences
Volume 475 (2024)

InCASST 2023 - The 1st International Conference on Applied Sciences and Smart Technologies

Yogyakarta, Indonesia, October 18-19, 2023

D. Widjaja and L.K. Budiasih (Eds.)

Export the citation of the selected articles Export
Select all

Open Access

About the conference
Published online: 08 January 2024
PDF (205 KB)

Open Access

Statement of Peer review
Published online: 08 January 2024
PDF (434 KB)

- Clean Energy and Green Technologies

☐ Open Access

Effect of curing temperature on the mechanical properties of coconut shell nano carbon reinforced composites with epoxy matrix
01001
Petrus Iwan and I. Gusti Ketut Puja
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447501001
Abstract   PDF (2.541 MB) │ References

☐ Open Access

The role of nanocatalyst of pearl oyster shell in pack carburizing process on mechanical and physical properties of AISI 1020 steel
01002
Muhammad Rafi, I. Gusti Ketut Puja and Rines Rines
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447501002
Abstract   PDF (2.299 MB) │ References

☐ Open Access

Transparent carbon capture and storage using blockchain technology   01003
Gabriela Aristia and Khondaker Salehin
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447501003
Abstract   PDF (2.853 MB) │ References

☐ Open Access

Investigation of Eichhornia crassipes as a natural fibre in PMC for noise controller   01004

Paulina Dwi Nawarti, Dionisius Brian Deva Erwandana, Budi Setyariandana and I.M.W. Ekaputra
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447501004
Abstract   PDF (2.367 MB) | References

Exploring the potential of GO-based composite hydrogels and their swelling property for controlled drug delivery   01005
Aning Ayucitra and Yi-Hsu Ju
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447501005
Abstract   PDF (2.583 MB) | References

The effect of chassis weight optimization on the carbon footprint of the electric prototype vehicle   01006
Heryoga Winarbawa and Andreas Prasetyadi
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447501006
Abstract   PDF (1.765 MB) | References

Alternative method for stopping the coconut shell charcoal briquette drying process   01007
Andreas Prasetyadi, Rusdi Sambada and Petrus Kanisius Purwadi
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447501007
Abstract   PDF (1.809 MB) | References

- Environmental Impact Assessment and Management

Replication control strategy based on a simple game of life in opportunistic networks   02001
Vittalis Ayu, Bambang Soelistijanto and Yasintha Putri Larasati
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447502001
Abstract   PDF (2.027 MB) | References

The impact assessment of automated drip infusion control using weighing scale and pinch method on subjects 02002

Lanny Agustine, Made Indra Ayu Astarini, Maria Manungkalit, Jose Amadeus and Hartono Pranjoto

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447502002

Abstract PDF (2.148 MB) References

Analysis of coal facies and parting in The Balikpapan formation, Kutai Basin, East Kalimantan 02003

Roni Fauzan, R.A.T. Listyani and Setyo Pambudi

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447502003

Abstract PDF (2.655 MB) References

Distribution model, depositional environment and facies of coal in the AE field, Kutai Kartanegara area, East Kalimantan 02004

Taufiq Erlangga Sutedjo, Setyo Pambudi, R.A.T. Listyani and Oky Sugarbo

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447502004

Abstract PDF (2.891 MB) References

Fast fashion revolution: Unveiling the path to sustainable style in the era of fast fashion 02005

Tiara Nur Anisah, Andika Andika, Danang Wahyudi and Bimo Harnaji

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447502005

Abstract PDF (2.303 MB) References

A method for assessing green value chain readiness 02006

Ivan Gunawan, Dian Trihastuti, Lusia Permata Sari Hartanti and Ivan Keane Hutomo

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447502006

Abstract PDF (2.346 MB) References

Study of population distribution and benefits of Nipah *(Nypa fruticans)* 02007
Syaiful Eddy, Mirna Taufik, Andi Arif Setiawan, Budi Utomo and Maharani Oktavia
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447502007
Abstract   PDF (4.098 MB)   References

Development of digital livestock monitoring in Sambilawang Village, Serang, Banten 02008
Sesaria Kikitamara, Izzahtul Mujahidah and Permata Nur Miftahul Rizky
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447502008
Abstract   PDF (2.344 MB)   References

Comparison of the K-Means method with and without Principal Component Analysis (PCA) in predicting employee resignation 02009
Iwan Binanto and Andrianto Tumanggor
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447502009
Abstract   PDF (3.162 MB)   References

Key determinant of visitors' environmentally responsible behavior at Mlarangan Asri Beach Kulon Progo Regency, Indonesia 02010
Erni Ummi Hasanah, Yumartin MZ, Retno Lantarsih, Iwan Aminto Ardi, Danang Wahyudi, Andika and Della Nanda Luthfiana
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447502010
Abstract   PDF (1.941 MB)   References

Reuse strategy and management models for abandoned industrial areas. A case study in Yerevan 02011
Astghik Grigoryan, Zara Manvelyan and Emilya Sargsyan
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447502011
Abstract   PDF (2.355 MB)   References

Batik classification using KNN algorithm and GLCM features extraction 02012

David Wijaya and Anastasia Rita Widiarti

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/20244/502012

Abstract   PDF (2.096 MB)   References

Environmental management for car accident precaution and remote notification   02013

Gerardo Reinaldy, Peter Rhatodirdjo Angka, Albert Gunadhi, Hartono Pranjoto, Yuliati and Rasional Sitepu

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447502013

Abstract   PDF (3.176 MB)   References

Fall detection and notification system to fast emergency management for the elderly   02014

Ivan Goldwin, Albert Gunadhi, Diana Lestariningsih, Hartono Pranjoto, Peter Rhatodirdjo Angka and Lanny Agustine

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447502014

Abstract   PDF (2.601 MB)   References

Classification of delivery type of pregnant women using support vector machine   02015

Maria Yubela Chelsea and Paulina H. Prima Rosa

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/20244/502015

Abstract   PDF (2.010 MB)   References

A study of stochastic epidemic model driven by liouville fractional brownian motion coupled with seasonal air pollution   02016

Herry Pribawanto Suryawan

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447502016

Abstract   PDF (1.844 MB)   References

Aerial object detection analysis: Challenges and preliminary results 02017

Agnes Maria Polina, Hari Suparwito and Rosalia Arum Kumalasanti

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447502017

Abstract   PDF (3.437 MB) References

The performance of DST-Wavelet feature extraction for guitar chord recognition 02018

Linggo Sumarno

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447502018

Abstract   PDF (1.979 MB) References

- Renewable Energy Technologies and Systems

An overview of wind energy to optimize initial potential in Java 03001

Ade Yurika Isti Megawati, Fairusy Fitria Haryani, Sukarmin, Sarwanto, Daru Wahyuningsih, Pujayanto and Supurwoko

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447503001

Abstract   PDF (2.201 MB) References

Numerical investigation on the effect of blunt body deflector on darieus turbine performance 03002

Ahmad Syafiq Rofi'i, Aditia Aulia, Muhammad Ferry Fadri, Muhammad Haidar Syarif, Elvira Rosmawati Rahman and Gunawan Dwi Haryadi

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447503002

Abstract   PDF (2.695 MB) References

Solar power control system on smart green home 03003

David Adhi Supriyanto Putra, Bernadeta Wuri Hanni, Regina Chelinia Erlanda Putri, Stefan Mardikus and Petrus Setyo Prabowo

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447503003

Abstract   PDF (2.780 MB) References

Using a stepper motor as a low-power, low-rotation DC generator for renewable energy harvesting 03004

Djoko Untoro Suwarno

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447503004

Abstract   PDF (2.053 MB)   References

Design and implementation of 232.2 KWp rooftop on grid solar power plant 03005

Rasional Sitepu, Andrew Joewono, Yuliati, Peter R. Angka, Brian Teja, Hartono Pranjoto and Albert Gunadhi

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447503005

Abstract   PDF (2.289 MB)   References

An experimental investigation on CCFL characteristics during gas/low surface tension liquid counter-current two-phase flow in a small-scaling PWR hot leg typical geometry 03006

Achilleus Hermawan Astyanto, Dede Rafico Saleh, Indarto and Deendarlianto

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447503006

Abstract   PDF (2.485 MB)   References

Aerodynamic analysis of a windmill water pump using blade element momentum theory 03007

M.N. Setiawan, Harry Ramadhan, A. Michelle Sutopo and Zulkan

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447503007

Abstract   PDF (3.204 MB)   References

Techno-economic analysis of hybrid PV-Battery-diesel system for isolated Dockyard in West Papua 03008

Azis Saputra, Aji Setyawan, Chairman, Adinda Ihsani Putri and Lina Jaya Diguna

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447503008

Abstract   PDF (2.686 MB)   References

Open Access

Machine learning based modeling for estimating solar power generation   03009

Nur Uddin, Edi Purwanto and Hari Nugraha

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447503009

Abstract   PDF (3.011 MB)   References

Open Access

Coefficient of power of Indonesian traditional wind-pump blade model   03010

Albertus Naturally Baskoro, Y.B. Lukiyanto, Dionisius Brian Deva Erwandha and Rines Rines

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447503010

Abstract   PDF (1.969 MB)   References

- Sustainable Agriculture and Land Use Practices

Open Access

Assessing the effectiveness of agricultural policies on development: A systematic literature review from diverse countries   04001

Tidiane Guindo and Muhamad Bal'ul Hak

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447504001

Abstract   PDF (1.964 MB)   References

Open Access

Nutrition control in nutrient film technique hydroponic system using fuzzy method   04002

Augustinus B. Primawan and Novadi D.L. Kusuma

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447504002

Abstract   PDF (2.528 MB)   References

Open Access

The inhibitive effect of vitamin B_2, B_6 and vitamin C on the cooper corrosion   04003

Hartono Pranjoto, Adriana Anteng Anggorowati, Andrew Joewono, Lourentius Suratno and Adi Candra

Published online: 08 January 2024

DOI: https://doi.org/10.1051/e3sconf/202447504003

- *Waste Management and Recycling*

☐ Open Access

Readiness assessment of lean six sigma implementation in the manufacturing industry as a way to ensure sustainability 05001
Fransisca Candra Dewi, Lusia Permata Sari Hartanti, Dian Retno Sari Dewi, Julius Mulyono and Ig. Jaka Mulyana
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447505001
Abstract   PDF (1.993 MB) References

☐ Open Access

Modeling study of boiler using oil waste as an energy source 05002
Stefanus Suprianto, Tjendro, Martanto and Bernadeta Wuri Harini
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447505002
Abstract   PDF (2.980 MB) References

☐ Open Access

Utilization of used oil waste for boiler energy source 05003
Akbar Pribadi, Theresia Prima Ari Setiyani, Tjendro, Budi Setyahandana and Martanto
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447505003
Abstract   PDF (3.536 MB) References

☐ Open Access

SCADA for waste sorting system as an environmental conservation effort 05004
Thomas Eryanto Loblobly, Ridowati Gunawan, Haris Sriwindono and Theresia Prima Ari Setiyani
Published online: 08 January 2024
DOI: https://doi.org/10.1051/e3sconf/202447505004
Abstract   PDF (4.504 MB) References

☐ Open Access

Antibacterial properties of enzymatically treated PET fibers functionalized by nitric oxide 05005
Nathania Puspitasari, Cheng-Kang Lee and Chia-Tzu Liu
Published online: 08 January 2024

Abstract   PDF (2.154 MB) | References

☐   Open Access

Optimization of pyroliysis of polypropylene and polyethylene based plastic waste become an alternative oil fuel using bentonite catalyst   05006

Eunike Desnia, Edwand Rosie, Sandy Budi Hartono, Wiyanti Fransisca Simanullang, Adriana Anteng Anggorowati and Suratno Lourentius
Abstract   PDF (1.936 MB) | References

Replication control strategy based on a simple game of life in opportunistic networks

Vittalis Ayu[1,2*]*, Bambang* Soelistijanto[2]*, and *Yasintha Putri* Larasati[2]

[1]School of Computer Science, University of Nottingham, United Kingdom
[2]Department of Informatics, Sanata Dharma University, Indonesia

Abstract. Although flooding-based message dissemination in opportunistic mobile networks yields high delivery performance, the nodes' resources, such as energy and buffer, are rapidly depleted due to the enormous quantity of message replicas dispersed over the networks. This study aims to reduce the number of message replicas in the networks while maintaining an acceptable delivery rate. Inspired by Conway's Game of Life, which uses cellular automaton-based neighbor conditions to regulate the total population, we propose RiGoL, a replication control-based technique for determining how many neighbors hold the same messages. We utilize a counter to keep track of the number of neighbors and two thresholds, namely forward and drop thresholds. Our strategy works as follows: when a pair of nodes meet, the node checks to see if the peer has the same message. The counter is increased by one if the peer does not hold the same message. On the other hand, if the peer already has the message, the counter is decremented by one. Only when the counter exceeds the forward threshold, then the message forwarded to another node. In contrast, the message is deleted from the node's buffer if the counter value is less than the drop threshold. We conduct extensive simulations using ONE Simulator to evaluate our proposed strategy. The simulation results show that although RiGoL yields higher latency than Epidemic, RiGoL successfully reduces the message replication in the network and prolongs the hub node's lifetime.

1 Introduction

The emergence of mobile communication technology has accelerated the growth of mobile-based communication networks like Opportunistic Mobile Networks (OMNs) [1]. However, OMNs inherit the characteristics of Mobile Ad-Hoc Networks in which nodes can move dynamically and are intermittently connected [2]. As a consequence, a pairwise node's encounter becomes opportunistic. Therefore, in this networks, a store-carry-and-forward mechanism is used to facilitate the transmission of messages from the source node to the destination node. To facilitate the message forwarding process, routing protocols such as Epidemic [3] enable the nodes to relay the messages to every encountered node. Although this forwarding strategy yields high performance in message delivery, the number of message replication is enormous.

---

* Corresponding author: vittalis.ayu@nottingham.ac.uk

Our approach, however, aims to reduce message replication in the networks. We proposed RiGoL, a message replication control strategy, by measuring how many neighbors hold the (copy of) messages. RiGoL's mechanism is inspired by Game of Life (GoL), a classic cellular automaton game that models the growth and shrinkage of populations [4]. However, because in OMNs, each node lacks global knowledge of networks, we define RiGoL to enable nodes to adaptively adjust their message replication rate based on the local information from their peers. When a large number of peers have the same message, we assume that this message is already highly replicated in the networks. Therefore, we drop the messages to prevent further replication growth. In contrast, when many neighbors do not have a message, we assume that the message is not replicated enough in the networks; in this case, we aim to replicate and forward the message to other nodes to help the message reach its destination. This replication control strategy was subsequently implemented and simulated using ONE Simulator [5]. We compared RiGoL with Epidemic (with no replication control) and measured the total number of relayed messages, overhead ratio, and average latency to evaluate our approach. Furthermore, we conducted an investigation on the impact of RiGoL to the nodes lifetime (in terms of energy) within the networks.

The remaining sections are organized as follows: Section 2 discusses related works, while Section 3 presents the strategy design for RiGoL. The simulation results are then presented and discussed in Section 4. Section 5 summarizes the conclusion of this paper.

2 Related works

In OMNs, messages are replicated across the networks to reach their respective destination. More replication will increase the likelihood of delivery success and decrease delivery latency. Nonetheless, flooding-based routing strategy, such as Epidemic [3], imposes uncontrolled replication in the networks, which can eventually lead to traffic congestion and degrade networks performance [6]. Spray and Wait [7] is an alternative routing strategy that limits the number of allowed messages replication in the networks. Even though this method is better than Epidemic in reducing replication, the number of allowed replications is predetermined statically at the beginning of the experiment and cannot be modified on the fly. Therefore, it is necessary to determine how to adjust the message replication dynamically.

The classic example of cellular automata is Conway's Game of Life [4]. Conway defined a set of principles for cell evolution in a grid of squares so that a cell's state of life or death is determined by its surrounding environment. For instance, a cell is allowed to survive if it has one to two "alive" neighbours, but if it has at least three "alive" neighbours, it will die because the cell population is considered to be too dense. A dead cell, on the other hand, will become alive if it is surrounded by at least three more "dead" cells [8]. Figure 1 also shows how GoL could dynamically regulate population growth on the abstraction level of OMN nodes. The node in grey represents a living node, while the node in white represents a deceased node. In this example, we observe the evolution of node N2 as a function of its neighbours' states. In Figure 1(a), N2 is surrounded by deceased nodes (N1, N3, and N4); therefore, N2 must become alive to increase the number of living nodes. In contrast, as shown in Figure 1(b), N2 remains deceased if it encounters two "alive" nodes (N1 and N3). Figure 1(c) illustrates that if N2's neighbours are all alive, it is transformed into a deceased node because the population is considered dense enough.

Fig. 1. Illustration of the works of GoL (a) node N2 become alive (b) node N2 stays dead (c) node N2 dies

Image processing and cryptography are among the applications of cellular automata, specifically Game of Life (GoL) [9]. In image and language recognition and classification, a GoL-based rule is used to detect associations from a set of samples. In cryptography, GoL is also used to regulate the effectiveness of a pseudo-random number generator utilised in the encryption process. In another study, Wen et al. [10] use timed cellular automata to optimise flight scheduling. Furthermore, Yang et al. [11] employ cellular automaton as a means to simulate traffic flow in the context of longitudinal driving and lane changing. Indeed, cellular automaton, specifically GoL, has been widely employed in diverse contexts. However, none of those studies examine GoL to reduce message replication in networks. In this study, we intend to design and implement GoL as a basis for RiGol in order to reduce the number of duplicate messages in networks.

3 Design of algorithms

GoL's set of rules influences the design of RiGoL. The primary objective of this approach is to limit the frequency of message dropping and forwarding by assessing if neighbouring nodes have already received identical messages. To prevent excessive replication, it is acceptable to remove the message from the node's buffer if it has already been received by numerous neighbours. In contrast, in cases when a certain number of neighbouring nodes do not have the message, the node is encouraged to duplicate the message and transmit it to its neighbouring nodes.

The algorithm is defined as follows: as depicted in Figure 2, a counter C is created to keep track of the number of identical messages in the buffers of other nodes. As an illustration, we set C_{M1} as a counter for message M1. When two nodes meet, they examine their peers' buffers for duplicate messages. If there is a match, the counter C is decremented; otherwise, the counter C is increased. Furthermore, the counter's lower and upper bounds are represented by two thresholds, T_{drop} and $T_{forward}$. When the value of the counter C is equal to or less than T_{drop}, the message is removed from the buffer. When the value of the counter C is equal to or greater than $T_{forward}$, the message is sent to the relay node.

Fig. 2. Illustration of M1's counter C_{M1} dan two thresholds ($T_{forward}$ and T_{drop}).

Figure 3 depicts the evolution of the messages counter at node P in the RiGoL mechanism. Figure 3 depicts the chronological encounter of a paired node over three blocks (specifically, node P encountering node Q, node V, and node X). The message counters are initialised to zero. If an identical message exists in the peer's buffer, the counter for messages is incremented. If the condition is not met, the counter is decreased.

Fig. 3. Illustration of message counter's calculation in node P.

In this section, we will now introduce the RiGoL mechanism, which is outlined in Algorithm 1. The primary goals are to update the message counter and decide whether a message will be forwarded or deleted. We denote node i as N_i and node peer as N_j in the first phase of RiGoL's method. Every message counter should be updated when N_i and N_j meets. Afterwards, N_i will then treat each message in its buffer based on its counter value. The message will be replicated and sent to the peer if the counter value equals or exceeds the forwarding threshold $T_{forward}$. The message is removed from the buffer if the counter values are equal to or less than T_{drop}. Otherwise, the message is not copied and remains in the buffer.

ALGORITHM 1. Replication Strategy based on Game of Life (RiGoL)

When N_i encounter N_j, do
/*Update message counter*/
   for each m_i in buffer N_i do
     if m_i exist in buffer N_j then
       C_{mi}++ else C_{mi}--
     end if
   end for

/* Decision of message forwarding or dropping */
   for every message counter C_{mi} do
     if $C_{mi} \geq T_{forward}$
       then forward message m_i to N_j
        else
         if $C_{mi} \leq T_{drop}$
           then drop message m_i from buffer N_i
             else
               do nothing
          end if
     end if
   end for

---

4 Results and discussion

The RiGoL algorithm was evaluated using the Java-based ONE Simulator to simulate OMNs [5]. We employ three performance indicators to evaluate the efficacy of our strategy for reducing message replication:: total relayed messages, overhead ratio, and average delay. In addition, we investigate the effect of RiGoL's implementation on the energy consumption of nodes.

In this simulation, we present RiGol at five distinct threshold levels denoted by T(T$_{forward}$, T$_{drop}$) and Epidemic [3] as a benchmark protocol in this simulation. This simulation uses the Haggle-3 Infocom 5 dataset [12] as connectivity traces to represent the actual human encounter patterns in a conference setting.


Fig. 4. Number of relayed messages.

Figure 4 depicts the total number of messages relayed by Epidemic and RiGoL protocols over different threshold values. It is evident with the Epidemic protocol, nodes transmit an enormous amount of messages. In contrast, RiGoL possesses the capacity to decrease the quantity of relayed messages. In addition, a higher RiGoL threshold could further reduce replication. RiGoL with $T_{forward}$=5 and T_{drop}=-5 generates the smallest number of relayed messages, as shown in Figure 4. RiGoL also outperforms Epidemic in terms of overhead ratio. As shown in Figure 5, a higher RiGoL threshold decrease the network's overhead ratio.


Fig. 5. Overhead ratio.

In Figures 6, however, Epidemic outperforms RiGoL in terms of average latency. In Epidemic, a significant proportion of networks replicate and store messages, thereby accelerating the process of message dissemination. In contrast, RiGoL limits the replication rate, causing only a small fraction of nodes to be able to replicate the messages, thus delaying message delivery (as indicated by a high average latency value).


Fig. 6. Average latency.

Subsequently, we examined the influence of RiGoL implementation on energy consumption. A sample is obtained from node id 34, which is identified as a hub node in the Haggle-3 Infocomm 5 dataset. We presume that each node consumes a certain amount of energy whenever it transmits a message or discovers its neighbours. In this study, however, we assume that the energy required for transmit is greater than that required for neighbour discovery.

Fig. 7. Node's 34 remaining energy.

As shown in Figure 7, RiGoL outperforms Epidemic in terms of conserving energy for node id 34. Furthermore, as the RiGoL threshold increases, node id 34 exhibits an extended lifespan inside the networks. This phenomenon can be attributed to the implementation of RiGoL, which effectively reduces the number of duplicate messages inside networks. Consequently, the quantity of messages that nodes are required to relay or transmit has considerably decreased, resulting in energy conservation for this node.

5 Conclusions

This paper introduces RiGoL, a replication technique that reduces message replication in OMNs based on the Game of Life. We compare the proposed algorithm to Epidemic as a benchmark. Our findings show that the Epidemic outperforms RiGoL in terms of average latency. RiGoL, on the other hand, is more effective than Epidemic at reducing message replication in networks, as indicated by a smaller number of relayed messages and lower overhead ratio. Finally, we compare various RiGoL thresholds $T(T_{forward}, T_{drop})$. The maximum stated threshold $T(5, -5)$ produces fewer replicated messages than the lower threshold $T(1,-1)$ because nodes have to encounter more nodes without the message in order to duplicate it. Furthermore, the implementation of RiGoL also enhances the lifetime of node in the networks due to the decreased demand for message transfer. The decrease in message transmission reduces the individual node's energy consumption and extends the hub node's lifetime in the networks.

References

1. S. Misra, B. Kumar, S. Sujata, B. K. Saha, and S. Pal, *Opportunistic Mobile Networks* (Springer International Publishing, Switzerland, 2016)

2. C. Boldrini and A. Passarella, in *Mob. Ad Hoc Netw. Cut. Edge Dir. Second Ed.* (2013)

3. D. Vahdat, Amin; Becker, *Epidemic Routing for Partially-Connected Ad Hoc Networks* (Durham, 2000)

4. A. Adamatzky, Game Life Cell. Autom. 1 (2010)

5. A. Keränen, J. Ott, and T. Kärkkäinen, in *Proc. 2nd Int. Conf. Simul. Tools Tech.* (ICST (Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering), Brussels, BEL, 2009)

6. A. Grundy and M. Radenkovic, 2010 IEEE 6th Int. Conf. Wirel. Mob. Comput. Netw. Commun. WiMob'2010 324 (2010)

7. T. Spyropoulos, K. Psounis, and C. S. Raghavendra, Proc. ACM SIGCOMM 2005 Work. Delay-Tolerant Networking, WDTN 2005 252 (2005)

8. S. Annadurai, 2021 6th Int. Conf. Recent Trends Electron. Information, Commun. Technol. RTEICT 2021 829 (2021)

9. M. Ghosh, R. Kumar, M. Saha, and B. K. Sikdar, Proc. - 2018 IEEE Int. Conf. Autom. Control Intell. Syst. I2CACIS 2018 52 (2019)

10. F. K. Wen, G. W. Chung, and G. K. Hoon, IEEE Int. Conf. Artif. Intell. Eng. Technol. IICAIET 2020 1 (2020)

11. L. Yang, J. Zheng, Y. Cheng, and B. Ran, Phys. A Stat. Mech. Its Appl. **535**, 122277 (2019)

12. J. Scott, J. Crowcroft, P. Hui, and C. Diot, in *WONS 2006 Third Annu. Conf. Wirel. On-Demand Netw. Syst. Serv.* (2006), pp. 78–86

CERTIFICATE OF APPRECIATION

Number: I-2905/InCASST/DIES30/FST/X/2023

This certificate is presented to

Vittalis Ayu, Bambang Soelistijanto, and Yasintha Putri Larasati

Author of the Paper Entitled:

Replication Control Strategy Based on A Simple Game of Life in Opportunistic Mobile Networks

In gratitude for outstanding contribution to

International Conference on Applied Sciences and Technologies (InCASST)

organized by Faculty of Science and Technology, Sanata Dharma University
Yogyakarta-Indonesia, October 18, 2023.

Dr. Ir. Bernadeta Wuri Harini
Chairperson of Conference Committee

Ir. Drs. Haris Sriwindono, M.Kom. Ph.D.
Dean of Faculty of Science and Technology,
Sanata Dharma University