

Journal Identity

Original journal title	BAREKENG : Jurnal Ilmu Matematika dan Terapan
English journal title	BAREKENG : Journal of Mathematics and Its Application
Abbreviation	BAREKENG : J. Math. & App.
Country	Indonesia
Subject	Mathematics, Applied Mathematics
Language	English
ISSN	<u>2615-3017</u> (online), <u>1978-7227 (print</u>)
Frequency	4 issues per year (March, June, September, December)
DOI	Prefix 10.30598/ <u>Crossref</u>
Indexing	Scopus, and view more
Accreditation	SINTA, Decree Number: 10/C/C3/DT.05.00/2025, 21st March 2025
Editor-in-Chief	Yopi Andry Lesnussa [Sinta] [Scopus] [Google Scholar]
Publisher	Pattimura University in Collaboration with Indonesian Mathematical Society (IndoMS)

Citation Analysis	Scopus Scimagojr DOAJ Dimensions Google Scholar
OAI	https://ojs3.unpatti.ac.id/index.php/barekeng/oai

BAREKENG : Journal of Mathematics and Its Applications, has indexed by:



Editorial Process



Before Submission

The author must ensure that the manuscript has been prepared using the <u>BAREKENG template</u> following the <u>author guidelines</u> and not written by only one author. Manuscripts that can be written by only one author are intended for the invited author or the author who has reputable research and publication in the field of mathematics. The manuscript must also have been carefully proofread and checked for similarity (for 2025 edition, a proofreading certificate must be attached as a supplementary file in the submission process). Manuscripts that do not meet the <u>author guidelines</u>, aim, and scope, along with manuscripts that are written in a different format or have poor English grammar will be immediately rejected. Only manuscripts that meet the BAREKENG standards will be processed further.

<u>Registration</u> and <u>login</u> are required to submit items online and to check the status of current submissions.

News

Scopus Indexing Announcement

We are delighted to announce that the Barekeng: Journal of Mathematics and Its Applications has been officially indexed in SCOPUS as of December 2024. The articles indexed are those published starting from Volume 14 (2020) up until the latest edition published during Scopus admission. More details can be viewed through the <u>Scopus tracking system</u>, <u>Scopus website</u> and, <u>Scimagojr website</u>.

Congratulations to all of the authors who have entrusted their finest work to BAREKENG: Journal of Mathematics and Its Applications. Our heartfelt gratitude goes to the entire editorial team and peer reviewers for their dedication, hard work, and invaluable contributions to enhancing the quality of every manuscript published in BAREKENG: Journal of Mathematics and Its Applications.

We hope this achievement inspires continued contributions to the advancement of Mathematics as a whole.

Best regards,

Editorial Team of BAREKENG: J. Math. & App.

Call For Papers !!!

Call for Papers...!!!

2025-05-18

BAREKENG : Journal of Mathematics and Its Applications, call for papers for Volume 20 issue 1 (March 2026). Deadline submission on August 31st, 2025.



READ MORE >

Current Issue

Vol 19 No 3 (2025): BAREKENG: Journal of Mathematics and Its Application



BAREKENG : Journal of Mathematics and Its Applications, Volume 19 Issue 3 (September 2025) has been available

online since July 2025. All officially published articles are written in English. This volume is published four times a year in March, June, September, and December. All articles in this issue (60 research articles) include 242 authors from Indonesia, India, Malaysia, Nigeria, Oman, and Kuwait.



PUBLISHED: 2025-07-01

Full Issue

🖄 full issue

Articles

PRICING OF THE ASIAN OPTION WITH THE KAMRAD-RITCHKEN'S TRINOMIAL MODEL

Jihan Nabila Wafa', Emy Siswanah 1457-1468

🖾 pdf

M Abstract views 78 | 🔤 PDF downloads 75 |

GEOGRAPHICALLY WEIGHTED GENERALIZED POISSON REGRESSION AND GEOGRAPHICALLY WEIGHTED NEGATIVE BINOMIAL REGRESSION MODELING ON PROPERTY CRIME CASES IN CENTRAL JAVA

Prizka Rismawati Arum, Rahmad Putra Gautama, M. Al Haris 1469-1484

🖾 pdf

📶 Abstract views 53 | 🔤 PDF downloads 51 |

SENTIMENT ANALYSIS OF PRE-SERVICE MATHEMATICS TEACHER THROUGH NAÏVE BAYES CLASSIFIER: THE CASE OF MATHEMATICAL ABSTRACTION PROBLEM

Riki Andriatna, Dadan Dasari 1485-1498

🖾 pdf

	4	
📶 Abstract views 66	I 🚥 PDF downloads 46 I	

COMBINING FUZZY ANP AND FUZZY ARAS METHODS FOR DETERMINING THE BEST LAND INVESTMENT LOCATION

Chasib Idris, Mila Kurniawaty, Sa`adatul Fitri 1499-1512

🖾 pdf

📶 Abstract views 55 | 🔤 PDF downloads 39 |

ANALYSIS OF THREE SERVERS CLOSED SERIES QUEUING NETWORK WITH DELAY TIME USING MAX-PLUS ALGEBRA

Marcellinus Andy Rudhito, Dewa Putu Wiadnyana Putra 1513-1524

🖾 pdf

📶 Abstract views 38 | 🔤 PDF downloads 28 |

MODELING GENDER DEVELOPMENT INDEX IN SOUTHEAST SULAWESI PROVINCE USING SEMIPARAMETRIC KERNEL REGRESSION

Andi Tenri Ampa, Lilis Laome, Muhammad Ridwan, Baharuddin Baharuddin, Makkulau Makkulau 1525-1536

🖾 pdf

M Abstract views 56 | 🔤 PDF downloads 45 |

MAPPING EARTHQUAKE MAGNITUDES IN BENGKULU PROVINCE AND SURROUNDING AREAS USING ROBUST ORDINARY KRIGING

Baki Swita, Mulia Astuti, Fachri Faisal, Aang Nuryaman 1537-1552

🖾 pdf

📶 Abstract views 44	🕮 PDF downloads 32	

OPTIMIZING DEFINED BENEFIT PENSION PLAN FUNDING: COMBINING ENTRY AGE NORMAL METHOD AND SINGLE SALARY APPROACH

Wahyuni Ekasasmita, Nur Rahmi, Khaera Tunnisa, Muhammad Ikhlashul Amal 1553-1564

🖾 pdf

M Abstract views 43 | 🔤 PDF downloads 35 |

DERIVATIONS OF PSEUDO BE-ALGEBRAS

Nessy Indryantika, Sri Gemawati, Kartini Kartini 1565-1574

🖾 pdf

📶 Abstract views 39 | 🕮 PDF downloads 36 |

ANALYTICAL APPROACH OF GENERALIZED LINEAR MODELS FOR HANDLING OVERDISPERSION IN POVERTY DATA OF INDONESIA

Restu Arisanti, Resa Septiani Pontoh, Sri Winarni, Fellita Odelia Wibowo, Hanifah Khairunnisa, Raissheva Andika Pratama 1575-1586

ዾ pdf

📶 Abstract views 43 | 🔤 PDF downloads 25 |

COMPARISON BETWEEN BAYESIAN QUANTILE REGRESSION AND BAYESIAN LASSO QUANTILE REGRESSION FOR MODELING POVERTY LINE WITH PRESENCE OF HETEROSCEDASTICITY IN WEST SUMATRA

Lilis Harianti Hasibuan, Ferra Yanuar, Dodi Devianto, Maiyastri Maiyastri, Rudiyanto Rudiyanto 1587-1596

🖾 pdf

📶 Abstract views 49 | 🔤 PDF downloads 27 |

TRANSFORMER-BASED OPTICAL CHARACTER RECOGNITION APPROACH FOR IDENTIFYING MOTOR VEHICLES WITH OVERDUE TAXES

Nabila Dwi Fazira, Achmad Fauzan 1597-1608

🖾 pdf

📶 Abstract views 51 | 🔤 PDF downloads 36 |

GRID SEARCH AND RANDOM SEARCH HYPERPARAMETER TUNING OPTIMIZATION IN XGBOOST ALGORITHM FOR PARKINSON'S DISEASE CLASSIFICATION

Shafa Fitria Aqilah Khansa, Nurissaidah Ulinnuha, Wika Dianita Utami 1609-1624

🖾 pdf

📶 Abstract views 56 | 🔤 PDF downloads 43 |

PREDICTION INTERVALS IN MACHINE LEARNING: RESIDUAL BOOTSTRAP AND QUANTILE REGRESSION FOR CASH FLOW ANALYSIS

Wa Ode Rahmalia Safitri, Farit Mochamad Afendi, Budi Susetyo 1625-1636

🖾 pdf

📶 Abstract views 50 | 🔤 PDF downloads 36 |

THE SHOELACE ALGORITHM IN ENGINEERING: PYTHON APPLICATIONS FOR AREA AND INERTIAL

ANALYSIS

Pankaj Dumka, Dhananjay R. Mishra 1637-1648

🖾 pdf

📶 Abstract views 49 | 🔤 PDF downloads 26 |

MATHEMATICAL MODEL OF DENGUE HEMORRHAGIC FEVER SPREAD WITH DIFFERENT LEVELS OF TRANSMISSION RISK

Faishal Farrel Herdicho, Nabil Azizul Hakim, Fatmawati Fatmawati, Cicik Alfiniyah, John Olajide Akanni 1649-1666 🖾 pdf

📶 Abstract views 59 | 🔤 PDF downloads 49 |

IMPLEMENTATION OF PLS-PM IN KNOWING THE FACTORS THAT INFLUENCE THE INCIDENCE OF TYPHOID FEVER IN PATIENTS IN ANUTAPURA PALU HOSPITAL

Virga Damayanti, Fadjryani Fadjryani, Iman Setiawan

🖾 pdf

📶 Abstract views 46 | 🔤 PDF downloads 38 |

APPLICATION OF MAMDANI FUZZY LOGIC IN REFRIGERATOR SELECTION

Anisa Dwi Oktarina, Agus Maman Abadi, Syukrul Hamdi 1681-1698

🖾 pdf

📶 Abstract views 48 | 🕮 PDF downloads 44 |

PREDICTION OF ECONOMIC GROWTH RATE OF TUBAN REGENCY WITH ADAPTIVE NEURO-FUZZY INFERENCE SYSTEM ALGORITHM

Maya Muaziza, Ahmad Zaenal Arifin, Suzatmo Putro 1699-1710

🖾 pdf

📶 Abstract views 44 | 🔤 PDF downloads 36 |

FETAL HEALTH RISK STATUS IDENTIFICATION SYSTEM BASED ON CARDIOTOCOGRAPHY DATA USING EXTREME GRADIENT BOOSTING WITH ISOLATION FOREST AS OUTLIER DETECTION

Firda Yunita Sari, Dian Candra Rini Novitasari, Abdulloh Hamid, Dina Zatusiva Haq 1711-1724

🖾 pdf

📶 Abstract views 53 | 🔤 PDF downloads 31 |

APPLICATION OF GPU-CUDA PARALLEL COMPUTING TO THE SMITH-WATERMAN ALGORITHM TO DETECT MUSIC PLAGIARISM

Alfredo Gormantara, Ferdianto Tangdililing, Sean Coonery Sumarta 1725-1736

🖾 pdf

📶 Abstract views 62 | 🔤 pdf downloads 24 |

ESTIMATION OF BENEFIT RESERVES IN ENDOWMENT INSURANCE USING THE INDONESIAN MORTALITY TABLE IV AND ZILLMER METHOD

Wanda Hamidah Sadli, Devni Prima Sari 1737-1746

🗳 pdf

📶 Abstract views 47 | 🔤 pdf downloads 25 |

APPLICATION OF THE FUZZY TOPSIS METHOD FOR LECTURER CERTIFICATION ASSESSMENT

Stephanie Marceline Raintung, Luther A. Latumakulita, Franky Paat, Irwan Karim, Steven Sentinuwo, Noorul Islam 1747-1764

🖾 pdf

🎢 Abstract views 198 | 🔤 pdf downloads 38 |

DETERMINING TEACHING SCHEDULE AT STATE SENIOR HIGH SCHOOL 1 DEPOK USING ASSIGNMENT THEORY WITH HUNGARIAN METHOD AND NEW IMPROVED ONES ASSIGNMENT METHOD ASSISTED BY PYTHON

Catherine Richelle Hindarto, Febi Sanjaya 1765-1778

🖾 pdf

🎢 Abstract views 39 | 🔤 pdf downloads 22 |

IMPLEMENTATION OF THE DBSCAN ALGORITHM FOR CLUSTERING STUNTING PREVALENCE TYPOLOGY IN WEST JAVA, CENTRAL JAVA, AND EAST JAVA REGIONS

Bagus Sumargo, Kadir Kadir, Dena Safariza, Munawar Asikin, Dania Siregar, Nilam Novita Sari, Danu Umbara, Rizky Hilmianto, Robert Kurniawan, Irman Firmansyah

1779-1790

🖾 pdf

📶 Abstract views 65 🕮 pdf downloads 31	
--	--

SPATIAL INTERPOLATION OF RAINFALL INTENSITY IN JAVA ISLAND USING ORDINARY KRIGING

Shabira A. Auliyazhafira, Fariza A. Putri, Theresia S. Nauli, Aulia R. Al Madani, I Gede Nyoman Mindra Jaya, Annisa N. Falah, Budi Nurani Ruchjana

1791-1804

🖾 pdf

🎢 Abstract views 39 | 🔤 pdf downloads 31 |

BEEF PRICE FORECASTING BASED ON TEMPORAL, SPATIAL AND SPACE-TIME PARAMETER INDICES

Syifa Nurul Fatimah, Ahmad Fuad Zainnuddin, Novi Mardiana, Utriweni Mukhaiyar 1805-1824

🖾 pdf

🎢 Abstract views 52 | 🔤 pdf downloads 34 |

NONLINEAR TRACKING CONTROL FOR PREY STABILIZATION IN PREDATOR-PREY MODEL USING BACKSTEPPING

Khozin Mu`tamar, Janson Naiborhu, Roberd Saragih, Dewi Handayani 1825-1840

🖾 pdf

📶 Abstract views 51 | 🔤 pdf downloads 26 |

FUZZY GEOGRAPHICALLY WEIGHTED CLUSTERING WITH OPTIMIZATION ALGORITHMS FOR SOCIAL VULNERABILITY ANALYSIS IN JAVA ISLAND

Alwan Fadlurohman, Tiani Wahyu Utami, Setiawan Amrullah, Nila Ayu Nur Roosyidah, Oktaviana Rahma Dhani 1841-1852

🖾 pdf

📶 Abstract views 46 | 🔤 pdf downloads 31 |

COMPARATIVE ANALYSIS OF MACHINE LEARNING METHODS IN CLASSIFYING THE QUALITY OF PALU SHALLOTS

Desy Lusiyanti, Selvy Musdalifah, Agusman Sahari, Iman Al Fajri 1853-1864

🖾 pdf

📶 Abstract views 44 | 🔤 pdf downloads 34 |

ANALYSIS OF REAL RELATIVE ASYMMETRY IN URBAN TRANSPORTATION NETWORK PROBLEMS USING SPACE SYNTAX, REDS, AND MACHINE LEARNING CONCEPTS

Robiatul Adawiyah, Fitriyatul Mardiyah, Dafik Dafik, Ika Hesti Agustin, Excelsa Suli Wildhatul Jannah, Marsidi Marsidi 1865-1878

🖾 pdf

📶 Abstract views 48 | 🔤 PDF downloads 34 |

STABILITY ANALYSIS OF GAMBLING BEHAVIOR MODEL WITH COGNITIVE BEHAVIORAL THERAPY TREATMENT

Fazat Asfa Niswah, Kartika Nugraheni, Irma Fitria, Retno Wahyu Dewanti 1879-1892

🖾 pdf

M Abstract views 47 | 🔤 PDF downloads 26 |

A MODEL ON MARKET EQUILIBRIUM USING A DIFFERENTIAL EQUATION WITH TIME DELAYS

Jalina Widjaja, Naufal Zidan Putra Irawan, Yudi Soeharyadi, Dumaria R. Tampubolon 1893-1904

🖾 pdf

📶 Abstract views 44 | 🕮 PDF downloads 25 |

PERFORMANCE COMPARISON OF SOME TYPES OF WAVELET TRANSFORMS FOR TOURISM DATA PATTERN APPROXIMATION

Syamsul Bahri, Lailia Awalushaumi, Bulqis Nebulla Syechah, Satriawan Pradana 1905-1922

🖾 pdf

M Abstract views 40 | 🔤 PDF downloads 37 |

USING A MONOTONE SEQUENCE OF FUNCTIONS TO DETERMINE THE SHORTEST ARC LENGTH OF CIRCLES CONNECTED ANY TWO POINTS ON SPHERE

Muhammad Kabil Djafar, La C)de Safiuddin, Lilis Laome	, Norma Muhtar, H	Herdi Budiman, E	Edi Cahyono, La	. Gubu, Al	fian Alfian, Indra
Alamsyah, Askar Kohalsum						
1923-1932						

923-1932

🗳 pdf

📶 Abstract views 44 | 🔤 PDF downloads 38 |

ANALYSIS OF THE RELATIONSHIP BETWEEN WATER QUALITY AWARENESS AND DRINKING WATER CONSUMPTION BEHAVIOR (CASE STUDY: MAJENE CITY AND CAMPALAGIAN VILLAGE, WEST SULAWESI)

Musafira Musafira, Nur Hilal A. Syahrir, Putri Indi Rahayu

1933-1944

🖾 pdf

📶 Abstract views 40 | 🔤 PDF downloads 31 |

DYNAMIC ANALYSIS OF PREDATOR-PREY MODEL WITH CANNIBALISM INTERVENTION AND DISEASE INFECTION IN PREY USING HOLLING TYPE II RESPONSE FUNCTION

Fardinah Fardinah, Hikmah Hikmah, Rahmah Abubakar, Laila Qadrini, Haris Haris, Nadia Salsabilah 1945-1956

🖾 pdf

📶 Abstract views 42 | 🔤 PDF downloads 34 |

APPLICATION OF THE SUPPORT VECTOR MACHINE, LIGHT GRADIENT BOOSTING MACHINE, ADAPTIVE BOOSTING, AND HYBRID ADABOOST-SVM MODEL ON CUSTOMERS CHURN DATA

Felice Elena, Robyn Irawan, Benny Yong 1957-1972

🖾 pdf

📶 Abstract views 89 | 🔤 PDF downloads 37 |

A THREE-TERM CONJUGATE GRADIENT METHOD FOR LARGE-SCALE MINIMIZATION IN ARTIFICIAL NEURAL NETWORKS

Umar A Omesa, Muhammad Y. Waziri, Issam A. R. Moghrabi, Sulaiman M. Ibrahim, Gudu E B, Fakai S L, Rabiu Bashir Yunus, Elissa Nadia Madi

1973-1988

🖾 pdf

M Abstract views 46 | 🔤 PDF downloads 44 |

SECURING INFORMATION CONFIDENTIALITY: A MATHEMATICAL APPROACH TO DETECTING CHEATING IN ASMUTH-BLOOM SECRET SHARING

Azhar Janjang Darmawan, Sugi Guritman, Jaharuddin Jaharuddin 1989-2002

🔀 pdf

```
🌃 Abstract views 51 | 🔤 PDF downloads 29 |
```

MATHEMATICAL MODELLING OF SMOKING BEHAVIOR: TREATMENT AND PREVENTION OPTIMAL

CONTROL

Ananda Noersena, Fatmawati Fatmawati, Cicik Alfiniyah, Afeez Abidemi 2003-2016

🖾 pdf

📶 Abstract views 54 | 📟 PDF downloads 41 |

MODELING TOTAL FERTILITY RATE IN INDONESIA: A COMPARISON OF FOURIER SERIES REGRESSION AND ELASTIC NET REGRESSION

Fadhilah Fitri, Melin Wanike Ketrin, Mawanda Almuhayar 2017-2028

🖾 pdf

📶 Abstract views 61 | 🔤 PDF downloads 30 |

PERFORMANCE LOSS QUANTIFICATION IN KERNEL DENSITY ESTIMATION FOR ACTUARIAL AND FINANCIAL ANALYSIS

Shafira Fauzia Untsa, Nanang Susyanto, Danang Teguh Qoiyyimi, Dwi Ertiningsih 2029-2038

🖾 pdf

📶 Abstract views 48 | 🔤 PDF downloads 37 |

A COMPARATIVE ANALYSIS OF DBSCAN AND GAUSSIAN MIXTURE MODEL FOR CLUSTERING INDONESIAN PROVINCES BASED ON SOCIOECONOMIC WELFARE INDICATORS

Sri Andayani, Namita Retnani, Thesa Adi Saputra Yusri, Bambang Sumarno Hadi Marwoto 2039-2056

🖾 pdf

📶 Abstract views 64 | 🔤 PDF downloads 25 |

MODELING THE IDX30 STOCK INDEX USING STEP FUNCTION INTERVENTION ANALYSIS

Rais Rais, Dini Aprilia Afriza, Iman Setiawan, Hartayuni Sain, Fadjryani Fadjryani, Junaidi Junaidi 2057-2068

🖾 pdf

M Abstract views 51 | 🔤 PDF downloads 29 |

MODEL APPROACH OF AGGREGATE RETURN VOLATILITY: GARCH(1,1)-COPULA VS GARCH(1,1)-BIVARIATE NORMAL

Asysta Amalia Pasaribu, Anang Kurnia 2069-2082

🖾 pdf

M Abstract views 46 | 🔤 PDF downloads 32 |

IMPACT OF FEATURE SELECTION ON DECISION TREE AND RANDOM FOREST FOR CLASSIFYING STUDENT STUDY SUCCESS

Firdaus Amruzain Satiranandi Wibowo, Heri Retnawati, Muhammad Lintang Damar Sakti, Asma Khoirunnisa, Angella Ananta

Batubara, Miftah Okta Berlian, Zulfa Safina Ibrahim, Jailani Jailani, Sumaryanto Sumaryanto, Lantip Diat Prasojo 2083-2096

🖾 pdf

📶 Abstract views 75 | 🔤 PDF downloads 38 |

OPTIMAL PORTFOLIO FORMATION USING MEAN VARIANCE EFFICIENT PORTFOLIO AND CAPITAL ASSET PRICING MODEL WITH ARTIFICIAL NEURAL NETWORK AS STOCK SELECTION METHOD

Emy Siswanah, Siti Maslihah, Agustina Anggraini, Muhammad Malik Hakim 2097-2110

🖾 pdf

📶 Abstract views 42 | 🔤 PDF downloads 25 |

SURVIVAL ANALYSIS ON DATA OF STUDENTS NOT GRADUATING ON TIME USING WEIBULL REGRESSION, COX PROPORTIONAL HAZARDS REGRESSION, AND RANDOM SURVIVAL FOREST METHODS

Ramya Rachmawati, Nur Afandi, Muhammad Arib Alwansyah 2111-2126

🖾 pdf

M Abstract views 51 | 🔤 PDF downloads 30 |

COX PROPORTIONAL HAZARD AND EXPONENTIAL SURVIVAL ANALYSIS IN PATIENTS WITH END-STAGE CHRONIC KIDNEY FAILURE AT BOJONEGORO

Nur Silviyah Rahmi, Achmad Rifai, M. Irfan Islami, Annisa Andra Azifa 2127-2140

🖾 pdf

📶 Abstract views 49 | 🔤 PDF downloads 52 |

LEPROSY CASE MODELING IN EAST JAVA USING SPATIAL REGRESSION WITH QUEEN CONTIGUITY WEIGHTING

Toha Saifudin, Marisa Rifada, Karina Rubita Makhbubah, Devira Thania Ramadhanty 2141-2154

🖾 pdf

🎢 Abstract views 43 | 🔤 pdf downloads 27 |

PERFORMANCE EVALUATION OF THE INDF.JK STOCK PRICE MOVEMENT PREDICTION MODEL USING RANDOM FOREST METHOD WITH GRID SEARCH CROSS VALIDATION OPTIMIZATION

Della Zaria, Evy Sulistianingsih, Shantika Martha, Wirda Andani 2155-2168

🖾 pdf

AL 4 1 5	
Abstract views 52	🕮 pdf downloads 31

COMPARISON OF LEAST SQUARE SPLINE AND ARIMA MODELS FOR PREDICTING INDONESIA COMPOSITE INDEX

Any Tsalasatul Fitriyah, Nur Chamidah, Toha Saifudin

2169-2178

🖾 pdf

📶 Abstract views 39 | 🔤 pdf downloads 27 |

ANALYSIS OF EARTHQUAKE SEISMICITY IN MALUKU PROVINCE AND ITS SURROUNDING AREAS USING THE MAXIMUM LIKELIHOOD ESTIMATION METHOD

Henry Junus Wattimanela, Adi Setiawan 2179-2190

🗳 pdf

🎢 Abstract views 41 | 🔤 pdf downloads 30 |

MULTIOBJECTIVE MODEL PREDICTIVE CONTROL IN STOCK PORTFOLIO OPTIMIZATION

Marlina Y, Solikhatun Solikhatun 2191-2206

🖾 pdf

📶 Abstract views 46 | 🔤 pdf downloads 27 |

PREDICTION OF AVERAGE TEMPERATURE IN BANYUWANGI REGENCY USING SARIMA

Idrus Syahzaqi, Sediono Sediono, Mega Kurnia Dyaksa, Anggi Triya Vionita, Anisah Nabilah Ghasani 2207-2218

🖾 pdf

THE TRIPLE IDEMPOTENT GRAPH OF THE RING Z_n

Vika Yugi Kurniawan, Bayu Purboutomo, Nughthoh Arfawi Kurdhi 2219-2228

🖾 pdf

📶 Abstract views 49 | 🔤 pdf downloads 43 |

ANALYSIS OF FOOD SECURITY FACTORS WITH PATH MODELING SEGMENTATION TREE (PATHMOX) METHOD IN PARTIAL LEAST SQUARES IN WEST KALIMANTAN

Nabila Izza Harnanta, Hendra Perdana, Neva Satyahadewi

2229-2242

🖾 pdf

📶 Abstract views 78 | 🔤 pdf downloads 27 |

COMPARISON OF EXPONENTIALLY WEIGHTED MOVING AVERAGE CONTROL CHART WITH HOMOGENEOUSLY WEIGHTED MOVING AVERAGE CONTROL CHARTS AND ITS APPLICATION

Erna Tri Herdiani, Mustabsyirah Mustabsyirah

2243-2262

🖾 pdf

📶 Abstract views 39 | 🔤 pdf downloads 35 |

LEVEL SOFT GROUP AND ITS PROPERTIES

Saman Abdurrahman, Mochammad Idris, Faisal Faisal, Na'imah Hijriati, Thresye Thresye, Aprida Siska Lestia 2263-2274

🖾 pdf

Abstract views 41 | abstract views 48 | VIEW ALL ISSUES >

Submission



Article Template



Additional Menu

Citedness by Scopus
Higher Impact Papers
Editorial Team
Aim and Scope
Publication Ethics
Author Guidelines
Open Access Policy
Peer Review Process
Abstracting and Indexing
Plagiarism Check
Article Processing Charge
Publisher Collaboration

Publishing and Editorial Process
Publication Schedule
Journal License
Copyright Notice
Journal History
Statistics
Contact Us

Indexed By:



SJR 2024 Barekeng:



Accredited By:

Decree of the Director General of Research and Development of the Ministry of Higher

Education, Science and Technology of the Republic of Indonesia, No.: 10/C/C3/ DT.05.00/2025, about the Scientific Journal Accreditation Ranking, (see detail)

Editorial Team



Publisher Collaboration



BAREKENG : Journal of Mathematics and Its Applications, published by Pattimura University, in Collaboration with Indonesian Mathematical Society (IndoMS). (see detail)

Journal Statistics



About Journal

BAREKENG : Journal of Mathematics and Its Applications (p-ISSN: 1978-7227 and e-ISSN: 2615-3017) is a scientific media publication published by Pattimura University. This journal publish articles related to Pure and Applied Mathematics, Pure and Applied Statistics, Actuarial Science, and Mathematic Computation.

The meaning word **"Barekeng"** is a local term of the Moluccas language which means **Counting** or **Calculating**. Counting is a main and fundamental

activity in the field of Mathematics. Therefore we tried to promote **"Barekeng"** as the name of our scientific journal.

Read more ...

Updates Information

Good News!!!

Starting in 2020, BAREKENG: Journal of Mathematics and Its Applications, is published four times a year, namely in March, June, September, and December. While, since 2022, BAREKENG: Journal of Mathematics and Its Applications has published all its articles in English.

The articles for Volume 19 issue 3 September 2025 have been published online, while for Volume 19 issue 4 December 2025 are in progress. Currently, BAREKENG: Journal of Mathematics and Its Applications calls for papers for volume 20 issue 1, March 2026.

As of December 7th, 2024, BAREKENG: Journal of Mathematics and Its Applications has been successfully accepted for Scopus indexing (click this link here to check). Please check this link and tracking number: 844B555EB70B0478.





Google Scholar Citation

Citation Analysis : Google Scholar						
	Semua	Sejak				
Kutipan	5294	50				
indeks-h	28	2				
indeks-i10	96	9				
Google Scholar		>				
		<				

Find us on



Editorial Office

Contact Info

Pattimura University Ex. UT Building 2nd Floor, Ir. M. Putuhena Street, Poka-Ambon City, 97233, Maluku Province, Indonesia +62 852 4335 8669 (Yopi Andry Lesnussa) +62 823 9798 0021 (Dyana Patty) barekeng.journal@mail.unpatti.ac.id barekeng.math@yahoo.com

							Register	Login
HOME	ARCHIVES	CURRENT	EDITOR	IAL TEAM	PUBLICAT	TION ETHICS	ABOUT	
	CITED	NESS BY SCO	PUS R	EGISTER	LOGIN	CONTACT		
					Search			

HOME / ARCHIVES / VOL 19 NO 3 (2025): BAREKENG: JOURNAL OF MATHEMATICS AND ITS APPLICATION / Articles

ANALYSIS OF THREE SERVERS CLOSED SERIES QUEUING NETWORK WITH DELAY TIME USING MAX-PLUS ALGEBRA

Marcellinus Andy Rudhito

Mathematics Education Study Program, Faculty of Teacher Training and Education, Universitas Sanata Dharma, Indonesia https://orcid.org/0000-0002-2692-0265

Dewa Putu Wiadnyana Putra

Mathematics Education Study Program, Faculty of Teacher Training and Education, Universitas Sanata Dharma, Indonesia D https://orcid.org/0009-0001-0360-4497

DOI: https://doi.org/10.30598/barekengvol19iss3pp1513-1524

Keywords: Closed Series, Delay Time, Max-Plus Algebra, Queuing Networks

Abstract

Max-Plus Algebra, which is the union of the set of all real numbers with an infinite singleton, equipped with maximum (max) and plus (+) operations, can be used to model and analyze algebraically the dynamics of a closed queuing network. This study aims to analyze the effect of delays in the start time of service activities on a closed series queuing network with three servers. This study is a study based on literature studies, mathematical model studies and simulations assisted by the Scilab computer program. The results show that the max-plus eigenvalue of a closed series queuing network with 3 servers, which is also the periodicity of network dynamics, is the largest service time of the server in the network. Delays in servers with the largest service time will continue to propagate for subsequent schedules. Delays in servers whose service time is not the maximum can still be tolerated, as long as the delay does not exceed the size of the element in the initial max-plus eigenvector, which corresponds to its largest service time. In this case, the system will be able to return to normal according to the original schedule, after undergoing a maximum of 4 stages of the service process since the beginning of the delay. Meanwhile, delays that exceed this will cause network scheduling to be late and will continue to spread to subsequent services.

Downloads



References

F. Baccelli, G. Cohen, G. J. Olsder, and J.-P. Quadrat, SYNCHRONIZATION AND LINEARITY : AN ALGEBRA FOR DISCRETE EVENT SYSTEMS. Paris: Wiley, 2001. Accessed: Feb. 02, 2024. [Online]. Available: <u>https://www.rocq.inria.fr/metalau/cohen/documents/BCOQ-book.pdf</u>.

B. Heidergott, G. J. Olsder, and J. van der Woude, MAX PLUS AT WORK. Princeton: Princeton University Press, 2006. [Online]. Available: <u>http://about.jstor.org/terms</u>.

M. A. Rudhito, ALJABAR MAX-PLUS DAN PENERAPANNYA. Yogyakarta: Sanata Dharma University Press, 2016.

N. K. Krivulin, "A MAX-ALGEBRA APPROACH TO MODELING AND SIMULATION OF TANDEM QUEUEING SYSTEMS," 1995. doi: <u>https://doi.org/10.48550/arXiv.1212.0895</u>.

N. K. Krivulin, "THE MAX-PLUS ALGEBRA APPROACH IN MODELLING OF QUEUEING NETWORKS," in Summer Computer Simulation Conference, Portland: SCS, Jul. 1996, pp. 485–490. doi: <u>https://doi.org/10.48550/arXiv.1212.0895</u>.

Subiono, "ALJABAR MIN-MAX PLUS DAN TERAPANNYA," 2015.

N. K. Krivulin, "ALGEBRAIC MODELLING AND PERFORMANCE EVALUATION OF ACYCLIC FORK-JOIN QUEUEING NETWORKS," in Advances in Stochastic Simulation Methods, V. B. and E. S. Balakrishnan N. and Melas, Ed., Boston, MA: Birkhäuser Boston, 2000, pp. 63–81. doi: <u>https://</u> <u>doi.org/10.1007/978-1-4612-1318-5_5</u>.

J. Komenda, S. Lahaye, J. L. Boimond, and T. van den Boom, "MAX-PLUS ALGEBRA AND DISCRETE EVENT SYSTEMS," in IFAC-PapersOnLine, Elsevier B.V., Jul. 2017, pp. 1784–1790. doi: <u>https://doi.org/10.1016/j.ifacol.2017.08.163</u>.

B. De Schutter, T. van den Boom, J. Xu, and S. S. Farahani, "ANALYSIS AND CONTROL OF MAX-PLUS LINEAR DISCRETE-EVENT SYSTEMS: AN INTRODUCTION," Discrete Event Dynamic Systems: Theory and Applications, vol. 30, no. 1, pp. 25–54, Mar. 2020, doi: <u>https://doi.org/10.1007/</u> <u>s10626-019-00294-w</u>.

M. Hoekstra, "CONTROL OF DELAY PROPAGATION IN RAILWAY NETWORKS USING MAX-PLUS ALGEBRA," Delft University of Technology, Delft, 2020. Accessed: Feb. 02, 2024. [Online]. Available: <u>http://resolver.tudelft.nl/uuid:b5816386-0ed9-4760-a6de-f0db0c3a5226</u>

G. Vissers, "MAX-PLUS EXTENSIONS A STUDY OF TRAIN DELAYS," Delft University of Technology, Delft, 2022. [Online]. Available: <u>http://repository.tudelft.nl/</u>.

H. Al Bermanei, Applications of Max-Plus Algebra to Scheduling. Abo: Abo Akademi University Press, 2021.

C. Martínez-Olvera and J. Mora-Vargas, "A MAX-PLUS ALGEBRA APPROACH TO STUDY TIME DISTURBANCE PROPAGATION WITHIN A ROBUSTNESS IMPROVEMENT CONTEXT," Math Probl Eng, vol. 2018, 2018, doi: <u>https://doi.org/0.1155/2018/1932361</u>.

P. Majdzik, "A FEASIBLE SCHEDULE FOR PARALLEL ASSEMBLY TASKS IN FLEXIBLE MANUFACTURING SYSTEMS," International Journal of Applied Mathematics and Computer Science, vol. 32, no. 1, pp. 51–63, Mar. 2022, doi: <u>https://doi.org/0.34768/amcs-2022-0005</u>.

Z. Sya'diyah, "MAX PLUS ALGEBRA OF TIMED PETRI NET FOR MODELLING SINGLE SERVER QUEUING SYSTEMS," BAREKENG: Jurnal Ilmu Matematika dan Terapan, vol. 17, no. 1, pp. 0155–0164, Apr. 2023, doi: <u>https://doi.org/10.30598/barekengvol17iss1pp0155-0164</u>.

B. Heidergott, "A CHARACTERISATION OF (MAX, +)-LINEAR QUEUEING SYSTEMS," 2000. doi: <u>https://doi.org/10.1023/A:1019102429650</u>.

B. de Schutter, "MAX-ALGEBRAIC SYSTEM THEORY FOR DISCRETE EVENT SYSTEMS," Katholieke Universiteit Leuven, Leuven, 1996. Accessed: Feb. 02, 2024. [Online]. Available: <u>https://</u> www.dcsc.tudelft.nl/~bdeschutter/pub/rep/phd.pdf.

S. Siswanto, "THE EXISTENCE OF SOLUTION OF GENERALIZED EIGENPROBLEM IN INTERVAL MAX-PLUS ALGEBRA," BAREKENG: Jurnal Ilmu Matematika dan Terapan, vol. 17, no. 3, pp. 1341–1346, Sep. 2023, doi: <u>https://doi.org/10.30598/barekengvol17iss3pp1341-1346</u>.

G. Ariyanti, "A NOTE ON THE SOLUTION OF THE CHARACTERISTIC EQUATION OVER THE SYMMETRIZED MAX-PLUS ALGEBRA," BAREKENG: Jurnal Ilmu Matematika dan Terapan, vol. 16, no. 4, pp. 1347–1354, Dec. 2022, doi: <u>https://doi.org/10.30598/barekengvol16iss4pp1347-1354</u>.

A. Abate, A. Cimatti, A. Micheli, and M. Syifa'ul Mufid, "COMPUTATION OF THE TRANSIENT IN MAX-PLUS LINEAR SYSTEMS VIA SMT-SOLVING." [Online]. Available: <u>https://es.fbk.eu/people/amicheli/</u> <u>resources/formats20/</u>.

E. Altman and D. Fiems, "BRANCHING PROCESSES, THE MAX-PLUS ALGEBRA AND NETWORK CALCULUS." doi: <u>https://doi.org/10.1007/978-3-642-30782-9_18</u>.

G. Espindola-Winck, L. Hardouin, M. Lhommeau, and R. Santos-Mendes, "CRITERIA STOCHASTIC FILTERING OF MAX-PLUS DISCRETE EVENT SYSTEMS WITH BOUNDED RANDOM VARIABLES," in IFAC-PapersOnLine, Elsevier B.V., Nov. 2022, pp. 13–18. doi: <u>https://doi.org/10.1016/j.ifacol.2023.01.041</u>.

D. Systemes, "SCILAB," Apr. 01, 2015, Scilab Enterprises, France: 5.5.2. Accessed: Oct. 09, 2024. [Online]. Available: <u>https://www.scilab.org/news/scilab-552-release</u>

S. Subiono, D. Adzkiya, and K. Fahim, "TOOLBOX ALJABAR MAX-PLUS DAN PETRINET," 2016, Departemen Matematika, Institut Teknologi Sepuluh Nopember, Surabaya: MAXPLUSV04032016. Accessed: Oct. 23, 2024. [Online]. Available: <u>http://koncomatematika.blogspot.com/2016/05/cara-menginstall-toolbox-max-plus-scilab.html</u>

A. E. S. H. Maharani and A. Suparwanto, "APPLICATION OF SYSTEM MAX-PLUS LINEAR EQUATIONS ON SERIAL MANUFACTURING MACHINE WITH STORAGE UNIT," BAREKENG: Jurnal Ilmu Matematika dan Terapan, vol. 16, no. 2, pp. 525–530, Jun. 2022, doi: <u>https://doi.org/10.30598/</u> <u>barekengvol16iss2pp525-530</u>.

Volume 19 Issue 3 September 2025



Barekeng : Journal of Mathematics and Its Applications



UNIVERSITAS PATTIMURA

🖾 pdf

PUBLISHED

2025-07-01

HOW TO CITE

M. A. Rudhito and D. P. W. Putra, "ANALYSIS OF THREE SERVERS CLOSED SERIES QUEUING NETWORK WITH DELAY TIME USING MAX-PLUS ALGEBRA", *BAREKENG: J. Math. & App.*, vol. 19, no. 3, pp. 1513-1524,

-

Jul.	2025.

More Citation Formats

ISSUE

Vol 19 No 3 (2025): BAREKENG: Journal of Mathematics and Its Application

SECTION

Articles

Copyright (c) 2025 Marcellinus Andy Rudhito, Dewa Putu Wiadnyana Putra



This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

Authors who publish with this Journal agree to the following terms:

- 1. Author retain copyright and grant the journal right of first publication with the work simultaneously licensed under a creative commons attribution license that allow others to share the work within an acknowledgement of the work's authorship and initial publication of this journal.
- 2. Authors are able to enter into separate, additional contractual arrangement for the non-exclusive distribution of the journal's published version of the work (e.g. acknowledgement of its initial publication in this journal).
- 3. Authors are permitted and encouraged to post their work online (e.g. in institutional repositories or on their websites) prior to and during the submission process, as it can lead to productive exchanges, as well as earlier and greater citation of published works.

Submission



Article Template



Additional Menu

Citedness by Scopus
Higher Impact Papers
Editorial Team
Aim and Scope
Publication Ethics
Author Guidelines
Open Access Policy
Peer Review Process
Abstracting and Indexing
Plagiarism Check
Article Processing Charge
Publisher Collaboration
Publishing and Editorial Process
Publication Schedule
Journal License
Copyright Notice
Journal History
Statistics
Contact Us

Indexed By:



SJR 2024 Barekeng: Barekeng Q4 Applied Mathematics best quartile SJR 2024 0.18 powered by scimagojr.com

Accredited By:

Decree of the Director General of Research and Development of the Ministry of Higher Education, Science and Technology of the Republic of Indonesia, No.: 10/C/C3/ DT.05.00/2025, about the Scientific Journal Accreditation Ranking, (see detail)

Editorial Team



Publisher Collaboration



BAREKENG : Journal of Mathematics and Its Applications, published by Pattimura University, in Collaboration with Indonesian Mathematical Society (IndoMS). (see detail)

Journal Statistics



About Journal

BAREKENG : Journal of Mathematics and Its Applications (p-ISSN: 1978-7227 and e-ISSN: 2615-3017) is a scientific media publication published by Pattimura University. This journal publish articles related to Pure and Applied Mathematics, Pure and Applied Statistics, Actuarial Science, and Mathematic Computation.

The meaning word **"Barekeng"** is a local term of the Moluccas language which means **Counting** or **Calculating**. Counting is a main and fundamental activity in the field of Mathematics. Therefore we tried to promote **"Barekeng"** as the name of our scientific journal.

Read more ...

Updates Information

Good News!!!

Starting in 2020, BAREKENG: Journal of Mathematics and Its Applications, is published four times a year, namely in March, June, September, and December. While, since 2022, BAREKENG: Journal of Mathematics and Its Applications has published all its articles in English.

The articles for Volume 19 issue 3 September 2025 have been published online, while for Volume 19 issue 4 December 2025 are in progress. Currently, BAREKENG: Journal of Mathematics and Its Applications calls for papers for volume 20 issue 1, March 2026.

As of December 7th, 2024, BAREKENG: Journal of Mathematics and Its Applications has been successfully accepted for Scopus indexing (click this link here to check). Please check this link and tracking number: 844B555EB70B0478.

Editorial Office Location



Google Scholar Citation

Citation Analysis : Google Scholar										
	Semua	Sejak								
Kutipan	5294	50								
indeks-h	28	2								
indeks-i10	96	9								
Google Scholar		> <								

Find us on



Editorial Office

Contact Info

Pattimura University Ex. UT Building 2nd Floor, Ir. M. Putuhena Street,

+62 852 4335 8669 (Yopi Andry Lesnussa) +62 823 9798 0021 (Dyana Patty) Poka-Ambon City, 97233, Maluku barekeng.journal@mail.unpatti.ac.id Province, Indonesia

barekeng.math@yahoo.com



BAREKENG: Journal of Mathematics and Its ApplicationsSeptember 2025Volume 19 Issue 3P-ISSN: 1978-7227E-ISSN: 2615-3017

doi) https://doi.org/10.30598/barekengvol19iss3pp1513-1524

ANALYSIS OF THREE SERVERS CLOSED SERIES QUEUING NETWORK WITH DELAY TIME USING MAX-PLUS ALGEBRA

Marcellinus Andy Rudhito^{1*}, Dewa Putu Wiadnyana Putra²

^{1.2} Mathematics Education Study Program, Faculty of Teacher Training and Education, Universitas Sanata Dharma, Jln. Paingan, Maguwoharjo, Depok, Sleman, Yogyakarta, 55282, Indonesia Corresponding author's e-mail: * rudhito@usd.ac.id

ABSTRACT

Article History:

Received: 25th November 2024 Revised: 17th January 2025 Accepted: 2nd February 2025 Published: 1st July 2025

Keywords:

Closed Series; Delay Time; Max-Plus Algebra; Queuing Networks. Max-Plus Algebra, which is the union of the set of all real numbers with an infinite singleton, equipped with maximum (max) and plus (+) operations, can be used to model and analyze algebraically the dynamics of a closed queuing network. This study aims to analyze the effect of delays in the start time of service activities on a closed series queuing network with three servers. This study is a study based on literature studies, mathematical model studies and simulations assisted by the Scilab computer program. The results show that the max-plus eigenvalue of a closed series queuing network with 3 servers, which is also the periodicity of network dynamics, is the largest service time of the server in the network. Delays in servers with the largest service time will continue to propagate for subsequent schedules. Delays in servers whose service time is not the maximum can still be tolerated, as long as the delay does not exceed the size of the element in the initial maxplus eigenvector, which corresponds to its largest service time. In this case, the system will be able to return to normal according to the original schedule, after undergoing a maximum of 4 stages of the service process since the beginning of the delay. Meanwhile, delays that exceed this will cause network scheduling to be late and will continue to spread to subsequent services.

 \odot \odot \odot

This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution-ShareAlike 4.0 International License.

How to cite this article:

M. A. Rudhito and D. P. W. Putra., "ANALYSIS OF THREE SERVERS CLOSED SERIES QUEUING NETWORK WITH DELAY TIME USING MAX-PLUS ALGEBRA," *BAREKENG: J. Math. & App.*, vol. 19, no. 3, pp. 1513-1524, September, 2025.

Copyright © 2025 Author(s) Journal homepage: https://ojs3.unpatti.ac.id/index.php/barekeng/ Journal e-mail: barekeng.math@yahoo.com ; barekeng.journal@mail.unpatti.ac.id

Research Article[,] Open Access

1. INTRODUCTION

Max-plus algebra, which is the set of $R_{\varepsilon} := R \cup \{\varepsilon\}$, where $\varepsilon := -\infty$, equipped with maximum (max) and plus (+) operations, has been used well to model and analyze algebraically network problems that contain synchronization and linearization problems, such as railway networks, production system networks, project scheduling and queuing systems [1][2][3][4][5][6]. Modeling these problems with an approach using max and plus operations can provide a more integrated and unified way and the resulting equations are analogous to the results in conventional system theory [7][8][9]. By using max-plus algebra, the above network problems can be expressed in a matrix equation over max-plus algebra. Furthermore, from this matrix equation, the system dynamics can be analyzed which include input-output and system periodicity through the values and eigenvectors of its max-plus algebra.

The network modeling and analysis discussed above mostly assume that the arrival time (start of activity) and departure time (completion of activity) run on time as scheduled (planned). However, in reality in the real world we often find that the scheduled time cannot always be met, so there is a problem with delay time. The delay time that appears for one or more service units (*servers*) in a network system will certainly affect the delay of the service times of the units and the overall system time. For this reason, it is necessary to model and analyze the system with the delay time.

One of the efforts that have been made in modeling and analyzing networks with delay times with maxplus algebra for railway networks has been carried out by several researchers, such as in which [6], [10] discusses the control of delay time propagation on railway networks, in [11] which has discussed quite completely for railway networks and problems that are still relatively simple. For the problem of delay times in production networks, not many have studied it. In [12] and [13], problems related to delay times for simple production systems [14] are mentioned, but have not been discussed completely as in which [11] discusses the problem of delay times for simple railway networks.

Research on the problem of delay time in production networks using max-plus algebra and its application in everyday life, as far as researchers have studied, not many have done it. There are several variations of existing production network structures, from the simplest to the most complex, which involve a combination of several network structures [15][16]. The production network structure that is still relatively simple is a closed serial queue network with n single servers. Although it is said to be simple, in its analysis involving various possible variations in activity time between its n servers, it will provide complexity in its analysis. The existing analysis problem is to identify the periodic behavior of the queue network. Furthermore, in the initial periodic conditions, which are also said to be in normal conditions, a delay condition will be identified that can become normal by itself or not, after going through several series of activity processes.

As an initial step in the research on the problem of delay time in a closed serial queue network with n single servers, to reduce the level of complexity in the analysis, this study will discuss a closed serial queue network with 3 single servers. The discussion assumes the conditions given in the analysis using max-plus algebra, ignoring real conditions that are not relevant to those assumed. The conditions to be discussed include the delay time situation where the server service time is all the same, and the server service is not the same. Furthermore, the longest delay time will be determined where the network can return to normal or not, after starting several stages of subsequent activities. The results of this study are expected to provide an overview of the analysis results which can then be generalized for more servers and will ultimately provide an overview for research for n servers.

2. RESEARCH METHODS

This section begins with discussing the eigen value and vector of the matrices over max-plus algebra. Eigen value and vectors are used to find out the characteristics of the dynamical system over max-plus algebra. Moreover, the characteristic of closed series queuing network also discussed in this section.

2.1 Max-Plus Eigenvalues and Vectors

The following operations are defined: $\forall a, b \in \mathbf{R}_{\varepsilon}, a \oplus b := \max(a, b)$ and $a \otimes b := a + b$. In [1], [3], and [17] it is shown that $(\mathbf{R}_{\varepsilon}, \oplus, \otimes)$ is an idempotent semifield. The algebraic structure $\mathbf{R}_{\max} := (\mathbf{R}_{\varepsilon}, \oplus, \otimes)$

is called max-plus algebra, which is then simply written as \mathbf{R}_{max} . Operation \oplus and \otimes on \mathbf{R}_{max} above can be extended to matrix operations in $\mathbf{R}_{max}^{m \times n}$ [3].

Definition 1. (Eigenvalues and max-plus eigenvectors, [3][17][18][19])

Given $A \in \mathbf{R}_{\max}^{n \times n}$. Scalar $\lambda \in \mathbf{R}_{\max}$ called eigenvalues max-plus matrix A if there is a vector $\mathbf{v} \in \mathbf{R}_{\max}^n$ with $\mathbf{v} \neq \mathbf{\varepsilon}_{n \times 1}$ so that $A \otimes \mathbf{v} = \lambda \otimes \mathbf{v}$. Vector \mathbf{v} said called the max-plus eigenvectors of the matrix A corresponds to λ .

Theorem 2. (Existence of Eigenvalues [1][2][3][17])

Given $A \in \mathbf{R}_{\max}^{n \times n}$. Scalar $\lambda_{\max}(A) = \bigoplus_{k=1}^{n} (\frac{1}{k} \operatorname{trace}(A^{\otimes^{k}}))$, namely the maximum average weight of an elementary circuit in G(A), is a max-plus eigenvalue of the matrix A, where $\operatorname{trace}(A^{\otimes^{k}}) = \bigoplus_{i=1}^{n} (A^{\otimes^{k}})_{ii}$.

In the proof of **Theorem 2** [3] it is explained that if the points *i* form an arc in the critical circuit, then the *i*-th column of the matrix B^* is the max-plus eigenvector of the matrix *A* which corresponds to the eigenvalue $\lambda_{\max}(A)$, where the matrix $B = -\lambda_{\max}(A) \otimes A$, and $B^* = E \oplus B \oplus ... \oplus B^{\otimes n-1}$. This eigenvector is called the max-plus fundamental eigenvector corresponding to the max-plus eigenvalue $\lambda_{\max}(A)$. It is also explained that the max-plus linear combination of the max-plus fundamental eigenvectors of matrix *A* is also the max-plus eigenvector corresponding to $\lambda_{\max}(A)$.

It is further [3] explained that a matrix is said to be irreducible if its weight graph is strongly connected, which then has a single max-plus algebraic eigenvalue, namely $\lambda_{\max}(A)$, with a fundamental eigenvector v where $v_i \neq \varepsilon$ for each $i \in \{1, 2, ..., n\}$. This situation corresponds to the real situation, where the initial departure time is finite. Furthermore, to be realistic, the initial departure time of the customer must be non-negative. For this reason, it is necessary to modify the fundamental eigenvector v so that all its components are non-negative. The vector is formed $v = \beta \otimes v$, with $\beta = -\min_i (v_i)$, for i = 1, 2, ..., n, which are called the max-plus initial eigenvectors.

2.2 Closed Series Queuing Network

Next, consider a closed series (closed tandem) queue network with *n* single-serves [4], [3], [5] as shown in **Figure 1** below.



Figure 1. Closed Series Queue Network

The basic assumptions in this network are as follows:

- 1. The queue buffer capacity is infinite.
- 2. Queues work on the First-In First-Out (FIFO) principle.
- 3. The movement of customers from one queue to the next queue does not require time.
- 4. Customers must queue from start to finish in sequence to receive service from each waiter.

One cycle of network service is the process from the customer entering the 1st server buffer to leaving the nth server. After the completion of service at the *n*-th server, the customer returns to the first queue for a new cycle of network service. At the beginning of the observation, all servers are not providing service, where the buffer at the *i*-th server contains 1 customer for each i = 1, 2, ..., n. In Figure 1 above, gives the initial state of the closed series queue network in question, with customers denoted by "•".

Closed series queue networks can be found in assembly plant systems, such as car assembly or electronic goods. The customers in this system are pallets while the service is the assembly machine. The pallet in question is a kind of table or place where components or semi-finished goods are placed and move to visit the assembly machines. Initially, a pallet 1 enters the 1st machine support, then enters the 1st machine and the 2nd pallet enters the 1st machine support. In this 1st machine, the components are placed and prepared to be assembled on the next machine. Next, the 1st pallet enters the 2nd machine support and the 2nd pallet enters the 1st machine. Next, the 1st pallet enters the 2nd machine support and the 2nd pallet enters the 1st machine. Next, the 1st pallet enters the 2nd machine support and the 2nd pallet enters the 1st machine. And so on for the n available pallets, so that a state is achieved as in Figure 2 above, where the initial state of observation is achieved. After the assembly is completed on the nth machine, the assembled goods will leave the network, while the pallet carrying them will return to the 1st machine support, to start a new cycle of network service, and so on.

Suppose that

 $a_i(k)$ = the arrival time of the k-th customer at the *i*-th server,

 $d_i(k)$ = time of departure of the k-th customer from the i-th server,

 t_i = service time at the *i*-th server.

for k = 1, 2, ... and i = 1, 2, ..., n. Furthermore, the queue dynamics at the server *i*, as discussed in [4], can be expressed in the following equation

$$d(k) = A \otimes d(k-1)$$
with $A = T \otimes (G \oplus E) = \begin{bmatrix} t_1 & \varepsilon & \cdots & \varepsilon & t_1 \\ t_2 & t_2 & \varepsilon & \cdots & \varepsilon \\ \varepsilon & \ddots & \ddots & & \vdots \\ \vdots & & t_{n-1} & t_{n-1} & \varepsilon \\ \varepsilon & \cdots & \varepsilon & t_n & t_n \end{bmatrix}.$

$$(1)$$

Equation (1) above is a dynamic model of the queue network. In it [3] is discussed that if the fastest initial departure time of the customer is an eigenvector of matrix A, then the customer departure time for each service can occur periodically with a period size equal to the eigenvalue of matrix A. Furthermore, the fastest initial departure time discussed is an eigenvector of matrix A, so that the system is periodic from the beginning.

This study uses a literature study method supported by computer computing and mathematical studies. This study is a study based on literature studies that include relevant theoretical studies and conducts model analysis by conducting simulations assisted by computer computing applications [20], [21], [22]. In the simulation stage related to technical calculations, the study will use the assistance of the Scilab 5.5.2 Computer Program [23] with Toolboxes MAXPLUSV04032016 [24]. From the results of computer simulations for various situations, assumptions will then emerge that can provide an overview of the research results. The results of the study are in the form of mathematical explanations related to the answers to research problems.

The important equation in this study is the max-plus algebraic matrix equation that models the following closed serial queuing network model [4].

$$d(k) = A \otimes d(k-1)$$

with
$$A == \begin{bmatrix} t_1 & \varepsilon & \cdots & \varepsilon & t_1 \\ t_2 & t_2 & \varepsilon & \cdots & \varepsilon \\ \varepsilon & \ddots & \ddots & & \vdots \\ \vdots & & t_{n-1} & t_{n-1} & \varepsilon \\ \varepsilon & \cdots & \varepsilon & t_n & t_n \end{bmatrix}$$

 $d_i(k)$ = time of departure of the k-th customer *from* the *i*-th server,

$$t_i$$
 = service time at the *i*-th server,

$$\mathcal{E}: = -\infty,$$

for k = 1, 2, ..., and i = 1, 2, ..., n.

The research steps are as follows. This research will analyze the problem of delay time in a closed serial queuing network [3][25], using max-plus algebra. The research begins by re-studying the modeling and analysis of a simple railway network with a delay time in [11], then the ideas are tried to be applied to a closed serial queuing network. Furthermore, an understanding of the problem of delay time in a closed serial queuing network is given. Then an analysis is carried out for various delay situations, as well as efforts to return to the original periodic condition. The delay situations that will be analyzed include delays when all service times are the same and not the same for the three servers. A condition will be sought where the delay will return to normal by itself or not, after the system continues its activities for several stages. Related to this, in more detail, it will be analyzed, how long is the maximum delay time so that the network will run normally again or not. Not being able to run normally means that the delay that occurs will continue to spread or continue. The step of this research can be shown as a Figure 2 below.



Figure 2. Procedure of the Research

Based on **Figure 2** above, there are two main stages in this research. The first stage is to model the closed series model of production system using max-plus algebra. In this research, the production network used is a production network with 3 servers. The resulting model is analyzed to determine a production scheduling system. Periodicity analysis is carried out by analyzing the eigen values and eigen vectors. The scheduling system computation is assisted by the Scilab 5.5.2 computer program. The second stage is to analyze the model of the production system if delays occur. Various delay variations are simulated in the system. The impact of delays is analyzed on the original scheduling. In this research, the delay conditions are investigated which allow the scheduling system to return to normal and the system to experience delay propagation.

3. RESULTS AND DISCUSSION

The closed series queue network is discussed along with its dynamics and modeling using max-plus algebra. Furthermore, several special results of the simulation of the dynamics of the queue network with delay time are discussed by taking 3 servers and several cases of delay time. From the results of the special case simulation, it is generalized for the case of n servers and provides conjectures and discussions related to certain cases of delay time.

3.1 Eigenvalues and Eigenvectors of Max-Plus Algebra for a Queuing System with 3 Servers

Consider the closed series queue network as above by taking only 3 servers, with their service times respectively t_1 , t_2 and t_3 , so that the matrix in Equation (1) above becomes

$$A = \begin{bmatrix} t_1 & \varepsilon & t_1 \\ t_2 & t_2 & \varepsilon \\ \varepsilon & t_3 & t_3 \end{bmatrix}.$$

According to **Theorem 2** and its explanation in it [3] can be concluded that the largest element in matrix A is the max-plus eigenvalue of matrix A. Thus, the max-plus eigenvalue of matrix A is the longest service time among the services in the queue network system above.

Next, we review four possible service time values as follows:

i) For $t_1 = t_2 = t_3$

According to the explanation above, the eigenvalue of matrix A is $\lambda_{max}(A) = t_1 = t_2 = and t_3$ the fundamental eigenvector is

$$\mathbf{v} = \begin{bmatrix} \mathbf{0} \\ \mathbf{0} \\ \mathbf{0} \end{bmatrix} = \mathbf{v}^{*}.$$

Suppose $\mathbf{d}(0) = \mathbf{v}^{*} = \begin{bmatrix} \mathbf{0} \\ \mathbf{0} \\ \mathbf{0} \end{bmatrix}$, then
 $\mathbf{d}(1) = A \otimes \mathbf{d}(0) = A \otimes \mathbf{v}^{*} = t_{1} \otimes \mathbf{v}^{*},$
 $\mathbf{d}(2) = A \otimes \mathbf{d}(1) = 2 (t_{1} \otimes \mathbf{v}^{*}), ...,$
 $\mathbf{d}(k) = k t_{1} \otimes \begin{bmatrix} \mathbf{0} \\ \mathbf{0} \\ \mathbf{0} \end{bmatrix}$, for $k = 1, 2, 3, ...$

ii) For max $\{t_1, t_2, t_3\} = t_1$

We obtained by the eigenvalue of matrix A is $\lambda_{max}(A) = t_1$ and the fundamental eigenvector is

$$\mathbf{v} = \begin{bmatrix} 0 \\ -2t_1 + 2t_2 \\ -2t_1 + t_2 + t_3 \end{bmatrix},$$

Thus, the initial max-plus eigenvector is $v^* = \begin{vmatrix} 2t_1 - t_2 - t_3 \\ t_2 - t_3 \\ 0 \end{vmatrix}$.

If we take $d(0) = v^* = \begin{bmatrix} 2t_1 - t_2 - t_3 \\ t_2 - t_3 \\ 0 \end{bmatrix}$,

then we get $d(k) = k t_1 \otimes \begin{bmatrix} 2t_1 - t_2 - t_3 \\ t_2 - t_3 \\ 0 \end{bmatrix}$, for k = 1, 2, 3, ...

iii) For max{ t_1 , t_2 , t_3 } = t_2

We obtained by the eigenvalue of matrix A is $\lambda_{max}(A) = t_2$ and the fundamental eigenvector is

$$\mathbf{v} = \begin{bmatrix} t_1 - 2t_2 + t_3 \\ 0 \\ -2t_2 + 2t_3 \end{bmatrix}$$

Thus, that the initial eigenvector max-plus is $v^* = \begin{bmatrix} 0 \\ -t_1 + 2t_2 - t_3 \\ -t_1 + t_3 \end{bmatrix}$.

If we take $d(0) = v^* = \begin{bmatrix} 0 \\ -t_1 + 2t_2 - t_3 \\ -t_1 + t_3 \end{bmatrix}$,

then we get $\boldsymbol{d}(k) = k t_2 \otimes \begin{bmatrix} 0 \\ -t_1 + 2t_2 - t_3 \\ -t_1 + t_3 \end{bmatrix}$, for k = 1, 2, 3, ...

iv) For max $\{t_1, t_2, t_3\} = t_3$

We obtained by the eigenvalue of matrix A is $\lambda_{max}(A) = t_3$ and the fundamental eigenvector is

$$\mathbf{v} = \begin{bmatrix} t_1 - t_3 \\ t_1 + t_2 - 2t_3 \\ 0 \end{bmatrix},$$

Thus, the initial max-plus eigenvector is $\mathbf{v}^* = \begin{bmatrix} -t_2 + t_3 \\ 0 \\ -t_1 - t_2 + 2t_3 \end{bmatrix}.$

If we take
$$d(0) = v^* = \begin{bmatrix} -t_2 + t_3 \\ 0 \\ -t_1 - t_2 + 2t_3 \end{bmatrix}$$
,

then we get
$$d(k) = k t_3 \otimes \begin{bmatrix} -t_2 + t_3 \\ 0 \\ -t_1 - t_2 + 2t_3 \end{bmatrix}$$
, for $k = 1, 2, 3, ...$

Next, we will discuss the problem of customer departure delays from the normal schedule that has been determined based on the initial eigenvector. To simplify the discussion, it is assumed that the delay occurs since the beginning of the departure, although the delay can occur at any time for a certain k.

3.2 Departure Time Delay for System with $t_1 = t_2 = t_3$

.

Suppose a delay occurs at the 1st server, amounting to 1 unit of time (u.t), then the initial departure time vector becomes

$$\mathbf{v}^{*1} = \begin{bmatrix} 1\\0\\0 \end{bmatrix}, \text{ and the next departure time is}$$

$$d^{1}(1) = \begin{bmatrix} t_{1} & \varepsilon & t_{1} \\ t_{1} & t_{1} & \varepsilon \\ \varepsilon & t_{1} & t_{1} \end{bmatrix} \otimes \begin{bmatrix} 1\\0\\0 \end{bmatrix} = \begin{bmatrix} t_{1} \otimes 1 \\ t_{1} \otimes 1 \\ t_{1} \end{bmatrix} = t_{1} \otimes \begin{bmatrix} 1\\1\\0 \end{bmatrix},$$

$$d^{1}(2) = \begin{bmatrix} t_{1} & \varepsilon & t_{1} \\ t_{1} & t_{1} & \varepsilon \\ \varepsilon & t_{1} & t_{1} \end{bmatrix} \otimes \begin{bmatrix} t_{1} \otimes 1 \\ t_{1} \otimes 1 \\ t_{1} \end{bmatrix} = \begin{bmatrix} 2t_{1} \otimes 1 \\ 2t_{1} \otimes 1 \\ 2t_{1} \otimes 1 \end{bmatrix} = 2 t_{1} \otimes \begin{bmatrix} 1\\1\\1 \\ 1 \end{bmatrix}, ...,$$

$$d^{1}(k) = k t_{1} \otimes \begin{bmatrix} 1\\1\\1 \\ 1 \end{bmatrix}, \text{ for } k = 2, 3,$$

Furthermore, it is obtained that

$$\boldsymbol{d}^{T}(k) - \boldsymbol{d}(k) = \begin{bmatrix} 1\\1\\1 \end{bmatrix}.$$

This means that starting at k = 2, the system will continue to be 1 unit late for all services on subsequent departures. The same can happen for delays on the 2nd and 3rd service, or on all three services simultaneously. More generally, this also applies to delays of h u.t.

	Table 1. Simulation for $t_1 = t_2 = t_2 = 3$																				
	Ν	lorm	al Co	nditi	on				t_1 with	th 1 <i>u</i>	<i>ı.t</i> late	e		Late – Normal							
k	0	1	2	3	4		k	0	1	2	3	4		k	Ø	1	2	3	4		
d_1	0	3	6	9	12		d_1	1	4	7	10	13		d_1	1	1	1	1	1		
d_2	0	3	6	9	12		d_2	0	4	7	10	13		d_2	0	1	1	1	1		
d_3	0	3	6	9	12		d_3	0	3	7	10	13		d_3	0	0	1	1	1		

1519

3.3 Departure Time Delay for System where max $\{t_1, t_2, t_3\} = t_3$

The following will discuss the problem of network system delay where max $\{t_1, t_2, t_3\} = t_3$. The delay for the network system where max $\{t_1, t_2, t_3\} = t_1$ and max $\{t_1, t_2, t_3\} = t_2$ can be done in the same way.

Suppose the delay occurs at the 3rd server of 1 *u.t*, then

$$d^{31} = v^{*31} = \begin{bmatrix} -t_2 + t_3 \\ 0 \\ -t_1 - t_2 + 2t_3 \otimes 1 \end{bmatrix}$$

$$d^{31}(1) = \begin{bmatrix} t_1 & \varepsilon & t_1 \\ t_2 & t_2 & \varepsilon \\ \varepsilon & t_3 & t_3 \end{bmatrix} \otimes \begin{bmatrix} -t_2 + t_3 \\ 0 \\ -t_1 - t_2 + 2t_3 \otimes 1 \end{bmatrix} = \begin{bmatrix} -t_2 + 2t_3 \otimes 1 \\ t_3 \\ -t_1 - t_2 + 3t_3 \otimes 1 \end{bmatrix} = t_3 \otimes \begin{bmatrix} -t_2 + t_3 \otimes 1 \\ 0 \\ -t_1 - t_2 + 2t_3 \otimes 1 \end{bmatrix}$$

$$d^{31}(2) = \begin{bmatrix} t_1 & \varepsilon & t_1 \\ t_2 & t_2 & \varepsilon \\ \varepsilon & t_3 & t_3 \end{bmatrix} \otimes \begin{bmatrix} -t_2 + 2t_3 \otimes 1 \\ t_3 \\ -t_1 - t_2 + 3t_3 \otimes 1 \end{bmatrix} = \begin{bmatrix} -t_2 + 3t_3 \otimes 1 \\ 2t_3 \otimes 1 \\ -t_1 - t_2 + 3t_3 \otimes 1 \end{bmatrix} = 2t_3 \otimes \begin{bmatrix} -t_2 + t_3 \otimes 1 \\ 1 \\ -t_1 - t_2 + 2t_3 \otimes 1 \end{bmatrix}$$

$$d^{31}(k) = k t_3 \otimes \begin{bmatrix} -t_2 + t_3 \\ 0 \\ -t_1 - t_2 + 2t_3 \end{bmatrix} \otimes \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}, \text{ for } k = 2, 3, 4, \dots$$

It was further obtained that

$$d^{31}(k) - d(k) = \begin{bmatrix} 1\\1\\1 \end{bmatrix}.$$

This means that the system will continue to be 1 u.t late for subsequent departures. Thus, it seems that a delay on the server with the larger service time, where this larger service time is also an eigenvalue, which is also the departure period, will cause the system to continue to be late. More generally, this also applies to a delay of h u.t on the server with the larger time.

	$\frac{1}{1} \frac{1}{1} \frac{1}$																					
	N	lorm	al Co	nditio	n			i	t3 wi	th 1 <i>u</i>	. <i>t</i> late	e		Late – Normal								
k	0	1	2	3	4		k	0	1	2	3	4		k	0	1	2	3	4			
d_1	1	4	7	10	13		d_1	1	5	8	11	14		d_1	0	1	1	1	1			
d_2	0	3	6	9	12		d_2	0	3	7	10	13		d_2	0	0	1	1	1			
d_3	3	6	9	12	15		d_3	4	7	10	13	16		d_3	1	1	1	1	1			

Table 2. Simulation for $t_1 = 1, t_2 = 2, t_3 = 3$

Then, suppose a delay occurs at the 1st and 2nd service, where the service time is smaller, with a delay of $-t_1 - t_2 + 2t_3 u.t$, then the initial departure time vector becomes

$$v^{*h} = d^{h}(0) = \begin{bmatrix} -t_{1} + -2t_{2} + 3t_{3} \\ -t_{1} - t_{2} + 2t_{3} \\ -t_{1} - t_{2} + 2t_{3} \end{bmatrix}$$
, so the next departure time is

$$d^{h}(1) = \begin{bmatrix} t_{1} & \varepsilon & t_{1} \\ t_{2} & t_{2} & \varepsilon \\ \varepsilon & t_{3} & t_{3} \end{bmatrix} \otimes \begin{bmatrix} -t_{1} + -2t_{2} + 3t_{3} \\ -t_{1} - t_{2} + 2t_{3} \\ -t_{1} - t_{2} + 3t_{3} \end{bmatrix} = \begin{bmatrix} -2t_{2} + 3t_{3} \\ -t_{1} - t_{2} + 3t_{3} \\ -t_{1} - t_{2} + 3t_{3} \end{bmatrix} = t_{3} \otimes \begin{bmatrix} -2t_{2} + 2t_{3} \\ -t_{1} - t_{2} + 2t_{3} \\ -t_{1} - t_{2} + 2t_{3} \end{bmatrix}$$
$$d^{h}(2) = \begin{bmatrix} t_{1} & \varepsilon & t_{1} \\ t_{2} & t_{2} & \varepsilon \\ \varepsilon & t_{3} & t_{3} \end{bmatrix} \otimes \begin{bmatrix} -2t_{2} + 3t_{3} \\ -t_{1} - t_{2} + 3t_{3} \\ -t_{1} - t_{2} + 3t_{3} \end{bmatrix} = \begin{bmatrix} -t_{2} + 3t_{3} \\ -t_{1} + 3t_{3} \\ -t_{1} - t_{2} + 4t_{3} \end{bmatrix} = 2t_{3} \otimes \begin{bmatrix} -t_{2} + t_{3} \\ -t_{1} + t_{2} \\ -t_{1} - t_{2} + 2t_{3} \end{bmatrix}$$
$$d^{h}(3) = \begin{bmatrix} t_{1} & \varepsilon & t_{1} \\ t_{2} & t_{2} & \varepsilon \\ \varepsilon & t_{3} & t_{3} \end{bmatrix} \otimes \begin{bmatrix} -t_{2} + 3t_{3} \\ -t_{1} + 3t_{3} \\ -t_{1} - t_{2} + 4t_{3} \end{bmatrix} = \begin{bmatrix} -t_{2} + 4t_{3} \\ -t_{1} + t_{2} + 3t_{3} \\ -t_{1} - t_{2} + 5t_{3} \end{bmatrix} = 3t_{3} \otimes \begin{bmatrix} -t_{2} + t_{3} \\ -t_{1} + t_{2} \\ -t_{1} - t_{2} + 2t_{3} \end{bmatrix}$$

1520

$$\boldsymbol{d}^{h}(4) = \begin{bmatrix} t_{1} & \varepsilon & t_{1} \\ t_{2} & t_{2} & \varepsilon \\ \varepsilon & t_{3} & t_{3} \end{bmatrix} \otimes \begin{bmatrix} -t_{2} + 4t_{3} \\ -t_{1} + t_{2} + 3t_{3} \\ -t_{1} - t_{2} + 5t_{3} \end{bmatrix} = \begin{bmatrix} -t_{2} + 5t_{3} \\ 4t_{3} \\ -t_{1} - t_{2} + 6t_{3} \end{bmatrix} = 4t_{3} \otimes \begin{bmatrix} -t_{2} + t_{3} \\ 0 \\ -t_{1} - t_{2} + 2t_{3} \end{bmatrix}$$

•••

$$\boldsymbol{d}^{h}(k) = k \ t_{3} \otimes \begin{bmatrix} -t_{2} + t_{3} \\ 0 \\ -t_{1} - t_{2} + 2t_{3} \end{bmatrix}, \text{ for } k = 4, 5, 6, ...$$

Next, $d^{h}(k)$ is obtained d(k) = 0, for k = 4, 5, 6, ... This means that the system will return to normal on the next departure. This also applies to delays smaller than $-t_1 - t_2 + 2t_3 u.t.$

	$\frac{1}{1} \frac{1}{1} \frac{1}$																				
	N	orm	al Co	nditio	on			t_1	, t ₂ v	vith 3	8 <i>u.t</i> la	nte		Late – Normal							
k	0	1	2	3	4		k	0	1	2	3	4		k	0	1	2	3	4		
d_1	1	4	7	10	13		d_1	4	5	7	10	13		d_1	3	1	0	0	0		
d_2	0	3	6	9	12		d_2	3	6	8	10	12		d_2	3	3	2	1	0		
d_3	3	6	9	12	15		d_3	3	6	9	12	15		d_3	0	0	0	0	0		

Table 3. Simulation for $t_1 = 1, t_2 = 2, t_3 = 3$

Then, suppose a delay occurs at the 1st service, which has a smaller service time, with a difference of $-t_1 - t_2 + 2t_3 \otimes 1$ *u.t*, then the initial departure time vector becomes

$$\boldsymbol{v}^* = \boldsymbol{d}^{h+1}(0) = \begin{bmatrix} -t_1 + -2t_2 + 3t_3 \otimes 1 \\ -t_1 - t_2 + 2t_3 \\ -t_1 - t_2 + 2t_3 \end{bmatrix},$$

in the same way as in the previous explanation, it can be shown that

$$\boldsymbol{d}^{h+1}(k) = k \ t_3 \otimes \begin{bmatrix} -t_2 + t_3 \\ 0 \\ -t_1 - t_2 + 2t_3 \end{bmatrix} \otimes \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}, \text{ for } k = 4, 5, 6, \dots$$

Next, we obtain

$$d^{h+1}(k) - d(k) = \begin{bmatrix} 1\\1\\1 \end{bmatrix}$$
, for $k = 4, 5, 6,$

This means that the system will continue to be 1 *u.t* late for subsequent departures. Likewise in general for a delay of $-t_1 - t_2 + 2t_3 \otimes h$ on the 1st and 2nd service, there will be a delay of h units on subsequent departures.

4. CONCLUSIONS

From the discussion above, the following conclusions can be drawn. The max-plus eigenvalue of a closed series queuing network of 3 servers, which is also the periodicity of network dynamics, is the largest service time of a server in the network. Delays in servers with the largest service time will continue to propagate to subsequent scheduling. Delays in servers whose service time is not the maximum can still be tolerated, if the delay does not exceed the size of the element in the initial max-plus eigenvector, which corresponds to its largest service time. In this case, the system will be able to return to normal according to the original schedule, after undergoing a maximum of 4 stages of the service process since the beginning of the delay. While delays that exceed this will cause the network scheduling to be late and will continue to propagate to subsequent services.

ACKNOWLEDGEMENT

On this occasion, we would like to thank the Lembaga Penelitian dan Pengabdian pada Masyarakat (LPPM) Universitas Sanata Dharma for providing research funds, so that this article can be obtained, through the Basic Research Scheme with Contract No.: 019 Penel./LPPM-USD/III/2024.

REFERENCES

- F. Baccelli, G. Cohen, G. J. Olsder, and J.-P. Quadrat, SYNCHRONIZATION AND LINEARITY: AN ALGEBRA FOR DISCRETE EVENT SYSTEMS. Paris: Wiley, 2001. Accessed: Feb. 02, 2024. [Online]. Available: https://www.rocq.inria.fr/metalau/cohen/documents/BCOQ-book.pdf.
- [2] B. Heidergott, G. J. Olsder, and J. van der Woude, *MAX PLUS AT WORK*. Princeton: Princeton University Press, 2006. [Online]. Available: http://about.jstor.org/terms.
- [3] M. A. Rudhito, ALJABAR MAX-PLUS DAN PENERAPANNYA. Yogyakarta: Sanata Dharma University Press, 2016.
- [4] N. K. Krivulin, "A MAX-ALGEBRA APPROACH TO MODELING AND SIMULATION OF TANDEM QUEUEING SYSTEMS," 1995. doi: https://doi.org/10.48550/arXiv.1212.0895.
- [5] N. K. Krivulin, "THE MAX-PLUS ALGEBRA APPROACH IN MODELLING OF QUEUEING NETWORKS," in Summer Computer Simulation Conference, Portland: SCS, Jul. 1996, pp. 485–490. doi: https://doi.org/10.48550/arXiv.1212.0895.
- [6] Subiono, "ALJABAR MIN-MAX PLUS DAN TERAPANNYA," 2015.
- [7] N. K. Krivulin, "ALGEBRAIC MODELLING AND PERFORMANCE EVALUATION OF ACYCLIC FORK-JOIN QUEUEING NETWORKS," in *Advances in Stochastic Simulation Methods*, V. B. and E. S. Balakrishnan N. and Melas, Ed., Boston, MA: Birkhäuser Boston, 2000, pp. 63–81. doi: https://doi.org/10.1007/978-1-4612-1318-5_5.
- [8] J. Komenda, S. Lahaye, J. L. Boimond, and T. van den Boom, "MAX-PLUS ALGEBRA AND DISCRETE EVENT SYSTEMS," in *IFAC-PapersOnLine*, Elsevier B.V., Jul. 2017, pp. 1784–1790. doi: https://doi.org/10.1016/j.ifacol.2017.08.163.
- [9] B. De Schutter, T. van den Boom, J. Xu, and S. S. Farahani, "ANALYSIS AND CONTROL OF MAX-PLUS LINEAR DISCRETE-EVENT SYSTEMS: AN INTRODUCTION," *Discrete Event Dynamic Systems: Theory and Applications*, vol. 30, no. 1, pp. 25–54, Mar. 2020, doi: https://doi.org/10.1007/s10626-019-00294-w.
- [10] M. Hoekstra, "CONTROL OF DELAY PROPAGATION IN RAILWAY NETWORKS USING MAX-PLUS ALGEBRA," Delft University of Technology, Delft, 2020. Accessed: Feb. 02, 2024. [Online]. Available: http://resolver.tudelft.nl/uuid:b5816386-0ed9-4760-a6de-f0db0c3a5226
- [11] G. Vissers, "MAX-PLUS EXTENSIONS A STUDY OF TRAIN DELAYS," Delft University of Technology, Delft, 2022. [Online]. Available: http://repository.tudelft.nl/.
- [12] H. Al Bermanei, Applications of Max-Plus Algebra to Scheduling. Abo: Abo Akademi University Press, 2021.
- [13] C. Martínez-Olvera and J. Mora-Vargas, "A MAX-PLUS ALGEBRA APPROACH TO STUDY TIME DISTURBANCE PROPAGATION WITHIN A ROBUSTNESS IMPROVEMENT CONTEXT," *Math Probl Eng*, vol. 2018, 2018, doi: https://doi.org/0.1155/2018/1932361.
- [14] P. Majdzik, "A FEASIBLE SCHEDULE FOR PARALLEL ASSEMBLY TASKS IN FLEXIBLE MANUFACTURING SYSTEMS," International Journal of Applied Mathematics and Computer Science, vol. 32, no. 1, pp. 51–63, Mar. 2022, doi: https://doi.org/0.34768/amcs-2022-0005.
- [15] Z. Sya'diyah, "MAX PLUS ALGEBRA OF TIMED PETRI NET FOR MODELLING SINGLE SERVER QUEUING SYSTEMS," BAREKENG: Jurnal Ilmu Matematika dan Terapan, vol. 17, no. 1, pp. 0155–0164, Apr. 2023, doi: https://doi.org/10.30598/barekengvol17iss1pp0155-0164.
- [16] B. Heidergott, "A CHARACTERISATION OF (MAX, +)-LINEAR QUEUEING SYSTEMS," 2000. doi: https://doi.org/10.1023/A:1019102429650.
- [17] B. de Schutter, "MAX-ALGEBRAIC SYSTEM THEORY FOR DISCRETE EVENT SYSTEMS," Katholieke Universiteit Leuven, Leuven, 1996. Accessed: Feb. 02, 2024. [Online]. Available: https://www.dcsc.tudelft.nl/~bdeschutter/pub/rep/phd.pdf.
- [18] S. Siswanto, "THE EXISTENCE OF SOLUTION OF GENERALIZED EIGENPROBLEM IN INTERVAL MAX-PLUS ALGEBRA," BAREKENG: Jurnal Ilmu Matematika dan Terapan, vol. 17, no. 3, pp. 1341–1346, Sep. 2023, doi: https://doi.org/10.30598/barekengvol17iss3pp1341-1346.
- [19] G. Ariyanti, "A NOTE ON THE SOLUTION OF THE CHARACTERISTIC EQUATION OVER THE SYMMETRIZED MAX-PLUS ALGEBRA," *BAREKENG: Jurnal Ilmu Matematika dan Terapan*, vol. 16, no. 4, pp. 1347–1354, Dec. 2022, doi: https://doi.org/10.30598/barekengvol16iss4pp1347-1354.
- [20] A. Abate, A. Cimatti, A. Micheli, and M. Syifa'ul Mufid, "COMPUTATION OF THE TRANSIENT IN MAX-PLUS LINEAR SYSTEMS VIA SMT-SOLVING." [Online]. Available: https://es.fbk.eu/people/amicheli/resources/formats20/.
- [21] E. Altman and D. Fiems, "BRANCHING PROCESSES, THE MAX-PLUS ALGEBRA AND NETWORK CALCULUS." doi: https://doi.org/10.1007/978-3-642-30782-9_18.
- [22] G. Espindola-Winck, L. Hardouin, M. Lhommeau, and R. Santos-Mendes, "CRITERIA STOCHASTIC FILTERING OF MAX-PLUS DISCRETE EVENT SYSTEMS WITH BOUNDED RANDOM VARIABLES," in *IFAC-PapersOnLine*, Elsevier B.V., Nov. 2022, pp. 13–18. doi: https://doi.org/10.1016/j.ifacol.2023.01.041.
- [23] D. Systemes, "SCILAB," Apr. 01, 2015, Scilab Enterprises, France: 5.5.2. Accessed: Oct. 09, 2024. [Online]. Available: https://www.scilab.org/news/scilab-552-release
- [24] S. Subiono, D. Adzkiya, and K. Fahim, "TOOLBOX ALJABAR MAX-PLUS DAN PETRINET," 2016, Departemen Matematika, Institut Teknologi Sepuluh Nopember, Surabaya: MAXPLUSV04032016. Accessed: Oct. 23, 2024. [Online]. Available: http://koncomatematika.blogspot.com/2016/05/cara-menginstall-toolbox-max-plus-scilab.html

1522

[25] A. E. S. H. Maharani and A. Suparwanto, "APPLICATION OF SYSTEM MAX-PLUS LINEAR EQUATIONS ON SERIAL MANUFACTURING MACHINE WITH STORAGE UNIT," *BAREKENG: Jurnal Ilmu Matematika dan Terapan*, vol. 16, no. 2, pp. 525–530, Jun. 2022, doi: https://doi.org/10.30598/barekengvol16iss2pp525-530.

1524