


E3S Web of Conferences



The screenshot shows the E3S Web of Conferences website for the 2nd International Conference on Sustainable Environment, Development, and Energy (CONSER 2025). The page includes the conference title, date (October 22-23, 2025), and editors (Y.H. Irawan, A.S. Prabuwono, R. Prastowo, and Hasanudin). It also features sections for the About the conference, Statement of Peer review, and a list of abstracts. The interface is in English and includes a 'Sign in' button and a 'Yes'/'No' dialog box.

E3S Web of Conferences
Volume 688 (2026)

The 2nd International Conference on Sustainable Environment, Development, and Energy (CONSER 2025)


Yogyakarta, Indonesia, October 22-23, 2025
Y.H. Irawan, A.S. Prabuwono, R. Prastowo and Hasanudin (Eds.)

Export the citation of the selected articles [Export](#)
[Select all](#)

Open Access
About the conference
Published online: 20 January 2026
PDF (828 KB)

Open Access
Statement of Peer review
Published online: 20 January 2026
PDF (500 KB)

▼ The Role of Geosciences in Sustainability, Disaster Mitigation, and Resource Management ▼ Green Technologies and Sustainable Engineering Solutions for Energy Efficiency



The screenshot shows a list of abstracts for the 'The Role of Geosciences in Sustainability, Disaster Mitigation, and Resource Management' session. The abstracts are as follows:

- Preface** 00001
Akhmad Zamroni
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/20266880001>
Abstract | PDF (101.4 KB)
- The Role of Geosciences in Sustainability, Disaster Mitigation, and Resource Management**
 - Characterization of black claystone, coal, and coal rank using deep learning in the sinje block, Murung Raya Village, Central Kalimantan Province, Indonesia** 01001
Obnin Trianda, Bagus Gilang Pratama, Rizqi Prastowo and Yongki
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801001>
Abstract | PDF (772.2 KB) | References
 - Jabu Bolon tectonics concept in Batak Toba** 01002
Irma Novrianti Nasution and Yosafat Aji Pranata
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801002>

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks.

[More information and setup](#)

Open Access

Utilization of the point load index method as an estimator of rock compressive strength in civil engineering 01003
Andrea Sumarah Asih and Bernadeta Subandini Astuti
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801003>
Abstract | PDF (759.9 KB) | References

Open Access

Adapting to climate change: Projections and strategies for the Progo River, Indonesia 01004
Akhmad Zamroni, Roel F. Ceballos, Ronnel C. Nolos, Andreas Karakonstantis and Dimas Salomo J. Sianipar
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801004>
Abstract | PDF (1.333 MB) | References

Open Access

Identification of coal distribution based on drilling and geophysical logging: A case study from Samurangau, East Kalimantan 01005
Dhea Amelia Pratiwi, Dharma Ikhwan Mahendra Maynardi, Obrin Trianda and Dianto Isnawan
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801005>
Abstract | PDF (997.0 KB) | References

Open Access

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks.

[More information and setup](#)

Open Access

Soil response and behavior to megathrust earthquakes using the deterministic seismic hazard analysis (DSHA) method in Yogyakarta City 01006
Nodyka Elkawi Hawinu, Muhammad Fatih Qodri and Oky Sugarbo
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801006>
Abstract | PDF (1.112 MB) | References

Open Access

Preliminary study on the characterization of geothermal fluids at Mount Jobolarangan (old Mount Lawu) western side and its implications for geothermal exploration 01007
Oky Sugarbo, Hilltrudis Gendoet Hartono, Jaden Gil Lodar and Ignatius Adi Prabowo
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801007>
Abstract | PDF (2.075 MB) | References

Open Access

Geospatial assessment of land use dynamics and Built-Up Area (BUA) expansion as determinants of island development trajectories 01008
Jason Ben R. Paragamac, Evangeline B. Mandia, Diosdado P. Zulueta, Renato F. Lemonte Jr, Jenny Bugarin, Roja Medianista, Neil Sapungan, Juliepearl Brion, Raisa Nieva and Felder R. Macabata
Published online: 20 January 2026
<https://doi.org/10.1051/e3sconf/202668801008>

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks.

[More information and setup](#)

Open Access

Coal characteristics of the eocene to pliocene epoch: A case study in the Berau Sub-basin, East Kalimantan, Indonesia 01009
Sugiarto Wahyu, Rizal Yan, Syafri Idrem and Muljana Budi
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801009>
Abstract | PDF (1.120 MB) | References

Open Access

Petrographic characterization and classification of alteration zones using a spreadsheet-based system in the Kingking Porphyry Cu-Au Deposit, Barangay Kingking, Pantukan, Davao de Oro 01010
Jeric Brylle A. Adlawan, Glydel Grace G. Balighot, Kate Antonette R. Cogal, Dianne Dexy Jane S. Polo, Christian Paul F. Escarian and Dean Lester P. Rejas
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801010>
Abstract | PDF (571.7 KB) | References

Open Access

MANGROVE: Mapping and Analyzing the Geomorphological Roles of Mangrove Vegetation and its contribution to erosion control for sustainable coastal development in Baganga, Davao Oriental 01011
Frances Ann B. Villamor, Keith Joshua M. Ayag, Paulene Beatriz D. Tabirara, John Ritzly C. Buenaflo, Christine Mae N. Corcino, Louise Angelique Rose C. Babas and Christian Paul F. Escarian
Published online: 20 January 2026

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks.

[More information and setup](#)

Open Access


Paleogeomorphology of Kulon Progo during the oligocene-early miocene 01012
Setyo Pambudi, Hita Pandita and Ignatius Adi Prabowo
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801012>
Abstract | PDF (2.694 MB) | References

Open Access

Analysis of urban village sprawl in Boyolali Regency from 2014 to 2024 using landsat 8 and sentinel-2 imagery based on google earth engine 01013
Ardyan Satria Putra Pratama, Nofal Mahdi Kadafi Anantri, Khristiana Dwi Astuti, Reny Yesiana and Arvisha Putri Az-zahra
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801013>
Abstract | PDF (613.6 KB) | References

Open Access

Integration of landsat 8 imagery and Geographic Information System (GIS) to determine open space as a climate adaptation strategy in Boyolali Regency 01014
Khristiana Dwi Astuti, Reny Yesiana, Nofal Mahdi Kadafi Anantri, Ardyan Satria Putra Pratama, Arvisha Putri Az-zahra and Nahdyra Fahreza
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801014>
Abstract | PDF (2.765 MB) | References



The screenshot shows a web browser with multiple tabs open. The active tab is for 'e3sconf_CONSER2025_About.pdf'. Below the tabs, a cookie consent banner from EDP Sciences is displayed, asking for permission to store audience measurement cookies and social network cookies. The 'Yes' button is highlighted in green. The main content area lists several conference papers. The third paper in the list is selected, showing the following details:

Open Access
Fault control on distribution of sag-ponds in Imogiri, Bantul, Yogyakarta, and Its implications for the existence of the Opak active fault 01015
Al Hussein Flowers Rizqi, Fadhilah Elsa Putra, Fansyah Widianto, Muhammad Erlandi, Ghani Abdillah Ahmad, Robert Timotius Tuska and Evan Rosyadi Ogara
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801015>
Abstract | PDF (3.647 MB) | References

Open Access
Geochemical controls of parent rocks on bauxite quality in Melugai, West Kalimantan, Indonesia 01016
Muhammad Hery Setiyawan, Mega Fatimah Rosana, Johannes Hutabarat and Hill Gendoet Hartono
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801016>
Abstract | PDF (3.762 MB) | References

Open Access
Temperature and conductivity variation in the Ungaran geothermal area, Central Java, Indonesia 01017
Listyani R.A.T., Wijaya R. Andy Erwin and Harini B. Wuri
Published online: 20 January 2026
DOI: <https://doi.org/10.1051/e3sconf/202668801017>
Abstract | PDF (728.3 KB) | References

[Temperature and conductivity variation in the Ungaran geothermal area, Central Java, Indonesia](#)

DOI: <https://doi.org/10.1051/e3sconf/202668801017>

Volume 688 (2026)

01017 (2026)



CONFERENCE ON SUSTAINABLE ENVIRONMENT, DEVELOPMENT, AND ENERGY

KEYNOTE SPEAKERS :



Prof. Dr. Diosdado P. Zulueta
President of Marinduque State University, Philippines



Assoc Prof Ts Gs Dr Mohd Nadzri Md Reba
Geoscience and Digital Earth Centre (INSTeG) - Research Institute for Sustainable Environment (RISE), Universiti Teknologi Malaysia (UTM), Johor Bahru, Malaysia



Prof. Dr. Anton Satria Prabuwono
Department of Computing, Universiti Teknologi PETRONAS, Malaysia



Dr. Hita Pandita
Associate Professor, Department of Geological Engineering, Institut Teknologi Nasional Yogyakarta, Indonesia

CONSER 2025

2nd International Conference on Sustainable Environment, Development, and Energy
(CONSER 2025)

"BRIDGING SCIENCE AND TECHNOLOGY FOR A SUSTAINABLE EARTH"

**October, 22 - 23
2025**

1. The role of geosciences in sustainability, disaster mitigation, and resource management.
2. Sustainable mining practices, reducing environmental impact, and resource efficiency.
3. Design, manufacture and maintenance technology for sustainable engineering.
4. Green technologies and sustainable engineering solutions for energy efficiency.
5. Smart technologies and energy solutions for a low-carbon future.
6. Sustainable infrastructure, resilient urban planning, and green building solutions.
7. Sustainable urban development, climate adaptation, and policy integration.

Eastparc Hotel
Jalan Laksda Adisucipto KM. 6.5 No.1, Indonesia

REGISTRATION FEE

Offline
(Include Heritage Trail)

Indonesian Participants

USD 325

Online

IDR 2.500.000

USD 180

Non-Presenter
(offline Exclude Heritage Trail)

IDR 500.000

International Participants

The registration fee includes paper publication. Selected papers will be published in indexed Scopus proceeding **Scopus**

TIMELINE

June 1, 2025
Open Registration

August 25, 2025
Abstract Submission Deadline

August 31, 2025
Abstract acceptance announcement

September 30, 2025
Full paper submission deadline

October 22 - 23, 2025
Conference

PAYMENT METHOD

• Bank Transfer

Bank Account : 5551116614

Account Name : LPPMI

Bank Name : Bank Syariah Indonesia (BSI)

Swift Code BSI : BSMDIDJA

Registration



CONTACT PERSON



+62 856-9298-8178 Akhmad Zamroni
+62 812-2809-7231 Septi Wulandari



EMAIL
conser@ltny.ac.id



WEBSITE
www.conser.ltny.ac.id

HERITAGE TRAIL :



Yogyakarta Monument



Mount Merapi



Sultan's Palace



Water Castle

PRESENTED BY :



Statement of Peer review

In submitting conference proceedings to *Web of Conferences*, the editors of the proceedings certify to the Publisher that

1. They adhere to its **Policy on Publishing Integrity** in order to safeguard good scientific practice in publishing.
2. All articles have been subjected to peer review administered by the proceedings editors.
3. Reviews have been conducted by expert referees, who have been requested to provide unbiased and constructive comments aimed, whenever possible, at improving the work.
4. Proceedings editors have taken all reasonable steps to ensure the quality of the materials they publish and their decision to accept or reject a paper for publication has been based only on the merits of the work and the relevance to the journal.

Title, date and place of the conference

The 2nd International Conference on Sustainable Environment, Development, and Energy (CONSER 2025): Bridging Science and Technology for a Sustainable Earth

Proceedings editor(s):

Yosua Heru Irawan: Institut Teknologi Nasional Yogyakarta, Indonesia

Anton Satria Prabuwono: Universiti Teknologi Petronas, Malaysia

Risqi Prastowo: Institut Teknologi Nasional Yogyakarta, Indonesia

Hasanudin: Institut Teknologi Nasional Yogyakarta, Indonesia

Date and editor's signature

January 5, 2026

Temperature and conductivity variation in the Ungaran geothermal area, Central Java, Indonesia

Listyani R.A.T.¹, Wijaya R. Andy Erwin², and Harini B. Wuri³*

¹Department of Master Geological Engineering, Institut Teknologi Nasional Yogyakarta, Indonesia

²Department of Mining Engineering, Institut Teknologi Nasional Yogyakarta, Indonesia

³Department of Electrical Engineering, Sanata Dharma University, Indonesia

Abstract. This study aims to examine variations in groundwater temperature and conductivity in the Ungaran geothermal area, which has unique geothermal characteristics. This area is known to have significant geothermal activity, which can affect the physical and chemical characteristics of groundwater. Temperature and electrical conductivity measurements were conducted at several spring locations. Data obtained from these groundwater temperature and conductivity measurements were analyzed to determine the relationship between the two parameters and for geological interpretation purposes. The results show significant variations in both temperature and groundwater conductivity in the Ungaran area. This finding indicates that temperature does not determine the value of groundwater electrical conductivity. This is evidenced by the very low correlation (1.4%) across all springs or 20.9% for geothermally controlled springs. Thus, these temperature and conductivity variations can be caused by various local geological conditions.

1 Introduction

Hydrogeological research in geothermal areas focusing on the physical/chemical properties of groundwater has been extensively developed, but the integration of these parameters has not been widely explored. One physical parameter that needs to be studied is groundwater temperature (T) and electrical conductivity (EC). To assess their relationship to local geology, these properties need to be identified directly in the field and laboratory.

Studies on groundwater in Indonesia have been developed by several previous researchers using various methods [1-3]. Hydrochemical methods have been widely used to address groundwater problems, as well as problems with its physical properties. Physically, groundwater can be seen from its color, turbidity, and EC values. EC measurements have been developed to assess water quality, both surface water [4] and groundwater. Studies on groundwater hydrochemistry have also been carried out by many researchers in an effort to understand the genetics and evolution of groundwater hydrochemistry [5]. This study of groundwater quality significantly supports groundwater exploration and can aid in

* Corresponding author: lis@itny.ac.id

groundwater genetic interpretation. By conducting groundwater exploration, we can ensure the availability of good-quality water.

The research area is located in the Ungaran geothermal prospect area, Central Java (Figure 1). Geologically, Mt. Ungaran still active, but it has begun to enter a post-volcanic phase. This condition is characterized by more dissected peak morphology.




Fig. 1. The research area is in Mount Ungaran and its surroundings, Central Java.

Groundwater studies require data on the rocks and local geological characteristics specific to each region. The Ungaran area is a volcanic region with geothermal potential. This area has many geothermal manifestations, including hot springs and altered rocks. This alteration process has changed several minerals and may influence groundwater EC.

Several researchers have conducted studies on the physical/chemical properties of groundwater in geothermal areas [6]. The chemical characteristics of geothermal groundwater have been discussed, including EC as an indicator of dissolved minerals [7].

In the study area, springs vary in temperature, from cold to normal to hot. This research in the Ungaran geothermal area aims to determine temperature variations and groundwater EC, along with their geological interpretation. This research aims to conceptually develop existing theories across a range of geological conditions. This research will complement previous groundwater studies, particularly in examining temperature and EC variations. In practice, groundwater conductivity can be measured to understand water quality and the hydrogeological characteristics of an area.

2 Method

The method used in this research was a field hydrogeological survey. This survey was conducted to locate several springs with cold, normal, and hot temperatures in the Ungaran area. Springs are one manifestation of groundwater, so that this groundwater research can collect data from springs. Eight springs were selected for research, ranging in temperature from cold to hot (Table 1).

The T and EC measurements of groundwater were conducted directly in the field (Figure 2). These measurements used an Eutech EC-meter calibrated with an HI7033 Hanna

instrument standard solution. Furthermore, groundwater sampling was carried out using plastic bottles and taken to the accredited BTKLPP water laboratory. The T and EC measurements were conducted at least 10 times in each spring, to obtain representative data. Six springs were selected for further laboratory testing. The results of these field and laboratory measurements were then analyzed using statistical methods to determine their correlation between T and EC as well as their relationship to local geology.

Table 1. Location of the springs.

Code	Spring	Temperature	Location		
			Area	Village	Sub District
S1	Nglimut	Hot	Gonoharjo	Nglimut	Boja
S2	Gds 1	Hot	Gedongsongo	Candi	Ambarawa
S3	Gds 2	Normal	Gedongsongo	Candi	Ambarawa
S4	Gds 3	Hot	Gedongsongo	Candi	Ambarawa
S5	Sidomukti	Cold	Manggung	Sidomukti	Bandungan
S6	Diwak	Warm	Ngempon	Diwak	Bergas
S7	Kaliulo	Warm	Kaliulo	Klepu	Pringapus
S8	Sendang Kramat	Warm	Klotok	Doplang	Bawen



Fig. 2. Measurement and sampling of groundwater at the Gedongsongo and Kaliulo springs.

3 Literature review

3.1 Geological overview

The research area is included in the Quaternary volcanic complex of Ungaran Mt. The morphology on the lower slopes shows undulating to hilly topography. This area is located on the north side of the western part of the Kendeng Anticlinorium, composed of rock formations from old to young, namely the Pelang, Kerek, Banyak, Kalibeng, Damar, and Notopuro Formations [6].

Gedongsongo is the main manifestation of the geothermal system of Mount Ungaran. This andesitic stratovolcano activity produces rocks such as andesitic-basaltic lava and pyroclastic rocks (breccia/tuff). Around geothermal manifestations, these volcanic rocks often show alteration conditions and sulfur deposits. The Nglimut area is on the northern slope of Mount Ungaran with geothermal manifestations in the form of hot springs.

Gedongsongo has several hot springs the main geothermal manifestation located in the upflow section, composed of volcanic material. Sidomukti is located on the upper slopes of Mount Ungaran which is composed of volcanic material. Diwak, Kaliulo, and Sendangkramat are located on the lower slopes/foot of Mount Ungaran, with volcanic breccia as the rock. Limestone is also found in the Kaliulo area.

3.2 Geological overview

In general, temperature affects EC due to two factors, namely: (i) increased ion mobility (the temperature coefficient of EC is usually compensated to 25 °C), and (ii) increased mineral dissolution in hydrothermal environments, which increases TDS [8]. On the other hand, boiling tends to lower the EC through the removal of steam and degassing of CO₂/H₂S, which can trigger mineral precipitation and reduce the total dissolved ions in the remaining liquid phase; conversely, evaporation without the removal of dissolved mass will increase the EC.

Meanwhile, EC is a measure of the ability of water to conduct an electric current, which directly reflects the dissolved ion content (TDS), ion activity, and temperature [9]. In geothermal systems, EC is a key parameter for assessing the degree of rock-water interaction, mixing between hydrothermal fluids and shallow groundwater, and boiling and dilution processes. Because EC is fast and easy to measure in the field, this variable is often used as an initial indicator in mapping heat flow zones and to identify hydrothermal plumes under structural control.

EC values generally increase with the concentration and mobility of ions in groundwater formed through leaching reactions of silicate, carbonate, and sulfide minerals at high temperatures. Neutral-chloride systems generally show high EC due to the dominance of Na-K-Cl, while acid-sulfate systems can show very high EC due to sulfate and dissolved metal ions resulting from the oxidation of acid gases (H₂S to SO₄²⁻) and mineral leaching by acidic fluids. The dissolution-precipitation balance of silica and carbonate compounds, as well as changes in pH and eH, also modulate EC [10].

4 Results and discussion

The results of the T and EC measurements of the groundwater studied are presented in Table 2 below. Eight springs showed varying T and EC values. The field data presented in the table are the average values from at least 10 field measurements.

Table 2. Results of groundwater T and EC value tests in the field and laboratory.

Code	Field Data		Laboratory Results	
	T (°C)	EC (µS/cm)	T (°C)	EC (µS/cm)
S1	40.4	1,669.2	24.6	2104
S2	73.49	1,515.8	24.6	1,103
S3	25.99	274.50	-	-
S4	40.61	473.1	-	-
S5	22.23	135.8	24.6	147
S6	38.24	2,262.00	24.7	2369
S7	37.35	19,375.00	24.7	20,670
S8	32.47	1,378.7	24.7	1,465

The results of T measurements in the field and laboratory clearly show different results, because the sample conditions in the laboratory do not match the actual conditions in the field. Therefore, the T values in the field and laboratory cannot be compared. The EC values in the field and laboratory show similarities, meaning that high EC values in the field will be followed by high EC values in the laboratory (Figure 3). EC data from the laboratory are used to verify the field data. Because valid T data are only obtained from the field, the relationship between T and EC that is analyzed next is based on field data.

Figure 4 shows the relationship between T and EC values in the field. The left image shows all data analyzed, while the right image only shows data from warm/hot springs. Warm/hot springs are believed to be influenced by geothermal activity, while cold/normal springs are not related to geothermal activity.




Fig. 3. EC values measured in the field and laboratory.




Fig. 4. Relationship between T and EC of groundwater from springs in the Ungaran area.

Figure 4 shows that the R^2 values in both graphs show a very low correlation (R), at 1.4% for all samples and 20.9% for geothermal springs. This indicates that the T and EC values in the studied springs are very poorly correlated, meaning that the relationship between the two variables cannot be formulated. This means that hotter springs do not always have higher EC, and vice versa. Therefore, the relationship between T and EC in the Ungaran area, whether related to geothermal or not, is uncertain. An increase in T is not always followed by an increase in EC; in other words, T does not affect the EC value of the spring water. This very poor relationship indicates that there are other variables controlling EC.

The highly variable T and EC values prompted researchers to conduct geological interpretations. A literature review indicated that increases in T are often accompanied by increases in EC. However, this does not apply to groundwater at different locations, as each location has its own unique characteristics. Various geological conditions, particularly rocks and hydrochemical processes, result in variations of T and EC in each spring. The hydrochemistry of springs in the Ungaran area has been studied using groundwater chemistry data [6]. Furthermore, from the literature review and primary data collected in this study, interpretations can be made as in Table 3.

5 Conclusion

Temperature and EC measurements have been conducted on springs in the Ungaran area, including cold and hot springs. Of the eight springs studied, six were warm/hot springs due to geothermal activity. Field measurements, verified with laboratory EC data, showed that temperature did not correlate with groundwater electrical conductivity.

Table 3. Geological interpretation of T and EC variations in the study area.

Spring	T (°C)	EC (µS/cm)	Geological Interpretation
S1. Nglimit	40.4	1,669.2	Groundwater is controlled by geothermal heat, flowing in fairly shallow volcanic aquifers.
S2. Gedongsongo-1	73.49	1,515.8	Steam-heated water has a high temperature as the upflow part system. A lower EC indicates immature water, meaning meteoric water flows at depth.
S3. Gedongsongo-2	25.99	274.5	Not related to geothermal systems, but the low EC of the spring indicates that these normal springs represent meteoric water in the catchment area.
S4. Gedongsongo-3	40.61	473.1	Hot water with relatively low EC indicates that there has not been much mineral dissolution or that it has been mixed with meteoric water.
S5. Sidomukti	22.23	135.8	Volcanic groundwater located in the infiltration zone, in shallow aquifers, has not undergone much chemical enrichment.
S6. Diwak	38.24	2,262.00	Meteoric water with geothermal influence may be contaminated, causing relatively high EC, or a fairly long groundwater journey.
S7. Kaliulo	37.35	19,375.00	Mature groundwater with limestone influence is part of the groundwater aquifer.
S8. Sendang Kramat	32.47	1,378.7	Warm groundwater flowing in volcanic aquifers is quite shallow.

The correlation between T and EC was very low, at 1.4% for all springs and 20.9 % for geothermally influenced springs. High EC is not always associated with groundwater with high T. The high or low EC is not determined by T, but by other factors that are more influential. These influencing factors are highly dependent on the local geological conditions where the springs emerge. Low EC at the Sidomukti and normal/warm Gedongsongo springs indicates meteoric water in the catchment area. The EC is moderate in Nglimit, Gedongsongo, Diwak, and Sendang Kramat, indicating the influence of geothermal activity and its mixing with meteoric water. The high EC value in Kaliulo (19.375 µS/cm) marks groundwater that has undergone a long journey, or is due to the dissolution of limestone.

References

1. T. Setiawan, BYCSSS. Alam, E. Haryono, Hendarmawan, Spatio-temporal variation of karst spring parameters for characterizing the aquifer system of Watuputih Area, Indonesia. *J. of Water and Land Development.* **45** (IV–VI), 143–156 (2020)
2. T. Setiawan, S. Isnaini, NMA. Asghaf, I. Effendi, Groundwater Recharge System in the Wonosari – Baron Karst Area, Gunungkidul Regency, Special Region of Yogyakarta based on ^{18}O and ^2H Isotope Analysis. *J. Env. and Geol. Disasters.* **9**(3), 143 – 155, (2018)
3. I. Clark, *Groundwater Geochemistry and Isotopes*, (CRC Press, Taylor & Francis Group, 2015).
4. Martanto, B. W. Harini, P. Y. Merucahyo, A. T. Priantoro, Alat ukur konduktivitas air sungai pada sistem monitoring kualitas air kolam, in *Proc. of Ritektra Seminar*, 187–90, Atma Jaya University of Indonesia, Jakarta, (2013)
5. BYCSSS. Alam, R. Itoi, S. Taguchi, R. Yamashiro, H. Saibi, Hydrogeochemical and isotope characterization of geothermal waters from the Cidanau geothermal field, West Java, Indonesia. *Geothermics.* **78**, 62–69 (2019)
6. R. A. T. Listyani, Hydrochemical of hot spring water of ungaran geothermal field, Semarang Regency, Central Java Province, Indonesia. *J. Teknologi Nasional.* **14**(2), 11-20 (2011)
7. Arnórsson, S. The composition of geothermal waters: a review of chemical characteristics and research needs, in *Proc. of the World Geothermal Congress*, Kyushu–Tohoku, Japan, 28 May–10 June 2000, 1, 893–898. Int. Geothermal Assoc., (2000).
8. K. Nicholson, *Geothermal Fluids: Chemistry and Exploration Techniques*, (Springer, 1993).
9. C. A. J. Appelo, & D. Postma, *Geochemistry, Groundwater and Pollution* (2nd ed.). (CRC Press/Balkema, 2005).
10. W. Stumm, & J. J. Morgan, *Aquatic Chemistry*, (3rd ed.), (Wiley, 1996).