

SERTIFIKAT

Direktorat Jenderal Pendidikan Tinggi, Riset dan Teknologi
Kementerian Pendidikan, Kebudayaan, Riset dan Teknologi Republik Indonesia



Kutipan dari Keputusan Direktorat Jenderal Pendidikan Tinggi, Riset dan Teknologi
Kementerian Pendidikan, Kebudayaan, Riset, dan Teknologi Republik Indonesia

Nomor 204/E/KPT/2022
Peringkat Akreditasi Jurnal Ilmiah periode II Tahun 2022

Nama Jurnal Ilmiah

Mathline : Jurnal Matematika dan Pendidikan Matematika

E-ISSN: 26223627

Penerbit: Universitas Wiralodra

Ditetapkan Sebagai Jurnal Ilmiah

TERAKREDITASI PERINGKAT 3

Akreditasi Berlaku selama 5 (lima) Tahun, yaitu
Volume 7 nomor 1 tahun 2022 sampai volume II nomor 2 tahun 2026

Jakarta, 03 October 2022

Plt. Direktur Jenderal Pendidikan Tinggi,
Riset, dan Teknologi



Catatan:
1. UU/ITE No 5 Tahun 2018 Pasal 5 Ayat 1 "Informasi Elektronik adalah hasil rekayasa manusia dipi harti yang utu"
2. Dokumen ini tidak dibarengkan secara elektronik menggunakan sertifikat elektronik yang diterbitkan oleh B2-E

Prof. Ir. Nizam, M.Sc., DIC, Ph.D., IPU, ASEAN Eng
NIP. 196107061987101001

Mathline :

Jurnal Matematika dan Pendidikan Matematika

MATHLINE : JURNAL MATEMATIKA DAN PENDIDIKAN MATEMATIKA

UNIVERSITAS WIRALODRA

P-ISSN : 25025872 <> E-ISSN : 26223627

0
Impact

1780
Google Citations

Sinta 3
Current Accreditation

[Google Scholar](#) [Garuda](#) [Website](#) [Editor URL](#)

History Accreditation

2018 2019 2020 2021 2022 2023 2024 2025 2026

Garuda [Google Scholar](#)

[Endowment Life Insurance Calculation Modeling with DARA Utility Function and Stochastic Interest](#)

Universitas Wiralodra [Mathline : Jurnal Matematika dan Pendidikan Matematika Vol. 11 No. 1 \(2026\): Mathline : Jurnal Matematika dan Pendidikan Matematika 1-20](#)

2026 [DOI: 10.31943/mathline.v11i1.993](#) [Accred : Sinta 3](#)

[The Effect of Peer Tutoring with Project-Based Learning Model on Educational Statistics Course](#)

Universitas Wiralodra [Mathline : Jurnal Matematika dan Pendidikan Matematika Vol. 11 No. 1 \(2026\): Mathline : Jurnal Matematika dan Pendidikan Matematika 21-30](#)

2026 [DOI: 10.31943/mathline.v11i1.1005](#) [Accred : Sinta 3](#)

[Determinants of Maternal Mortality in Indonesia: A B-Spline Nonparametric Regression Approach to Identify Nonlinear Relationship Patterns](#)

Universitas Wiralodra [Mathline : Jurnal Matematika dan Pendidikan Matematika Vol. 11 No. 1 \(2026\): Mathline : Jurnal Matematika dan Pendidikan Matematika 31-44](#)

2026 [DOI: 10.31943/mathline.v11i1.1015](#) [Accred : Sinta 3](#)

[Improving Students' Mathematical Comprehension and Curiosity Through Deep Learning Cycle Learning with The Help of Proprofs](#)

Universitas Wiralodra [Mathline : Jurnal Matematika dan Pendidikan Matematika Vol. 11 No. 1 \(2026\): Mathline : Jurnal Matematika dan Pendidikan Matematika 45-60](#)

2026 [DOI: 10.31943/mathline.v11i1.1039](#) [Accred : Sinta 3](#)

[Implementation of Differentiated Instruction in Mathematics Learning to Increase Student Engagement at SMAN 1 Indramayu](#)

[Universitas Wiralodra](#) [Mathline : Jurnal Matematika dan Pendidikan Matematika Vol. 11 No. 1 \(2026\); Mathline : Jurnal Matematika dan Pendidikan Matematika 117-130](#)

[2026](#) [DOI: 10.31943/mathline.v11i1.1055](#) [Accred : Sinta 3](#)

[Analysis of Interaction Patterns Among Deaf Students Through The Peer Tutor Method in Mathematics Learning](#)

[Universitas Wiralodra](#) [Mathline : Jurnal Matematika dan Pendidikan Matematika Vol. 11 No. 1 \(2026\); Mathline : Jurnal Matematika dan Pendidikan Matematika 61-74](#)

[2026](#) [DOI: 10.31943/mathline.v11i1.1080](#) [Accred : Sinta 3](#)

[Optimization Analysis of Production Costs and Profits of Spicy Noodle Variants of Mie Ratu Situbondo UMKM Using The Branch and Bound Method](#)

[Universitas Wiralodra](#) [Mathline : Jurnal Matematika dan Pendidikan Matematika Vol. 11 No. 1 \(2026\); Mathline : Jurnal Matematika dan Pendidikan Matematika 131-142](#)

[2026](#) [DOI: 10.31943/mathline.v11i1.1090](#) [Accred : Sinta 3](#)

[The Development of Wizer.Me-Based Student Worksheets to Improve Studentsâ Mathematical Creative Thinking Ability](#)

[Universitas Wiralodra](#) [Mathline : Jurnal Matematika dan Pendidikan Matematika Vol. 11 No. 1 \(2026\); Mathline : Jurnal Matematika dan Pendidikan Matematika 75-90](#)

[2026](#) [DOI: 10.31943/mathline.v11i1.1091](#) [Accred : Sinta 3](#)

[Option Pricing Using The Partial Taylor Series Expansion Method: A Case Study of Blue-Chip Stocks on The Indonesia Stock Exchange](#)

[Universitas Wiralodra](#) [Mathline : Jurnal Matematika dan Pendidikan Matematika Vol. 11 No. 1 \(2026\); Mathline : Jurnal Matematika dan Pendidikan Matematika 107-116](#)

[2026](#) [DOI: 10.31943/mathline.v11i1.1094](#) [Accred : Sinta 3](#)

[Design Research to Learn Mathematics: A Study on The Effect of Problem-Solving Ability on The Creative Attitude of Junior High School Students](#)

[Universitas Wiralodra](#) [Mathline : Jurnal Matematika dan Pendidikan Matematika Vol. 11 No. 1 \(2026\); Mathline : Jurnal Matematika dan Pendidikan Matematika 143-156](#)

[2026](#) [DOI: 10.31943/mathline.v11i1.1101](#) [Accred : Sinta 3](#)

[View more ...](#)



MATHLINE
Jurnal Matematika dan Pendidikan Matematika

P-ISSN 2502-5872
E-ISSN 2622-3627

Program Studi Pendidikan Matematika
Universitas Wiralodra Indramayu

About the Journal

Mathline : Jurnal Matematika dan Pendidikan Matematika, a national journal, provides a forum for publishing the original research articles, review articles from contributors, and the novel technology news related to mathematics and mathematics education that published four times a year: February, May, August, and November (Starting from 2023). Scientific articles dealing with realistic mathematics education, design research, development research, etc. are particularly welcome. The journal encompasses research articles, original research report, reviews, short communications and scientific commentaries in mathematics or mathematics education. All papers submitted to the journal should be written in Indonesian or English. The official language of the manuscript to be published in Mathline is Indonesian or English. Submitted articles must have passed proofreading. Mathline : Jurnal Matematika dan Pendidikan Matematika, has ISSN published by LIPI. p-ISSN:2502-5872. e-ISSN: 2622-3627

CURRENT ISSUE

Vol. 11 No. 2 (2026): Mathline : Jurnal Matematika dan Pendidikan Matematika

PUBLISHED: 2026-05-26

Articles

The Effect of Problem-Based Learning Model Assisted by Puzzle Media on Elementary Students' Mathematical Problem-Solving Ability

Yosha Sheptia, Hafiziani Eka Putri, Alfiana Nurussama

491-504

 PDF

Integration of Malangan Mask Puppet Ethnomathematics in E-Comics to Improve Algebra Literacy Skills of VIII Grade Students on The Concept of Sets

Erni Anggraini, Sri Harini, Marhayati

271-288

 PDF

The Effectiveness of Microsite-Based Learning Media to Enhance Students' Understanding of Matrix Concepts at Sekolah Indonesia Kuala Lumpur

Fauzan Putra Afandi, Lisanul Uswah Sadieda, Dewi Mariani

289-306

 PDF

Numerical Solution Analysis Using The Runge-Kutta-Fehlberg Method on A Model of The Spread of Smoking Behavior

Yuliasluti Dwi Lestari, Sudi Mungkasi

307-316



Developing of Worksheets on Single and Group Data with A Basketball Context

Meida Rosita, Kiki Nia Sania Effendi

317-336



Analysis of Students' Interest in Learning Mathematics Based on Self-Efficacy

Dina Adinda, Nursupiamin, Riska Elfira

337-348



Development of Learning Media Based on Using The Predict-Observe-Explain Model to Enhance Students' Mathematical Understanding Skills

Nenden Suryati, Irena Puji Luritawaty, Tina Sri Sumartini

349-364



Optimization of Labor Allocation to Maximize Cracker Production During Ramadan Using a Linear Program

Anita Putri Amelia, Ida Fitriana Ambarsari, Nur Hasanah

365-372



Optimal Control Model for The Spread of Respiratory Infectious Diseases Through Preventive and Treatment Measures

Boby Rinaldi, Toni Bakhtiar, Jaharuddin

373-396



Local Stability Analysis and Numerical Simulation of A Rabies Transmission Model with Vaccination and Culling

Taufiqurrahman Insani, Budi Priyo Prawoto

397-408



The Effectiveness of Wayground Media in Improving Students' Mathematical Critical Thinking Skills

Shafa Aulia Anwar, Desty Haswati, Rika Sukmawati

409-422



Categorization of Grade 9 Students' Achievement Based on School Examination Results and Qur'anic Achievement Using K-Means and K-Nearest Neighbors

Diki Mulyana, Dadan Dasari, Nurjanah Nurjanah, Luthfiyati Nurafifah

423-436



Optimal Control of The Spread of COVID-19 in Jakarta

Rizki Chika Audita Ariyani, Widowati, Uvi Dwian Kencono, Lucky Cahya Wanditra, Dhimas Mahardika

437-456



Needs Analysis for Maze Game Learning Media to Support Grade 1 Students' Understanding of Number Concepts

Hety Nurendang, Mardiyana, Supianto

457-468



Students' Strategies and Creativity in Solving Mathematical Literacy Problems

Usman Mulbar, Ahmad Zaki, Mar Athul Wazithah T, Muhammad Farhan

469-490



[VIEW ALL ISSUES >](#)

Open Journal Systems

INFORMATION

[For Readers](#)

[For Authors](#)

[For Librarians](#)

SERTIFIKAT

Direktorat Jenderal Pendidikan Tinggi, Riset dan Teknologi
Kementerian Pendidikan, Kebudayaan, Riset dan Teknologi Republik Indonesia




Kutipan dari Keputusan Direktorat Jenderal Pendidikan Tinggi, Riset dan Teknologi
Kementerian Pendidikan, Kebudayaan, Riset, dan Teknologi Republik Indonesia

Nomor 204/E/KPT/2022
Peringkat Akreditasi Jurnal Ilmiah periode II Tahun 2022

Nama Jurnal Ilmiah
Mathline : Jurnal Matematika dan Pendidikan Matematika
E-ISSN: 26223627
Penerbit: Universitas Wiralodra

Ditetapkan Sebagai Jurnal Ilmiah

TERAKREDITASI PERINGKAT 3

Akreditasi Berlaku selama 5 (lima) Tahun, yaitu
Volume 7 nomor 1 tahun 2022 sampai volume II nomor 2 tahun 2026
Jakarta, 03 October 2022
Plt. Direktur Jenderal Pendidikan Tinggi,
Riset, dan Teknologi



Prof. Ir. Nizam, M.Sc., DIC, Ph.D., IPU, ASEAN Eng
NIP. 196107061987101001




Catatan:

1. LKJ/ITE No 10 Tahun 2008 Pasal 5 Ayat 1 "Informasi Elektronik dan/atau hasil cetaknya merupakan alat bukti yang sah."
2. Dokumen ini telah ditandatangani secara elektronik menggunakan sertifikat elektronik yang diterbitkan oleh BSN-E

History

Peer-reviewers

Author Guideline

Indexing and Abstract

Publication Ethics

Focus & Scope

Peer Review Process

Copyright Notice

Open Access Policy

Plagiarism Policy

Article Processing Charge (APC)

ISSN 2622-3627 (Online)

ISSN 2502-5872 (Print)

Declaration Form

Article Template


Plagiarism Declaration

RECOMMENDED TOOLS



Welcome visitors, We are **Mathline: Jurnal Matematika dan Pendidikan Matematika** glad to have you with us. As for your information, we now have several new regulations and rules to provide high-quality publication. Since 2023 we will accept only proper English manuscript with a fair review. We are currently working on several indexings which will make your manuscript well registered and well cited. We also have done significant change to the template to make it look better and proportional.






Supervised By



CURRENT ISSUE



Platform &
workflow by
OJS / PKP



HOME / Editorial Team

Editorial Team

EDITOR IN CHIEF

[Wiwit Damayanti Lestari](#) (Scopus ID: [57511806900](#)) Universitas Wiralodra, Indramayu, Indonesia

EDITORIAL BOARD

[Aloisius L. Son](#) (Scopus ID: [57211269159](#)) Universitas Timor, Indonesia

[Fiki Alghadari](#) (Scopus ID: [57200723866](#)) STKIP Kusuma Negara, Jakarta, Indonesia

[Ahmad Muzaki](#) (Scopus ID: [57199217085](#)) Institut Keguruan dan Ilmu Pendidikan Mataram, Mataram, Indonesia

[Usep Kosasih](#) (Scopus ID: [57196244271](#)) Universitas Islam Nusantara, Bandung, Indonesia

[Sri Adi Widodo](#) (Scopus ID: [57196328078](#)) Universitas Sarjanawiyata Tamansiswa, Yogyakarta

[Farid Gunadi](#) (Scopus ID: [57219986472](#)) Universitas Wiralodra, Indramayu, Indonesia

[Jerito Pereira](#) (Scopus ID : [57224862991](#)) Universidade Nacional Timor Lorosa'e, Dili, Timor-Leste

[Denni Ismunandar](#) (Scopus ID: [57221586999](#)) Universitas Wiralodra, Indramayu, Indonesia

EDITORIAL ASSISTANT

[Luthfiyati Nurafifah](#) (Scopus ID: [57219986503](#)) Universitas Wiralodra, Indramayu, Indonesia

[Mochammad Taufan](#) (Scopus ID: [57219988244](#)) Universitas Wiralodra, Indramayu, Indonesia

[Mellawaty](#) (Scopus ID : [57211276865](#)) Universitas Wiralodra, Indramayu, Indonesia

[Diki Mulyana](#) Universitas Wiralodra Indramayu

Open Journal Systems

INFORMATION

[For Readers](#)

[For Authors](#)

[For Librarians](#)

SERTIFIKAT

Direktorat Jenderal Pendidikan Tinggi, Riset dan Teknologi
Kementerian Pendidikan, Kebudayaan, Riset dan Teknologi Republik Indonesia





Kutipan dari Keputusan Direktorat Jenderal Pendidikan Tinggi, Riset dan Teknologi
Kementerian Pendidikan, Kebudayaan, Riset, dan Teknologi Republik Indonesia

Nomor 204/E/KPT/2022
Peringkat Akreditasi Jurnal Ilmiah periode II Tahun 2022

Nama Jurnal Ilmiah
Mathline : Jurnal Matematika dan Pendidikan Matematika
E-ISSN: 26223627
Penerbit: Universitas Wiralodra

Ditetapkan Sebagai Jurnal Ilmiah

TERAKREDITASI PERINGKAT 3

Akreditasi Berlaku selama 5 (lima) Tahun, yaitu
Volume 7 nomor 1 tahun 2022 sampai volume II nomor 2 tahun 2026
Jakarta, 03 October 2022
Plt. Direktur Jenderal Pendidikan Tinggi,
Riset, dan Teknologi



Prof. Ir. Nizam, M.Sc., DIC, Ph.D., IPU, ASEAN Eng
NIP. 196107061987101001




Catatan :
1. Logo Sertifikasi Elektronik
2. Dokumen ini telah ditandatangani secara elektronik menggunakan sertifikat elektronik yang diterbitkan oleh BSE

[History](#)

[Peer-reviewers](#)

[Author Guideline](#)

[Indexing and Abstract](#)

[Publication Ethics](#)

[Focus & Scope](#)

[Peer Review Process](#)

[Copyright Notice](#)

[Open Access Policy](#)

[Plagiarism Policy](#)

[Article Processing Charge \(APC\)](#)

[ISSN 2622-3627 \(Online\)](#)

[ISSN 2502-5872 \(Print\)](#)

[Declaration Form](#)

[Article Template](#)

[Plagiarism Declaration](#)


RECOMMENDED TOOLS





Welcome visitors, We are **Mathline: Jurnal Matematika dan Pendidikan Matematika** glad to have you with us. As for your information, we now have several new regulations and rules to provide high-quality publication. Since 2023 we will accept only proper English manuscript with a fair review. We are currently working on several indexings which will make your manuscript well registered and well cited. We also have done significant change to the template to make it look better and proportional.





Supervised By



CURRENT ISSUE

ATOM 1.0

RSS 2.0

RSS 1.0

Platform &
workflow by
OJS / PKP

Volume 11 Number 2, May 2026, 307-316

NUMERICAL SOLUTION ANALYSIS USING THE RUNGE-KUTTA-FEHLBERG METHOD ON A MODEL OF THE SPREAD OF SMOKING BEHAVIOR

Yulastuti Dwi Lestari^{1*}, Sudi Mungkasi²

¹Department of Mathematics Education, Sanata Dharma University, Yogyakarta, Indonesia

²Department of Mathematics, Sanata Dharma University, Yogyakarta, Indonesia

*Correspondence: yulastutidle@gmail.com

ABSTRACT

We consider a mathematical model of the spread of smoking behavior in the population. The model is solved using the Runge-Kutta-Fehlberg numerical method. As smoking is not healthy in general, we are interested in the case of smoker-free in the long term of time. The equilibrium of the smoker-free is recalled and used to match the numerical simulation for large time values. In addition, our contribution in this paper is to verify that the Runge-Kutta-Fehlberg numerical method is fifth order in convergence. Using error tabulation, we show that the numerical method is indeed of the fifth order.

Keywords: Accuracy, Epidemics, Equilibrium, Infectious, Susceptible

How to Cite: Lestari, Y. D & Mungkasi, S. (2026). Numerical Solution Analysis Using The Runge-Kutta-Fehlberg Method on A Model of The Spread of Smoking Behavior. *Mathline: Jurnal Matematika dan Pendidikan Matematika*, 11(2), 307-316. <http://doi.org/10.31943/mathline.v11i2.1050>

PRELIMINARY

Smoking behavior exists in the society (BPS, 2023; World of Statistics, 2023). Some people do smoking for some reasons, such as to overcome anxiety or just a habit in their daily life. Generally, smokes contain nicotine (Alegantina, 2018) and other chemical substances. Despite the negative effects of smoking, some people keep smoking.

Researchers studied that smoking behavior is contagious. Ullah et al. (2016) developed a mathematical model for the spread of smoking behavior into a system of nonlinear ordinary differential equations. Günerhan et al. (2022) modified the work of Ullah et al. (2016) into a system of fractional order equations. These works were studied further by Lestari (2025) focusing on the numerical solutions to the model. When control to the smoking behavior is desired, optimal control model has been proposed by Ilmayasinta and Purnawan (2021).

The main challenge with modeling the problem into differential equations is how to solve the system accurately (Mungkasi, 2022b). Literature provides a number of methods to

solve them, such as, the works of Ahmad and Charan (2016), Burden and Faires (2011), Butcher (2008), Hairer et al. (1987), as well as Hammachukiattiku et al. (2021). These methods produce approximate solutions numerically. Amongst those methods, the family of the Runge-Kutta methods is most popular (Hurit and Mungkasi, 2021).

Although a number of mathematical models have been proposed to describe the dynamics of smoking behavior, including the work of Ullah et al. (2016) and its extension by Günerhan et al. (2022), most of these studies mainly emphasize model formulation and qualitative analysis. The numerical simulations presented are generally used only to illustrate the behavior of the system, without further discussion on the accuracy of the numerical methods. In particular, aspects such as order of accuracy, convergence, and error analysis are rarely addressed, so the reliability of the numerical results is not fully examined.

This paper aims to verify the order of accuracy of the Runge-Kutta-Fehlberg numerical method when it is used to solve the mathematical model of the spread of smoking behavior. To do so, we recall the mathematical model and the computational procedure in the next section. Then, results and discussion are provided. Finally, we conclude the paper with several remarks.

METHOD

Mathematical Model

We recall the mathematical model of the spread of smoking behavior used by Ullah et al. (2016). The population consists of five subpopulations, namely, the subpopulations of potential smokers $P(t)$, occasional smokers $O(t)$, active smokers $S(t)$, temporary quitters $T(t)$, and permanent quitters $Q(t)$ at time t . The parameters involved in the model are the recruitment rate Λ , the effective contact rate β between potential smokers and active smokers, the rate α_1 at which occasional smokers become regular smokers, the contact rate α_2 between smokers and temporary quitters who revert back to smoking, and the natural death rate μ , the smoking-quitting rate γ , the fraction $(1 - \delta)$ of smokers who temporary quit smoking (of the rate γ), and the remaining fraction δ of smoking who permanently quit smoking.

The dynamics of the system are described by the following system of five nonlinear ordinary differential equations (Ullah et al., 2016):

$$\frac{dP}{dt} = \Lambda - \beta PS - \mu P,$$

$$\begin{aligned} \frac{dO}{dt} &= \beta PS - \alpha_1 O - \mu O, \\ \frac{dS}{dt} &= \alpha_1 O + \alpha_2 ST - (\mu + \gamma)S, \\ \frac{dT}{dt} &= \gamma(1 - \delta)S - \alpha_2 ST - \mu T, \\ \frac{dQ}{dt} &= \delta\gamma S - \mu Q. \end{aligned}$$

The interactions between subpopulations are illustrated in the schematic diagram shown in Figure 1.




Figure 1. Schematic Diagram of the Model for the Spread of Smoking Behavior

We observe that the smoker-free equilibrium is $E_0 = (\Lambda/\mu, 0, 0, 0, 0)$. This smoker-free equilibrium is locally asymptotically stable when $R_0 < 1$ and unstable when $R_0 > 1$, where the reproduction number is

$$R_0 = \frac{\alpha_1 \beta}{(\mu + \gamma)(\alpha_1 + \mu)}.$$

We are interested in simulation towards this equilibrium, as if it could be possible, the population would be smoker-free in the long term of time.

Computational Procedure

The numerical method used to solve the mathematical model is the fifth order Runge-Kutta-Fehlberg (RKF5), as implemented by Lestari (2025). We refer readers to standard textbooks for numerical methods, such as, Burden and Faires (2011), Butcher (2008), as well as Mathews and Kurtis (2004). For the error analysis, we compare our results of RKF5 with the results of the ODE45 solver known in MATLAB, that is, the RK45 solver in Python. Our simulations are all conducted using the Python software. Figure 2 shows the flowchart for the numerical simulation of the spread of the smoking behavior using RKF5 and RK45 methods.




Figure 2. Flowchart for the Numerical Simulation of the Spread of the Smoking Behavior Using RKF5 and RK45 Methods

RESULTS AND DISCUSSION

Here we report our results in solving the mathematical model. The initial conditions are adapted from Ullah et al. (2016) and Günerhan et al. (2022). At $t = 0$, the initial population is given by $P_0 = 40$, $O_0 = 10$, $S_0 = 20$, $T_0 = 10$, and $Q_0 = 5$. The parameter values used in this model are as follows $\Lambda = 1$, $\beta = 0.14$, $\mu = 0.05$, $\alpha_1 = 0.002$, $\alpha_2 = 0.0025$, $\gamma = 0.8$, and $\delta = 0.1$. With these settings, we obtain the simulation results.

The dynamics of the subpopulations in terms of smoking behavior are shown in Figures 3 and 4. The dynamics mainly observable at around the beginning, that is, in the period $t \in [0,25]$ as in Figure 3. Even clearer, the dynamics can be seen for $t \in [0,2]$ as in Figure 4. As time evolves, subpopulations approach the equilibrium, which is realistic. This behavior is consistent with the condition determined by the value of the reproduction number R_0 , where $R_0 < 1$ indicates that the smoking behavior will gradually decline and the system converges to a stable (smoker-free) equilibrium. See the work of Ullah et al. (2016) for the theory on the reproduction number R_0 .







Figure 3. Simulation Results of the Mathematical Model of the Spread of Smoking Behavior Using the RKF5 Method




(a)




(b)




(c)



(d)



(e)



(f)

**Figure 4. Solutions to Subpopulations for $t \in [0, 2]$:
(a) P , (b) O , (c) S , (d) T , (e) Q , (f) All**

Subsequently, the accuracy of the smoking behavior spread model simulation using the RKF5 method is evaluated. The purpose of this simulation is to evaluate the accuracy and the order of the RKF5 method in solving the model of the spread of smoking behavior. The RKF5 solutions are compared to the RK45 solutions, where the RK45 method is provided in the SciPy library in the Python software. Simulations are conducted with several time step (h) variations, starting from $h = 0.2$, $h = 0.1$, and successively halving to smaller values. For each h , interpolation is performed at five time points ($t = 10, 20, 30, 40, 50$ years), and the results are compared to the reference RK45 solution set with an absolute error tolerance (a_{tol}) and relative error tolerance (r_{tol}) of 10^{-13} . The RK45 solution is chosen as

the reference exact solution, since with such a small tolerance (such as 10^{-13}), the computed solution becomes very accurate and very close to the exact solution (Butcher, 2008; Hairer et al., 1987). Note that the default values in solve_ivp procedure in Python for rtol (relative tolerance) is 10^{-3} and atol (absolute tolerance) is 10^{-6} .

The absolute errors between the RKF5 and RK45 results are computed and averaged to obtain the mean error for each subpopulation. It can be observed that the error decreases significantly as the time step is reduced, indicating that the RKF5 method produces increasingly accurate solutions. This decreasing trend also indicates the convergence of the RKF5 method. Mungkasi (2022a) as well as Widi and Mungkasi (2025) stated that the order of accuracy can be evaluated using the following formula:

$$\text{Order of Accuracy} = \frac{\log\left(\frac{\text{error}_1}{\text{error}_2}\right)}{\log\left(\frac{h_1}{h_2}\right)} \tag{10}$$

Formula (10) is used to calculate the order of accuracy of the numerical solutions with respect to the varying time step. We record the average of absolute errors in Table 1, and the computational order of accuracy in Table 2. We obtain that the numerical order of accuracy approaches 5 as the time step tends to zero, which is consistent with the theoretical order of the RKF5 method. This confirms that the RKF5 method achieves its theoretical fifth-order accuracy.

Table 1. Average Error of Each Subpopulation

<i>h</i>	Average Error				
	<i>P</i>	<i>O</i>	<i>S</i>	<i>T</i>	<i>Q</i>
0.2	8.60×10^{-06}	7.95×10^{-06}	2.24×10^{-08}	5.60×10^{-07}	6.35×10^{-08}
0.1	9.92×10^{-08}	8.90×10^{-08}	2.75×10^{-10}	8.88×10^{-09}	1.02×10^{-09}
0.05	1.50×10^{-09}	1.28×10^{-09}	4.58×10^{-12}	1.90×10^{-10}	2.23×10^{-11}
0.025	2.78×10^{-11}	2.23×10^{-11}	1.21×10^{-13}	4.96×10^{-12}	6.02×10^{-13}

Table 2. Order of Accuracy of the Numerical Solutions for Each Subpopulations with Various Time-Step Values

<i>h</i>	Solution Order of Accuracy				
	<i>P</i>	<i>O</i>	<i>S</i>	<i>T</i>	<i>Q</i>
0.2 and 0.1	6.437406	6.480881	6.351554	5.978689	5.957877
0.1 and 0.05	6.050134	6.120125	5.907124	5.544514	5.517328
0.05 and 0.025	5.752988	5.843721	5.236673	5.262850	5.212113

We observe further that some computed orders of accuracy slightly exceed the theoretical order of 5, with values ranging from approximately 5.2 to 6.5. This phenomenon may occur due to numerical effects such as error cancellation or superconvergence,

especially when the error values become very small. With these obtained results, RKF5 is promising to solve a wide range of systems of ordinary differential equations. These results confirm the reliability of the RKF5 method for solving nonlinear dynamical systems. This RKF5 should be able to solve other (various) mathematical models in the forms of systems of ordinary differential equations for infectious disease spreads, such as those researched by Mungkasi (2021), Tengger and Winarni (2022), Darajat (2023), and Winarni et al. (2024).

CONCLUSION

This study has solved the mathematical model of the spread of smoking behavior using the Runge-Kutta-Fehlberg method (RKF5). The numerical results show that the solutions converge toward the equilibrium, which is consistent with the theoretical stability of the system. In addition, the numerical results confirm that the RKF5 method achieves an order of accuracy close to five, in agreement with its theoretical order. This study is limited to numerical experiments and does not incorporate empirical data for validation. Future research direction could include empirical data so the validation of the mathematical model would be validated from reality.

ACKNOWLEDGMENT

This paper is developed from the masters thesis (Lestari, 2025) of the first author (Yuliastuti Dwi Lestari) under the supervision of the second author (Sudi Mungkasi) at Sanata Dharma University in 2025. The authors thank Sanata Dharma University for the support.

REFERENCES

- Ahmad, N., and Charan, S. (2016). Numerical accuracy between Runge-Kutta Fehlberg method and Adams-Bashforth method for first order ordinary differential equations with boundary value problem. *Journal of Mathematical and Computational Science*, 6(6), 1145–1156. <https://scik.org/index.php/jmcs/article/view/2732>
- Alegantina, S. (2018). Penetapan kadar nikotin dan karakteristik ekstrak daun tembakau (*Nicotiana tabacum* L.). *Jurnal Penelitian dan Pengembangan Pelayanan Kesehatan*, 1(2), 113–119. <https://doi.org/10.22435/jpppk.v1i2.509>
- Badan Pusat Statistik (BPS). (2023). *Persentase penduduk umur 15 tahun ke atas yang merokok*. Jakarta: BPS. Retrieved from <https://www.bps.go.id/>
- Burden, R. L., and Faires, J. D. (2011). *Numerical Analysis*, 9th Edition. Brooks/Cole.
- Butcher, J. C. (2008). *Numerical Methods for Ordinary Differential Equations*, 2nd Edition. John Wiley and Sons, Ltd. <https://doi.org/10.1002/9780470753767>
- Darajat, P. P. (2023). Dynamical analysis of cervical cancer disease model with treatment. *Mathline: Jurnal Matematika dan Pendidikan Matematika*, 8(1), 113-122.
-

- <https://doi.org/10.31943/mathline.v8i1.292>
- Günerhan, H., Rezazadeh, H., Adel, W., Hatami, M., Sagayam, K. M., Emadifar, H., Asjad, M. I., Hamasalh, F. K., and Hamoud, A. A. (2022). Analytical approximate solution of fractional order smoking epidemic model. *Advances in Mechanical Engineering*, 14(9), 1–11. <https://doi.org/10.1177/16878132221123888>
- Hairer, E., Nørsett, S. P., and Wanner, G. (1987). *Solving Ordinary Differential Equations I: Nonstiff Problems*. Springer. <https://doi.org/10.1007/978-3-540-78862-1>
- Hammachukiattiku, P., Unyong, B., Suresh, R., Rajchakit, G., Vadivel, R., Gunasekaran, N., and Lim, C. P. (2021). Runge-Kutta Fehlberg method for solving linear and nonlinear fuzzy Fredholm integro-differential equations. *Applied Mathematics and Information Sciences*, 15(1), 43–51. <https://doi.org/10.18576/AMIS/150106>
- Hurit, R. U. and Mungkasi, S. (2021). The Euler, Heun, and fourth order Runge-Kutta solutions to SEIR model for the spread of meningitis disease. *Mathline: Jurnal Matematika dan Pendidikan Matematika*, 6(2), 140–153. <https://doi.org/10.31943/mathline.v6i2.176>
- Ilmayasinta, N., and Purnawan, H. (2021). Optimal control in a mathematical model of smoking. *Journal of Mathematical and Fundamental Sciences*, 53(3), 380–394. <https://doi.org/10.5614/J.MATH.FUND.SCI.2021.53.3.4>
- Lestari, Y. D. (2025). *Kajian Matematis dan Pendidikan pada Model Penyebaran Perilaku Merokok dan Penyelesaiannya dengan Metode Runge-Kutta-Fehlberg*. Masters thesis, Sanata Dharma University.
- Mathews, J. H. and Kurtis, K. F. (2004). *Numerical Methods Using MATLAB*. 4th Edition. Prentice Hall.
- Mungkasi, S. (2021). Variational iteration and successive approximation methods for a SIR epidemic model with constant vaccination strategy. *Applied Mathematical Modelling*, 90, 1-10. <https://doi.org/10.1016/j.apm.2020.08.058>
- Mungkasi, S. (2022a). An order verification method for truncated asymptotic expansion solutions to initial value problems. *Alexandria Engineering Journal*, 61(1), 175–184. <https://doi.org/10.1016/j.aej.2021.04.068>
- Mungkasi, S. (2022b). *Matematika: Jalan Kesejahteraan*. Sanata Dharma University Press.
- Tengger, B.A. and Winarni, A. (2022). SIQS epidemic model with bilinear incidence. *Mathline: Jurnal Matematika dan Pendidikan Matematika*, 7(1), 110-120. <https://doi.org/10.31943/mathline.v7i1.256>
- Ullah, R., Khan, M., Zaman, G., Islam, S., Khan, M. A., Jan, S., and Gul, T. (2016). Dynamical features of a mathematical model on smoking. *Journal of Applied Environmental and Biological Sciences*, 6(1), 92–96.
- Widi, L. K. and Mungkasi, S. (2025). Numerical verification of the order of accuracy of a Runge-Kutta-Fehlberg method in solving an SEIR model. *Komputasi: Jurnal Ilmiah Ilmu Komputer dan Matematika*, 22(2), 10–19.
- Winarni, A., Sofiyati, N. and Rudatiningtyas, U. F. (2024). Analysis and simulation of SEIR mathematical model of stunting case in Indonesia. *Mathline: Jurnal Matematika dan Pendidikan Matematika*, 9(3), 871-886, <https://doi.org/10.31943/mathline.v9i3.555>
- World of Statistics. (2023). *Countries with the most smokers*. <https://worldofstatistics.org/>